

Product name: TN-630, TN-660, TN-2340, TN-2370, TN-2310, TN-2320, TN-2335, TN-2375, TN-2330, TN-2350, TN-2315, TN-2345, TN-2360, TN-2380, TN-2305, TN-2355, TN-2306, TN-2356, TN-2365, TN-2385, TN2312, TN-2325 Toner

Date of issue: 19 November 2013  
Revision date: 04 November 2014  
Version: 5.0  
SDS No: BPL-01-EUUSOTHER

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product Name (Product code) : TN-630, TN-660, TN-2340, TN-2370, TN-2310, TN-2320, TN-2335, TN-2375, TN-2330, TN-2350, TN-2315, TN-2345, TN-2360, TN-2380, TN-2305, TN-2355, TN-2306, TN-2356, TN-2365, TN-2385, TN2312 TN-2325 Toner

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : These products are black toner in a cartridge for Brother Industries, Ltd. laser printers, multifunction devices and fax receivers. The cartridge should be used as supplied by Brother and for use in the products stated. Information provided on this SDS is only consistent with the use specified by Brother

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Manufacturer : Brother Industries, Ltd.  
15-1 Naeshiro-cho, Mizuho-ku, Nagoya 467-8561, Japan  
Telephone (for information): +81-52-824-2735

Importer (USA) : Brother International Corporation  
200 Crossing Boulevard, Bridgewater, NJ 08807, USA  
Telephone (for information): +1-877-276-8437

Importer (Canada) : Brother International Corporation (Canada) Ltd.  
1 Hotel de Ville, Dollard des Ormeaux, Quebec, H9B 3H6, Canada  
Telephone (for information): +1-514-685-0600

Importer (Europe) : Brother International Europe Ltd.  
Brother House, 1 Tame Street, Guide Bridge, Audenshaw, Manchester M34 5JE, UK  
Telephone (for information): +44-161-330-6531

Importer (Australia) : Brother International (Aust.) Pty. Ltd. ACN 001 393 835  
Level 3, Building A, 11 Talavera Road, Macquarie Park, NSW 2113, Australia  
Telephone (for information): +61-2-9887-4344

E-mail Address : sds.info@brother.co.jp

### 1.4. Emergency telephone number

Emergency number : CHEMTREC  
+1-703-527-3887 (International)  
+1-800-424-9300 (North America)

For France only:  
Antipoison Center telephone number: ORFILA +33-1-45-425-959

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

#### Australia Classification

Not classified as hazardous according to the criteria of NOHSC

### 2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

EUH phrases : EUH208 - Contains Rosin, fumarated(65997-04-8). May produce an allergic reaction

Product name: TN-630, TN-660, TN-2340, TN-2370, TN-2310, TN-2320, TN-2335, TN-2375, TN-2330, TN-2350, TN-2315, TN-2345, TN-2360, TN-2380, TN-2305, TN-2355, TN-2306, TN-2356, TN-2365, TN-2385, TN2312, TN-2325 Toner

Date of issue: 19 November 2013  
Revision date: 04 November 2014  
Version: 5.0  
SDS No: BPL-01-EUUSOTHER

**2.3. Other hazards**

This substance/mixture does not meet the PBT criteria of REACH, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH, annex XIII

**SECTION 3: Composition/information on ingredients**

**3.2. Mixture**

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
N,N-diethyl-N-methyl-2-(2-methyl-1-oxo-2-propenyl)oxyethanaminium salt with 4-methylbenzenesulfonic acid (1:1) polymer with butyl 2-propenoate and ethenylbenzene	(CAS No) 133350-42-2 (EC no) -	5 - 10	Xi; R36	Eye Irrit. 2, H319
Carbon Black (bound)	(CAS No) 1333-86-4 (EC no) 215-609-9	1 - 5	Not classified	Not classified
Rosin, fumarated	(CAS No) 65997-04-8 (EC no) 266-040-8	1 - 2.5	Xn; R22 Xi; R41 R43	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Skin Sens. 1, H317
Polyester resin	(CAS No) ** (EC no) -	**	Not classified	Not classified

\*\* CONFIDENTIAL

Full text of R- and H- phrases: see section 16

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

- First-aid measures general : If symptoms persist, obtain medical attention.
- First-aid measures after inhalation : Obtain medical attention. In case of accident by inhalation : remove casualty to fresh air and keep at rest.
- First-aid measures after skin contact : Remove contaminated clothing immediately and wash affected skin with plenty of water or soap and water.
- First-aid measures after eye contact : Obtain medical attention. If substance has got into the eyes, immediately wash out with plenty of water for at least 15 minutes.
- First-aid measures after ingestion : Obtain immediate medical attention. Wash out mouth with water and give 100-200 ml of water to drink.

**4.2. Most important symptoms and effects, both acute and delayed**

- Symptoms/injuries after inhalation : For large quantities: May cause irritation to the respiratory system. Increased difficulty in breathing. Sneezing. Coughing.
- Symptoms/injuries after eye contact : May cause eye irritation.
- Symptoms/injuries after ingestion : May cause stomach ache. Unlikely route of exposure.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

- Suitable extinguishing media : Extinguish preferably with dry chemical, Water spray.
- Unsuitable extinguishing media : Do not use water jet.

**5.2. Special hazards arising from the substance or mixture**

- Explosion hazard : May form explosible dust clouds in air.

**5.3. Advice for firefighters**

- Firefighting instructions : Do not use high-pressure water in order to prevent creating a dust cloud and spreading fire dust. Use appropriate respirator for carbon monoxide and carbon dioxide. Wear positive pressure self-contained breathing apparatus (SCBA) during the attack phase of firefighting operations and during cleanup in enclosed or poorly ventilated areas immediately after a fire. Personnel not having suitable respiratory protection must leave the area to prevent significant exposure to toxic combustion gases from any source.

Product name: TN-630, TN-660, TN-2340, TN-2370, TN-2310, TN-2320, TN-2335, TN-2375, TN-2330, TN-2350, TN-2315, TN-2345, TN-2360, TN-2380, TN-2305, TN-2355, TN-2306, TN-2356, TN-2365, TN-2385, TN2312, TN-2325 Toner

Date of issue: 19 November 2013  
Revision date: 04 November 2014  
Version: 5.0  
SDS No: BPL-01-EUUSOTHER

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

Emergency procedures : Avoid generation of dust. Do not breathe dust. A suitable dust mask or dust respirator with filter type A/P may be appropriate.

### 6.2. Environmental precautions

Prevent substance entering sewers. Washings must be prevented from entering surface water drains.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Sweep the spilt toner or remove it with a vacuum cleaner and transfer into a sealed container carefully. Sweep slowly to minimize generation of dust during cleanup. If a vacuum cleaner is used, the motor must be rated as dust explosion proof. Potential for very fine particles to be taken into the vacuum only to be passed back into the environment due to pore size in the bag or filter.

### 6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Keep out of the reach of children. Avoid generation of dust. Avoid inhalation of high concentrations of dust. Avoid contact with eyes.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from oxidizing agents.

### 7.3. Specific end use(s)

These products are black toner in a cartridge for Brother Industries, Ltd. laser printers, multifunction devices and fax receivers. This cartridge should be used as supplied by Brother and for use in the products stated.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Carbon Black (bound) (1333-86-4)		
Belgium	Local name	Carbone (noir de)
Belgium	Limit value (mg/m <sup>3</sup> )	3.5 mg/m <sup>3</sup>
Denmark	Local name	Carbon black
Denmark	Limit (long-term) (mg/m <sup>3</sup> )	3.5 mg/m <sup>3</sup>
Denmark	Anmærkninger (DK)	K
Finland	Local name	Nokimusta
Finland	HTP-arvo (8h) (mg/m <sup>3</sup> )	3.5 mg/m <sup>3</sup>
Finland	HTP-arvo (15 min)	7 mg/m <sup>3</sup>
France	Local name	Noir de carbone
France	VME (mg/m <sup>3</sup> )	3.5 mg/m <sup>3</sup>
Ireland	Local name	Carbon black
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	3.5 mg/m <sup>3</sup>
Ireland	OEL (15 min ref) (mg/m <sup>3</sup> )	7 mg/m <sup>3</sup>
Portugal	Local name	Carbono, preto (Negro de fumo)
Portugal	OEL TWA (mg/m <sup>3</sup> )	3.5 mg/m <sup>3</sup>
Spain	Local name	Negro de humo
Spain	VLA-ED (mg/m <sup>3</sup> )	3.5 mg/m <sup>3</sup>
Spain	Notes	véase Apartado 9
United Kingdom	Local name	Carbon black

Product name: TN-630, TN-660, TN-2340, TN-2370, TN-2310, TN-2320, TN-2335, TN-2375, TN-2330, TN-2350, TN-2315, TN-2345, TN-2360, TN-2380, TN-2305, TN-2355, TN-2306, TN-2356, TN-2365, TN-2385, TN2312, TN-2325 Toner

Date of issue: 19 November 2013  
Revision date: 04 November 2014  
Version: 5.0  
SDS No: BPL-01-EUUSOTHER

<b>Carbon Black (bound) (1333-86-4)</b>		
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	3.5 mg/m <sup>3</sup>
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	7 mg/m <sup>3</sup>
Norway	Local name	Carbon Black (lapesot)
Norway	TWA (AN) (mg/m <sup>3</sup> )	3.5 mg/m <sup>3</sup>
USA - ACGIH	Local name	Carbon black
USA - ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup>
USA - ACGIH	Remark (ACGIH)	Bronchitis
USA - OSHA	Local name	Carbon black
USA - OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	3.5 mg/m <sup>3</sup>

Additional information : USA OSHA PEL (TWA): 15 mg/m<sup>3</sup> (Total dust) 5 mg/m<sup>3</sup> (Respirable Fraction)  
ACGIH TLV (TWA): 10 mg/m<sup>3</sup> (Inhalable particles) 3 mg/m<sup>3</sup> (Respirable particles)

**8.2. Exposure controls**

Appropriate engineering controls : Good general ventilation should be sufficient under normal use.  
Personal protective equipment : Not normally required. For use other than in normal operating procedures (such as in the event of large spill), the following should be applied:  
Hand protection : protective gloves.  
Eye protection : Safety goggles.  
Skin and body protection : Long sleeved clothing and long pants.  
Respiratory protection : Dust mask. (Large spillages: Respirator).  
Environmental exposure controls : Avoid release to the environment.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state : Solid  
Appearance : Powder  
Color : Black  
Odor : odorless  
Odor threshold : No information available  
pH : Not applicable  
Relative evaporation rate (butyl acetate=1) : Not applicable  
Relative evaporation rate (ether=1) : Not applicable  
Melting point : No information available  
Freezing point : No information available  
Boiling point : Not applicable  
Flash point : Not applicable  
Auto-ignition temperature : No information available  
Decomposition temperature : No information available  
Flammability (solid, gas) : Not applicable  
Vapor pressure : Not applicable  
Relative vapor density at 20 °C : Not applicable  
Relative density : 1.2 (H<sub>2</sub>O=1)  
Solubility : Partially soluble (toluene, chloroform and tetrahydrofuran). Insoluble in water  
Log Pow : No information available  
Log Kow : No information available  
Viscosity, kinematic : Not applicable  
Viscosity, dynamic : Not applicable  
Explosive properties : Explosive limits of toner particles suspended in air approximately equal to that of coal dust  
Oxidizing properties : No information available  
Explosion limits : No information available

Product name: TN-630, TN-660, TN-2340, TN-2370, TN-2310, TN-2320, TN-2335, TN-2375, TN-2330, TN-2350, TN-2315, TN-2345, TN-2360, TN-2380, TN-2305, TN-2355, TN-2306, TN-2356, TN-2365, TN-2385, TN2312, TN-2325 Toner

Date of issue: 19 November 2013  
Revision date: 04 November 2014  
Version: 5.0  
SDS No: BPL-01-EUUSOTHER

**9.2. Other information**

No additional information available

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

No information available.

**10.2. Chemical stability**

Stable.

**10.3. Possibility of hazardous reactions**

No information available.

**10.4. Conditions to avoid**

Keep away from heat. Avoid friction, sparks, or other means of ignition.

**10.5. Incompatible materials**

Strong oxidizing agents.

**10.6. Hazardous decomposition products**

Carbon monoxide. Carbon dioxide. Nitrogen oxides.

**SECTION 11: Toxicological information**

**11.1. Information on toxicological effects**

Acute toxicity	: Not classified
LD <sub>50</sub> oral rat	> 5000 mg/kg (OECD 423 method)
LC <sub>50</sub> inhalation rat (mg/l)	> 5.24 mg/l/4h (OECD 436 method)
Skin corrosion/irritation	: Non-irritant. (OECD 404 method) pH: Not applicable
Serious eye damage/irritation	: Minimal irritant to the eye. (OECD 405 method) pH: Not applicable
Respiratory or skin sensitization	: It is not a skin sensitizer. (OECD 429 method)
Germ cell mutagenicity	: AMES test : Negative. (OECD 471 method)
Carcinogenicity	: Carbon Black: In 1996, the IARC re-evaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This classification is given to chemicals, for which there is inadequate human evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. The classification is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats did not show any association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.  Other ingredients of this product have not been classified as carcinogens according to IARC monographs, NTP and OSHA
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

**SECTION 12: Ecological information**

**12.1. Toxicity**

<b>Carbon Black (bound) (1333-86-4)</b>	
EC <sub>50</sub> Daphnia	> 5600 mg/l 24 h (Daphnia magna)
<b>Rosin, fumarated (65997-04-8)</b>	
LC <sub>50</sub> fish	3.2 mg/l 96 h static (Brachydanio rerio)

Product name: TN-630, TN-660, TN-2340, TN-2370, TN-2310, TN-2320, TN-2335, TN-2375, TN-2330, TN-2350, TN-2315, TN-2345, TN-2360, TN-2380, TN-2305, TN-2355, TN-2306, TN-2356, TN-2365, TN-2385, TN2312, TN-2325 Toner

Date of issue: 19 November 2013  
Revision date: 04 November 2014  
Version: 5.0  
SDS No: BPL-01-EUUSOTHER

**12.2. Persistence and degradability**

Persistence and degradability : No information available.

**12.3. Bioaccumulative potential**

Log Pow : No information available  
Log Kow : No information available

**12.4. Mobility in soil**

Ecology - soil : No information available.

**12.5. Results of PBT and vPvB assessment**

This substance/mixture does not meet the PBT criteria of REACH, annex XIII  
This substance/mixture does not meet the vPvB criteria of REACH, annex XIII  
Results of PBT assessment : Not available

**12.6. Other adverse effects**

Other adverse effects : No information available.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

Waste disposal recommendations : Do not put toner or toner cartridges into a fire, this can cause fire to spread with the risk of causing burn injuries. Shred toner cartridges in a dust/explosion controlled environment. Finely dispersed particles may form explosive mixtures in the air. Dispose in accordance with federal, state and local regulations.

**SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / DOT / UN

**14.1. UN number**

Not regulated for transport

**14.2. UN proper shipping name**

Proper Shipping Name (ADR/RID) : None  
Proper Shipping Name (IATA) : None  
Proper Shipping Name (IMDG) : None

**14.3. Transport hazard class(es)**

Not applicable

**14.4. Packing group**

Not applicable

**14.5. Environmental hazards**

Other information : None

**14.6. Special precautions for user**

Special transport precautions : None

**14.6.1. Overland transport**

No additional information available

**14.6.2. Transport by sea**

No additional information available

**14.6.3. Air transport**

No additional information available

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

IBC code : Not applicable

Product name: TN-630, TN-660, TN-2340, TN-2370, TN-2310, TN-2320, TN-2335, TN-2375, TN-2330, TN-2350, TN-2315, TN-2345, TN-2360, TN-2380, TN-2305, TN-2355, TN-2306, TN-2356, TN-2365, TN-2385, TN2312, TN-2325 Toner

Date of issue: 19 November 2013  
Revision date: 04 November 2014  
Version: 5.0  
SDS No: BPL-01-EUUSOTHER

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.1.1. EU-Regulations**

No REACH Annex XVII restrictions  
Contains no REACH candidate substance

**15.1.2. National regulations**

Regional legislation : EU: Not classified as dangerous for supply/use. (1999/45/EC)

USA: All chemical substances contained in this product are and had been listed on the TSCA Chemical Substances Inventory, and none is subject to any of the following TSCA requirements: section 4 test rules; proposed or final section 5(a)(2) significant new use rules; section 5(e) consent orders; section 8(a) preliminary assessment information rules; and section 8(d) health and safety data reporting rules.

Canada: WHMIS: Not applicable. (Manufactured article).

**15.2. Chemical safety assessment**

No chemical safety assessment has been carried out

**SECTION 16: Other information**

Indication of changes:  
Newly issued.

Data sources : U.S. 29CFR Part 1910  
ACGIH Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices  
IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans World Health Organization  
EU Directive 91/322/EEC and 2000/39/EC  
NTP 11th Report on Carcinogens.

Abbreviations and acronyms : IARC (International Agency for Research on Cancer)  
IATA (International Air Transport Association)  
IMDG (International Maritime Dangerous Goods Code)  
IOELV (Indicative Occupational Exposure Limit)  
REACH (Registration, Evaluation and Authorisation of Chemicals)  
WHMIS (Workplace Hazardous Material Information System (Canada))  
ACGIH (American Conference of Government Industrial Hygienists)  
DOT (Department Of Transportation (US))  
ICAO (International Civil Aviation Organization)  
NOHSC (National Occupational Health and Safety Commission (Australia))  
NTP (National Toxicology Program) (US)  
OSHA (Occupational Safety and Health Administration) (US)  
PEL (Permissible Exposure Limit)  
STEL (Short Term Exposure Limit)  
TLV (Threshold Limit Value) (ACGIH)  
TSCA (Toxic Substances Control Act) (US)  
TWA (Time Weighted Average).

Other information : The information only relates to this specific product. It may not be valid, if used in combination with any other materials or in any other process, and it is based on our best knowledge as of the date of preparation (revision).

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Skin Sens. 1	Skin sensitization Category 1

Product name: TN-630, TN-660, TN-2340, TN-2370, TN-2310, TN-2320, TN-2335, TN-2375, TN-2330, TN-2350, TN-2315, TN-2345, TN-2360, TN-2380, TN-2305, TN-2355, TN-2306, TN-2356, TN-2365, TN-2385, TN2312, TN-2325 Toner

Date of issue: 19 November 2013  
Revision date: 04 November 2014  
Version: 5.0  
SDS No: BPL-01-EUUSOTHER

H302	Harmful if swallowed
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
R22	Harmful if swallowed
R36	Irritating to eyes
R41	Risk of serious damage to eyes
R43	May cause sensitization by skin contact
Xi	Irritant
Xn	Harmful