

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 15, 2019


Revision: March 15, 2019

1 Identification

- **Product identifier**
- **Trade name:** Ethanol, 95%, Denatured, ACS Grade
- **Product code:** KEMET1000-C
- **Recommended use and restriction on use**
- **Recommended use:** Laboratory chemicals
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
AquaPhoenix Scientific, Inc.
860 Gitts Run Road
Hanover, PA 17331
Phone: (717)632-1291
Toll-Free: (866)632-1291
info@aquaphoenixsci.com
- **Distributor:**
AquaPhoenix Scientific, Inc.
860 Gitts Run Road
Hanover, PA 17331
(717) 632-1291
- **Emergency telephone number:**
ChemTel Inc.
(800)255-3924 (North America)
+1 (813)248-0585 (International)

2 Hazard(s) identification

- **Classification of the substance or mixture**
Flam. Liq. 2 H225 Highly flammable liquid and vapor.
Eye Irrit. 2A H319 Causes serious eye irritation.

- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**


GHS02 GHS07
- **Signal word:** Danger
- **Hazard statements:**
H225 Highly flammable liquid and vapor.
H319 Causes serious eye irritation.
- **Precautionary statements:**

P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.

(Cont'd. on page 2)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 15, 2019

Revision: March 15, 2019

Trade name: Ethanol, 95%, Denatured, ACS Grade

(Cont'd. of page 1)



- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P264 Wash thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P370+P378 In case of fire: Use for extinction: Alcohol resistant foam or water spray.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Other hazards** There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

· **Components:**

64-17-5	Ethanol	 Flam. Liq. 2, H225  Eye Irrit. 2A, H319	95%
7732-18-5	Water		5%

· **Additional information:**

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.
For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
Supply fresh air; consult doctor in case of complaints.
Provide oxygen treatment if affected person has difficulty breathing.
- **After skin contact:**
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
If skin irritation is experienced, consult a doctor.
- **After eye contact:**
Remove contact lenses if worn.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; immediately call for medical help.
- **Most important symptoms and effects, both acute and delayed:**
Causes eye irritation.
Breathing difficulty
Coughing
Causes mild skin irritation.

(Cont'd. on page 3)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 15, 2019

Revision: March 15, 2019

Trade name: Ethanol, 95%, Denatured, ACS Grade

(Cont'd. of page 2)

Gastric or intestinal disorders when ingested.
 Nausea in case of ingestion.
 Dizziness
 Acidosis
 Disorientation
 Unconsciousness

• **Danger:**

May cause neurotoxic effects.
 Danger of impaired breathing.

• **Indication of any immediate medical attention and special treatment needed:**

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

• **Extinguishing media**

• **Suitable extinguishing agents:**

Alcohol resistant foam
 Water fog / haze
 Carbon dioxide
 Gaseous extinguishing agents
 Fire-extinguishing powder

• **For safety reasons unsuitable extinguishing agents:** Water stream.

• **Special hazards arising from the substance or mixture**

Highly flammable liquid and vapor.
 Formation of toxic gases is possible during heating or in case of fire.

• **Advice for firefighters**

• **Protective equipment:**

Wear self-contained respiratory protective device.
 Wear fully protective suit.

• **Additional information:**

Eliminate all ignition sources if safe to do so.
 Use large quantities of foam as it is partially destroyed by the product.
 Cool endangered receptacles with water in flooding quantities.

6 Accidental release measures

• **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.
 For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
 Ensure adequate ventilation.
 Keep away from ignition sources.
 Protect from heat.

• **Environmental precautions**

Do not allow to enter sewers/ surface or ground water.
 Inform respective authorities in case of seepage into water course or sewage system.

• **Methods and material for containment and cleaning up**

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).
 Send for recovery or disposal in suitable receptacles.

(Cont'd. on page 4)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 15, 2019

Revision: March 15, 2019

Trade name: Ethanol, 95%, Denatured, ACS Grade

(Cont'd. of page 3)

· **Reference to other sections**

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

· **Handling**

· **Precautions for safe handling:**

Prevent formation of aerosols.
Avoid splashes or spray in enclosed areas.
Use only in well ventilated areas.

· **Information about protection against explosions and fires:**

Highly flammable liquid and vapor.
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Flammable gas-air mixtures may be formed in empty containers/receptacles.

· **Conditions for safe storage, including any incompatibilities**

· **Requirements to be met by storerooms and receptacles:**

Store in a cool location.
Due to photo-sensitivity, store product in brown-glass or stainless steel receptacles.

· **Information about storage in one common storage facility:**

Store away from foodstuffs.
Store away from oxidizing agents.

· **Further information about storage conditions:** Keep containers tightly sealed.

· **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

64-17-5 Ethanol

PEL (USA)	Long-term value: 1900 mg/m ³ , 1000 ppm
REL (USA)	Long-term value: 1900 mg/m ³ , 1000 ppm
TLV (USA)	Short-term value: 1880 mg/m ³ , 1000 ppm
EL (Canada)	Short-term value: 1000 ppm
EV (Canada)	Long-term value: 1,900 mg/m ³ , 1,000 ppm
LMPE (Mexico)	Long-term value: 1000 ppm
	A3

· **Exposure controls**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.

(Cont'd. on page 5)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 15, 2019

Revision: March 15, 2019

Trade name: Ethanol, 95%, Denatured, ACS Grade

(Cont'd. of page 4)

Do not inhale dust / smoke / mist.

- **Engineering controls:** Provide adequate ventilation.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves**
Laminated film gloves.
Nitrile rubber, NBR
Neoprene gloves
Butyl rubber, BR
- **Not suitable are gloves made of the following materials:**
PVC gloves
PVA gloves
- **Eye protection:**



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- **Body protection:** Solvent resistant protective clothing
- **Limitation and supervision of exposure into the environment**
No relevant information available.

9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance:

Form: Liquid
Color: Clear, colorless

- **Odor:** Like alcohol
- **Odor threshold:** Not determined.

- **pH-value:** Not determined.
- **Melting point/Melting range:** Not determined.
- **Boiling point/Boiling range:** 78 °C (172.4 °F)

• **Flash point:** 13 °C (55.4 °F)

• **Flammability (solid, gaseous):** Not applicable.

• **Auto-ignition temperature:** 425 °C (797 °F)

• **Decomposition temperature:** Not determined.

• **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

Explosion limits

Lower: 3.5 Vol %

(Cont'd. on page 6)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 15, 2019

Revision: March 15, 2019

Trade name: Ethanol, 95%, Denatured, ACS Grade

(Cont'd. of page 5)

<ul style="list-style-type: none"> · Upper: 15 Vol % · Oxidizing properties: Not determined.
<ul style="list-style-type: none"> · Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg)
<ul style="list-style-type: none"> · Density at 20 °C (68 °F): 0.79 g/cm³ (6.59 lbs/gal) · Relative density: Not determined. · Vapor density: Not determined. · Evaporation rate: Not determined.
<ul style="list-style-type: none"> · Solubility in / Miscibility with Water: Fully miscible.
<ul style="list-style-type: none"> · Partition coefficient (n-octanol/water): Not determined.
<ul style="list-style-type: none"> · Viscosity <ul style="list-style-type: none"> Dynamic: Not determined. Kinematic: Not determined. · Other information No relevant information available.

10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**
Reacts violently with oxidizing agents.
Highly flammable liquid and vapor.
Toxic fumes may be released if heated above the decomposition point.
Used empty containers may contain product gases which form explosive mixtures with air.
Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.
- **Conditions to avoid**
Keep ignition sources away - Do not smoke.
Store away from oxidizing agents.
- **Incompatible materials** No relevant information available.
- **Hazardous decomposition products**
Under fire conditions only:
Carbon monoxide and carbon dioxide

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:**

64-17-5 Ethanol

Oral	LD50	7,060 mg/kg (rat)
Inhalative	LC50/4h	20,000 mg/l (rat)

(Cont'd. on page 7)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 15, 2019

Revision: March 15, 2019

Trade name: Ethanol, 95%, Denatured, ACS Grade

(Cont'd. of page 6)

- **Primary irritant effect:**
- **On the skin:**
Based on available data, the classification criteria are not met.
Causes mild skin irritation.
- **On the eye:** Irritating effect.
- **Sensitization:** Based on available data, the classification criteria are not met.

• **IARC (International Agency for Research on Cancer):**

64-17-5 Ethanol

1

• **NTP (National Toxicology Program):**

None of the ingredients are listed.

• **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

• **Probable route(s) of exposure:**

Ingestion.
Inhalation.
Eye contact.
Skin contact.

• **Acute effects (acute toxicity, irritation and corrosivity):**

Irritating to eyes.
Causes mild skin irritation.

• **Repeated dose toxicity:** No relevant information available.

• **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

• **Carcinogenicity:** Based on available data, the classification criteria are not met.

• **Reproductive toxicity:** Based on available data, the classification criteria are not met.

• **STOT-single exposure:** Based on available data, the classification criteria are not met.

• **STOT-repeated exposure:** Based on available data, the classification criteria are not met.

• **Aspiration hazard:** Based on available data, the classification criteria are not met.

12 Ecological information

• **Toxicity**

• **Aquatic toxicity** No relevant information available.

• **Persistence and degradability** No relevant information available.

• **Bioaccumulative potential:** No relevant information available.

• **Mobility in soil:** No relevant information available.

• **Additional ecological information**

• **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

• **Results of PBT and vPvB assessment**

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• **Other adverse effects** No relevant information available.

13 Disposal considerations

(Cont'd. on page 8)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 15, 2019

Revision: March 15, 2019

Trade name: Ethanol, 95%, Denatured, ACS Grade

(Cont'd. of page 7)

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· **Uncleaned packagings**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· **UN-Number**

· **DOT, ADR/RID/ADN, IMDG, IATA** UN1170

· **UN proper shipping name**

· **DOT** Ethanol
 · **ADR/RID/ADN, IMDG** ETHANOL (ETHYL ALCOHOL)
 · **IATA** ETHANOL

· **Transport hazard class(es)**

· **DOT**



· **Class** 3
 · **Label** 3

· **ADR/RID/ADN**



· **Class** 3 (F1)
 · **Label** 3

· **IMDG, IATA**



· **Class** 3
 · **Label** 3

· **Packing group**

· **DOT, ADR/RID/ADN, IMDG, IATA** II

· **Environmental hazards**

Not applicable.

(Cont'd. on page 9)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 15, 2019

Revision: March 15, 2019

Trade name: Ethanol, 95%, Denatured, ACS Grade

(Cont'd. of page 8)

- | | |
|--|---|
| · Special precautions for user | Warning: Flammable liquids |
| · Danger code (Kemler): | 33 |
| · EMS Number: | F-E,S-D |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · Transport/Additional information: | |
| · DOT | |
| · Quantity limitations | On passenger aircraft/rail: 5 L
On cargo aircraft only: 60 L |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

· **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.

All ingredients are listed.

· **Chemicals known to cause developmental toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.

All ingredients are listed.

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer):**

64-17-5 Ethanol

1

· **Canadian Domestic Substances List (DSL) (Substances not listed.):**

(Cont'd. on page 10)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 15, 2019

Revision: March 15, 2019

Trade name: Ethanol, 95%, Denatured, ACS Grade

(Cont'd. of page 9)

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bio-accumulable, Toxic
vPvB: very Persistent and very Bioaccumulative
OSHA: Occupational Safety & Health Administration
Flam. Liq. 2: Flammable liquids – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

• Sources

Website, European Chemicals Agency (echa.europa.eu)
Website, US EPA Substance Registry Services (ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do)
Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)
Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6
Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.
Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 06.14.2017

Page 1 of 9

Isopropanol

SECTION 1: Identification

Product identifier

Product name: Isopropanol

Product code: KEMIP1005-C

Recommended use of the product and restriction on use

Relevant identified uses: Laboratory Chemicals

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:	Supplier:
United States	United States
AquaPhoenix Scientific	AquaPhoenix Scientific Inc.
860 Gitts Run Road	860 Gitts Run Road
Hanover	Hanover
PA 17331	PA 17331
(717) 632-1291	(717) 632-1291

Emergency telephone number:

United States

Emergency Telephone No.: 800-255-3924

SECTION 2: Hazard(s) identification

GHS classification:

Flammable liquids, category 2

Eye irritation, category 2A

Specific target organ toxicity - single exposure, category 3, central nervous system

Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements:

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P271 Use only outdoors or in a well-ventilated area.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/light/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 06.14.2017

Page 2 of 9

Isopropanol

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P264 Wash skin thoroughly after handling.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P303+P361+P353 If on skin (or hair): Immediately remove/take off all contaminated clothing. Rinse skin with water/shower.
P370+P378 In case of fire: Use agents recommended in section 5 for extinction.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P304+P340+P312 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
P405 Store locked up.
P403+P233 Store in a well ventilated place. Keep container tightly closed.
P501 Dispose of contents and container as instructed in Section 13.

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 67-63-0	Isopropyl Alcohol	100

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Not determined or not applicable.

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position

Maintain an unobstructed airway

After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

Remove contact lens(es) if able to do so during rinsing

Seek medical attention if irritation persists or if concerned

After swallowing:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not applicable.

Delayed symptoms and effects:

Not determined or not applicable.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 06.14.2017

Page 3 of 9

Isopropanol

Notes for the doctor:

Not determined or not applicable.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Use dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Vapors can flow to distant ignition sources and flashback
Liquid is volatile and may generate an explosive atmosphere

Special protective equipment for firefighters:

Wear protective eye wear, gloves and clothing
Refer to Section 8

Special precautions:

Avoid inhaling gases, fumes, dust, mist, vapor and aerosols
Avoid contact with skin, eyes and clothing

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Beware of vapors accumulating to form explosive concentrations
Vapors can accumulate in low areas
Ensure adequate ventilation
Ensure air handling systems are operational

Environmental precautions:

Should not be released into the environment
Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing
Use spark-proof tools and explosion-proof equipment

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Do not eat, drink, smoke or use personal products when handling chemical substances.
Avoid breathing mist or vapor.
Use only non-sparking tools.
Take precautionary measures against electrostatic discharges.

Conditions for safe storage, including any incompatibilities:

Store in a cool, well-ventilated area.
Keep container tightly sealed.
Keep away from all ignition sources: open flames, hot surfaces, direct sunlight, spark sources.
Store locked up.
Use appropriate containment to avoid environmental contamination.
Protect from freezing and physical damage.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 06.14.2017

Page 4 of 9

Isopropanol

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Isopropyl Alcohol	67-63-0	ACGIH TLV STEL 400 ppm
	Isopropyl Alcohol	67-63-0	ACGIH TLV TWA 200 ppm
NIOSH	Isopropyl Alcohol	67-63-0	NIOSH IDLH 2,000 ppm
	Isopropyl Alcohol	67-63-0	NIOSH STEL 500 ppm, 1,225 mg/m ³
	Isopropyl Alcohol	67-63-0	NIOSH TWA 400 ppm, 980 mg/m ³
United States (OSHA)	Isopropyl Alcohol	67-63-0	OSHA PEL TWA 400 ppm, 980 mg/m ³

Biological limit values:

Substance	Identifier	Determinant	Sampling time	Permissible limits
Isopropyl Alcohol	67-63-0	Acetone	End of shift at end of workweek.	40 mg/L

Information on monitoring procedures:

Not determined or not applicable.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Use explosion-proof ventilation equipment.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Respiratory protection:

When necessary, use NIOSH-approved breathing equipment.

General hygienic measures:

Wash hands before breaks and at the end of work.

Avoid contact with skin, eyes and clothing.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Clear, colorless liquid
Odor	Alcoholic
Odor threshold	Not determined or not available.
pH	Not determined or not available.
Melting point/freezing point	-127.3 °F (-88.5 °C)
Initial boiling point/range	180.5 °F (82.5 °C) 101.325 kPa

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 06.14.2017

Page 5 of 9

Isopropanol

Flash point (closed cup)	53.60 °F (12.00 °C) Closed Cup, 75.00 °F (23.89 °C) Open Cup
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	12
Lower flammability/explosive limit	2.5
Vapor pressure	6.053 kPa at 25 °C
Vapor density	2.1
Density	0.78 g/cm ³ estimated
Relative density	0.785 at 20 °C
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	0.1
Auto/Self-ignition temperature	750.2 °F (399 °C)
Decomposition temperature	When heated to decomp, emits acrid smoke and fumes.
Dynamic viscosity	2.1 mPa.s at 77 °F (25 °C)
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

Heat, flames and sparks. Avoid temperatures exceeding the flash point.

Incompatible materials:

Strong oxidizing agents, isocyanates, acids, chlorine.

Hazardous decomposition products:

May include oxides of carbon.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Skin corrosion/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Serious eye damage/irritation

Assessment: Causes serious eye irritation

Product data: No data available.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 06.14.2017

Page 6 of 9

Isopropanol

Substance data:

Name	Result
Isopropyl Alcohol	Causes serious eye irritation.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC):

Name	Classification
Isopropyl Alcohol	Group 3 - Not classifiable as to its carcinogenicity to humans

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: May cause drowsiness or dizziness

Product data: No data available.

Substance data:

Name	Result
Isopropyl Alcohol	Specific Target Organ Toxicity, Single Exposure - May cause drowsiness or dizziness.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available.

Other information: No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 06.14.2017

Page 7 of 9

Isopropanol

Product data: No data available.

Substance data: No data available.

Chronic (long-term) toxicity

Product data: No data available.

Substance data: No data available.

Persistence and degradability

Product data: No data available.

Substance data: No data available.

Bioaccumulative potential

Product data: No data available.

Substance data: No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.


SECTION 13: Disposal considerations

Disposal methods:


It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11)

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

UN number	1219
UN proper shipping name	Isopropanol
UN transport hazard class(es)	3 
Packing group	II
Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	1219
UN proper shipping name	Isopropanol
UN transport hazard class(es)	3 
Packing group	II
Environmental hazards	None
Special precautions for user	None
EmS number	F-E, S-D

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	1219
UN proper shipping name	Isopropanol


Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 06.14.2017

Page 8 of 9

Isopropanol

UN transport hazard class(es)	3	
Packing group	II	
Environmental hazards	None	
Special precautions for user	None	
ERG code	3L	

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
Bulk Name	None
Ship type	None
Pollution category	None

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA):

67-63-0	Isopropyl Alcohol	Listed
---------	-------------------	--------

Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

SARA Section 311/312 hazards:

Acute	Chronic	Fire	Pressure	Reactive
No	No	No	No	No

SARA Section 302 extremely hazardous substances: Not determined.

SARA Section 313 toxic chemicals:

67-63-0	Isopropyl Alcohol	Not Listed
---------	-------------------	------------

CERCLA: Not determined.

RCRA: Not determined.

Section 112(r) of the Clean Air Act (CAA): Not determined.

Massachusetts Right to Know:

67-63-0	Isopropyl Alcohol	Listed
---------	-------------------	--------

New Jersey Right to Know:

67-63-0	Isopropyl Alcohol	Listed
---------	-------------------	--------

New York Right to Know:

67-63-0	Isopropyl Alcohol	Listed
---------	-------------------	--------

Pennsylvania Right to Know:

67-63-0	Isopropyl Alcohol	Listed
---------	-------------------	--------

California Proposition 65: Not determined.

SECTION 16: Other information

Abbreviati

Disclaime

This pro
and the

lassified in accordance with hazard criteria of the Controlled Products Regulations
II the information required by the Controlled Products Regulations. The responsibility

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 06.14.2017

Page 9 of 9

Isopropanol

to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 1-3-0

HMIS: 1-3-0

Initial preparation date: 06.14.2017

End of Safety Data Sheet

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.23.2018

Page 1 of 9

Methanol (Methyl Alcohol)

SECTION 1: Identification

Product identifier

Product name: Methanol (Methyl Alcohol)

Product code: KEMME1000-C

Recommended use of the product and restriction on use

Relevant identified uses: Not determined or not applicable.

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:

Supplier:

AquaPhoenix Scientific
860 Gitts Run Road
Hanover
PA 17331
(717) 632-1291

AquaPhoenix Scientific Inc.
860 Gitts Run Road
Hanover
PA 17331
(717) 632-1291

Emergency telephone number:

United States

Emergency Telephone No.: 800-255-3924

SECTION 2: Hazard(s) identification

GHS classification:

Flammable liquids, category 2

Acute toxicity (oral), category 3

Acute toxicity (dermal), category 3

Acute toxicity (inhalation), category 3

Specific target organ toxicity - single exposure, category 1

Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements:

H225 Highly flammable liquid and vapor

H301 Toxic if swallowed

H311 Toxic in contact with skin

H331 Toxic if inhaled

H370 Causes damage to organs

Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking

P233 Keep container tightly closed

P240 Ground/bond container and receiving equipment

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.23.2018

Page 2 of 9

Methanol (Methyl Alcohol)

- P241 Use explosion-proof electrical/ventilating/light/equipment
- P242 Use only non-sparking tools
- P243 Take precautionary measures against static discharge
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P264 Wash skin thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P271 Use only outdoors or in a well-ventilated area
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P303+P361+P353 If on skin (or hair): Immediately remove/take off all contaminated clothing. Rinse skin with water/shower
- P370+P378 In case of fire: Use agents recommended in section 5 for extinction
- P321 Specific treatment (see supplemental first aid instructions on this label).
- P301+P330+P312 IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.
- P363 Wash contaminated clothing before reuse
- P302+P352+P312 If on skin: Wash with soap and water. Call a poison center or doctor/physician if you feel unwell
- P304+P340+P311 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician
- P307+P311 If exposed: Call a poison center or doctor/physician
- P405 Store locked up
- P403+P233 Store in a well ventilated place. Keep container tightly closed
- P501 Dispose of contents and container as instructed in Section 13

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 67-56-1	Methanol	100

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Not determined or not applicable.

After inhalation:

- Loosen clothing as necessary and position individual in a comfortable position
- Maintain an unobstructed airway
- Move exposed individual to fresh air
- Call a POISON CONTROL CENTER or seek medical attention

After skin contact:

- Rinse affected area with soap and water
- If symptoms develop or persist, seek medical attention
- Immediately remove all contaminated clothing
- Wash affected area with soap and water
- Seek medical attention if symptoms develop or persist
- Call a POISON CONTROL CENTER or seek medical attention if you feel unwell

After eye contact:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.23.2018

Page 3 of 9

Methanol (Methyl Alcohol)

Rinse/flush exposed eye(s) gently using water for 15-20 minutes
If symptoms develop or persist, seek medical attention

After swallowing:

Rinse mouth thoroughly
Seek medical attention if irritation, discomfort, or vomiting persists
Immediately call a POISON CONTROL CENTER or seek medical attention
Do not induce vomiting
Rinse mouth and then drink plenty of water

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not applicable.

Delayed symptoms and effects:

Not determined or not applicable.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Not determined or not applicable.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Use dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors
Vapors can flow to distant ignition sources and flashback
Liquid is volatile and may generate an explosive atmosphere

Special protective equipment for firefighters:

Wear protective eye wear, gloves and clothing
Refer to Section 8

Special precautions:

Avoid inhaling gases, fumes, dust, mist, vapor and aerosols
Avoid contact with skin, eyes and clothing

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation
Ensure air handling systems are operational
Beware of vapors accumulating to form explosive concentrations
Vapors can accumulate in low areas

Environmental precautions:

Should not be released into the environment
Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.23.2018

Page 4 of 9

Methanol (Methyl Alcohol)

Use spark-proof tools and explosion-proof equipment

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Do not eat, drink, smoke or use personal products when handling chemical substances.

Avoid breathing mist or vapor.

Use only non-sparking tools.

Take precautionary measures against electrostatic discharges.

Conditions for safe storage, including any incompatibilities:

Store in a cool, well-ventilated area.

Keep container tightly sealed.

Keep away from all ignition sources: open flames, hot surfaces, direct sunlight, spark sources.

Store locked up.

Use appropriate containment to avoid environmental contamination.

Protect from freezing and physical damage.

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
United States (OSHA)	Methanol	67-56-1	OSHA PEL TWA 200 ppm
	Methanol	67-56-1	OSHA PEL TWA 260 mg/m ³
ACGIH	Methanol	67-56-1	ACGIH TLV STEL 250 ppm [skin]
	Methanol	67-56-1	ACGIH TLV TWA 200 ppm [skin]
NIOSH	Methanol	67-56-1	NIOSH REL TWA 200 ppm [skin]
	Methanol	67-56-1	NIOSH REL TWA 260 mg/m ³ [skin]
	Methanol	67-56-1	NIOSH REL ST 250 ppm [skin]
	Methanol	67-56-1	NIOSH REL ST 325 mg/m ³ [skin]

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Not determined or not applicable.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Use explosion-proof ventilation equipment.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Respiratory protection:

When necessary, use NIOSH-approved breathing equipment.

General hygienic measures:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.23.2018

Page 5 of 9

Methanol (Methyl Alcohol)

Wash hands before breaks and at the end of work.
Avoid contact with skin, eyes and clothing.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Clear, colorless liquid
Odor	Alcohol
Odor threshold	Not determined or not available.
pH	Not determined or not available.
Melting point/freezing point	-98°C
Initial boiling point/range	64.7°C at 760 mmHg
Flash point (closed cup)	12°C
Evaporation rate	5.2
Flammability (solid, gas)	Flammable liquid
Upper flammability/explosive limit	31 vol.%
Lower flammability/explosive limit	6 vol.%
Vapor pressure	128 hPa at 20°C
Vapor density	1.11 (Air = 1)
Density	Not determined or not available.
Relative density	0.79 g/cm ³
Solubilities	Miscible at 20°C.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	455°C
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

SECTION 10: Stability and reactivity

Reactivity:

Vapours may form explosive mixture with air.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

Excess heat, Incompatible Materials, flames, or sparks.

Incompatible materials:

Oxidizing agents, reducing agents, alkali metals, acids, sodium, potassium, metals as powders, acid chlorides, acid anhydrides, powdered magnesium, and aluminum.

Hazardous decomposition products:

Carbon monoxide, formaldehyde.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.23.2018

Page 6 of 9

Methanol (Methyl Alcohol)

SECTION 11: Toxicological information

Acute toxicity

Assessment: Toxic if swallowed Toxic in contact with skin Toxic if inhaled

Product data: No data available.

Substance data: No data available.

Skin corrosion/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Serious eye damage/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Causes damage to organs

Product data: No data available.

Substance data:

Name	Result
Methanol	Causes damage to the optic nerve and central nervous system.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.23.2018

Page 7 of 9

Methanol (Methyl Alcohol)

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available.

Other information: No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Chronic (long-term) toxicity

Product data: No data available.

Substance data: No data available.

Persistence and degradability

Product data: No data available.

Substance data: No data available.

Bioaccumulative potential

Product data: No data available.

Substance data: No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.


SECTION 13: Disposal considerations

Disposal methods:


It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11)

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

UN number	UN1230
UN proper shipping name	Methanol
UN transport hazard class(es)	3 
Packing group	II
Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	UN1230
UN proper shipping name	Methanol
UN transport hazard class(es)	3 
Packing group	II
Environmental hazards	None

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200


Initial preparation date: 01.23.2018

Page 8 of 9

Methanol (Methyl Alcohol)

Special precautions for user	None
------------------------------	------

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	UN1230
UN proper shipping name	Methanol
UN transport hazard class(es)	3 
Packing group	II
Environmental hazards	None
Special precautions for user	None

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA):

67-56-1	Methanol	Listed
---------	----------	--------

Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

SARA Section 311/312 hazards:

Acute	Chronic	Fire	Pressure	Reactive
No	No	No	No	No

SARA Section 302 extremely hazardous substances: Not determined.

SARA Section 313 toxic chemicals:

67-56-1	Methanol	Listed
---------	----------	--------

CERCLA:

67-56-1	Methanol	Listed	5000 lbs.
---------	----------	--------	-----------

RCRA:

67-56-1	Methanol	Listed	U154
---------	----------	--------	------

Section 112(r) of the Clean Air Act (CAA): Not determined.

Massachusetts Right to Know:

67-56-1	Methanol	Listed
---------	----------	--------

New Jersey Right to Know:

67-56-1	Methanol	Listed
---------	----------	--------

New York Right to Know:

67-56-1	Methanol	Listed
---------	----------	--------

Pennsylvania Right to Know:

67-56-1	Methanol	Listed
---------	----------	--------

California Proposition 65:

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

67-56-1	Methanol
---------	----------

SECTION 16:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.23.2018

Page 9 of 9

Methanol (Methyl Alcohol)

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 2-3-0

HMIS: 2-3-0-X

Initial preparation date: 01.23.2018

End of Safety Data Sheet