

# **NFETY DATA SHEET**

T E M S 1 4 9 3 0 0 6 , 1 4 9 3 0 0 7

### 1. Identification

**Product identifier** HP Color LaserJet CF320A-X-XC Black Print Cartridge

Other means of identification Not available.

Recommended use This product is a black toner preparation that is used in HP Color LaserJet Enterprise M651/ HF

Color LaserJet Enterprise Flow MFP M680 series printers.

**Recommended restrictions Company identification** 

None known.

HP

1501 Page Mill Road Palo Alto, CA 94304-1112

United States

Telephone 650-857-5020

HP health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 **HP Customer Care Line** 

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

# 2. Hazard(s) identification

**Physical hazards** Not classified. **Health hazards** Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

**Label elements** 

None. **Hazard symbol** Signal word None.

Not available. **Hazard statement** 

**Precautionary statement** 

Not available. **Prevention** Response Not available. Not available. **Storage Disposal** Not available.

Hazard(s) not otherwise

classified (HNOC)

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present

this carcinogenic risk. None of the other ingredients in this preparation are classified as

carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

**Supplemental information** This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name Common name and synonyms		CAS number	%	
Styrene acrylate copolymer		Trade Secret	<85	
Carbon black		1333-86-4	<10	
Wax	Wax	Trade Secret	<10	
Amorphous silica	Amorphous silica	7631-86-9	<3	
Titanium dioxide		13463-67-7	<1	

Material name: CF320A-X-XC SDS US 1/7

4. First-aid measures

**Inhalation** Move person to fresh air immediately. If irritation persists, consult a physician.

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

**Eye contact** Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

**Ingestion** Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

physician.

Most important

symptoms/effects, acute and

delayed

Not available.

## 5. Fire-fighting measures

Suitable extinguishing media

**Unsuitable extinguishing** 

media

CO2, water, or dry chemical

None known.

Specific hazards arising from

the chemical

Not applicable.

**Special protective equipment** 

and precautions for

firefighters

Not available.

Fire-fighting

equipment/instructions

If fire occurs in the printer, treat as an electrical fire.

**Specific methods** None established.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Minimize dust generation and accumulation.

Methods and materials for containment and cleaning up

Not available.

**Environmental precautions** 

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.

# 7. Handling and storage

Precautions for safe handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.

### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

13463-67-7)

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form	
Carbon black (CAS 1333-86-4)	PEL	3.5 mg/m3		
Titanium dioxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.	
<b>US. ACGIH Threshold Limit Va</b>	lues			
Components	Туре	Value	Form	
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.	
Titanium dioxide (CAS	TWA	10 mg/m3		

Material name: CF320A-X-XC SDS US

**US. NIOSH: Pocket Guide to Chemical Hazards** Components **Type** 

Amorphous silica (CAS **TWA** 6 mg/m3 7631-86-9)

Carbon black (CAS **TWA** 0.1 mg/m3

1333-86-4)

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

**Value** 

mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Not available.

Skin protection

**Hand protection** Not available. Other Not available. Respiratory protection Not available. Thermal hazards Not available.

## 9. Physical and chemical properties

**Appearance** Fine powder **Physical state** Solid. Color Black.

Odor Slight plastic odor **Odor threshold** Not available. Not applicable Melting point/freezing point Not available. Initial boiling point and

boiling range

Not applicable

Flash point Not applicable **Evaporation rate** Not applicable Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not flammable

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** (%)

Not available.

Vapor pressure Not applicable

Solubility(ies)

Solubility (water) Negligible in water. Partially soluble in toluene and xylene.

**Partition coefficient** Not available.

(n-octanol/water)

Material name: CF320A-X-XC 3/7

**Auto-ignition temperature** Not applicable **Decomposition temperature** > 392 °F (> 200 °C)

**Viscosity** 

Not applicable

Other information

Percent volatile 0 % estimated

Softening point 176 - 266 °F (80 - 130 °C)

### 10. Stability and reactivity

Reactivity Not available.

**Chemical stability** Stable under normal storage conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Imaging Drum: Exposure to light

**Incompatible materials** Strong oxidizers

Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

## 11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

### Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met. Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye Based on available data, the classification criteria are not met.

irritation

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met.

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

> Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

### IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans.

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans. Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

Reproductive toxicity Specific target organ toxicity

- single exposure

**Aspiration hazard** 

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure

Based on available data, the classification criteria are not met.

**Further information** Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

Material name: CF320A-X-XC SDS US

Components	Species	Test Results	
Amorphous silica (CAS 76	31-86-9)		
Acute			
Oral			
LD50	Mouse	> 15000 mg/kg	
	Rat	> 22500 mg/kg	
Carbon black (CAS 1333-8	36-4)		
Acute			
Oral			
LD50	Rat	> 8000 ma/ka	

# 12. Ecological information

## **Ecotoxicity**

Product		Species	Test Results
CF320A-X-XC			
Aquatic			
Fish L	_C50	Fish	> 100 mg/l, 96 Hours
Components		Species	Test Results
Titanium dioxide (CAS 13463-6	57-7)		
Aquatic			
Crustacea E	EC50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hours
Fish L	_C50	Mummichog (Fundulus heteroclitus)	> 1000 mg/l, 96 hours
rsistence and degradability accumulative potential bility in soil ner adverse effects	Not available. Not available. Not available. Not available.		

# 13. Disposal considerations

**Disposal instructions** 

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

# 14. Transport information

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

# 15. Regulatory information

**US** federal regulations

US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

**SARA 304 Emergency release notification** 

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Material name: CF320A-X-XC SDS US

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### **SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312** No

Hazardous chemical

Safe Drinking Water Act

Other federal regulations

Not regulated.

(SDWA)

#### **US state regulations**

#### **US. Massachusetts RTK - Substance List**

Amorphous silica (CAS 7631-86-9) Carbon black (CAS 1333-86-4) Titanium dioxide (CAS 13463-67-7)

#### **US. New Jersey Worker and Community Right-to-Know Act**

Carbon black (CAS 1333-86-4) Titanium dioxide (CAS 13463-67-7)

### **US. Pennsylvania Worker and Community Right-to-Know Law**

Amorphous silica (CAS 7631-86-9) Carbon black (CAS 1333-86-4) Titanium dioxide (CAS 13463-67-7)

#### **US. Rhode Island RTK**

Not regulated.

### **US. California Proposition 65**

### US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (AIRBORNE, UNBOUND PARTICLES Listed: February 21, 2003

OF RESPIRABLE SIZE [<= 10 MICROMETERS]) (CAS

1333-86-4)

TITANIUM DIOXIDE (AIRBORNE, UNBOUND Listed: September 2, 2011

PARTICLES OF RESPIRABLE SIZE) (CAS 13463-67-7)

# **Regulatory information** All chemical substances in this HP product have been notified or are exempt from notification under

chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and

China.

# 16. Other information, including date of preparation or last revision

**Issue date** 19-Nov-2014 **Revision date** 18-Sep-2015

Version # 06

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

**Revision Information** Other information, including date of preparation or last revision: Disclaimer

**Manufacturer information** HP

11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Material name: CF320A-X-XC SDS US

# **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

**COC** Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

**NIOSH** National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CF320A-X-XC SDS US