MATERIAL SAFETY DATA SHEET M1 LEAD FREE GLOSS GLAZES

PRODUCT NAME: M1 LEAD FREE GLOSS GLAZES

PRODUCT CODE: F SERIES (1)

MANUFACTURER'S NAME: AMERICAN ART CLAY CO., INC.

ADDRESS

: 4717 WEST 16TH STREET

INDIANAPOLIS, IN

EMERGENCY PHONE : 800-374-1600

DATE PRINTED : 01/08/02

INFORMATION PHONE : 800-374-1600 NAME OF PREPARER : L. Jenkins

46222

====== SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION =======

VAPOR PRESSURE

WHIGHT

Page:

1

REPORTABLE COMPONENTS

CAS NUMBER

mm Hg a TEMP

\*\*\*NO REPORTABLE QUANTITIES OF HAZARDOUS INGREDIENTS ARE PRESENT \*\*\*

No hazardous ingredients. Carries the AP Seal. Labeling conforms to ASTM D4236

======== SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS =========

BOILING RANGE: n/a

VAPOR DENSITY: Heavier than air.

SPECIFIC GRAVITY (H2O=1): 0.18 EVAPORATION RATE: NA

COATING V.O.C.: n/a

MATERIAL V.O.C.: n/a

SOLUBILITY IN WATER: Yes.

APPEARANCE AND ODOR: F1, 10, 11, 15, 20, 21, 22, 23, 25, 30, 31, 40, 41, 42, 43, 50, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 65, 66, 70 & 71

FLASH POINT: n/a

METHOD USED: n/a

FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: n/a

UPPER: n/a

EXTINGUISHING MEDIA: N/A

SPECIAL FIREFIGHTING PROCEDURES

No fire hazard

UNUSUAL FIRE AND EXPLOSION HAZARDS

STABILITY: Stable. CONDITIONS TO AVOID

INCOMPATIBILITY (MATERIALS TO AVOID)

None.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS

Will not occur.

HAZARDOUS POLYMERIZATION: Will not occur.

Page:

2

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE Rinse eyes thoroughly with water for 15 minutes. Contact physician.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE No hazardous ingredients.

HEALTH HAZARDS (ACUTE AND CHRONIC)
No hazardous ingredients.

CARCINOGENICITY: NTP CARCINOGEN: No. IARC MONOGRAPHS: No. OSHA REGULATED: No.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

# EMERGENCY AND FIRST AID PROCEDURES

Contact your local poison control for further health information.

======= SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =========

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Specific steps not necessary.

## WASTE DISPOSAL METHOD

Dispose of in trash.

# PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Always keep lid tightly on jar of moist product while not in use or storage. Uncovered product will dry out.

### OTHER PRECAUTIONS

None, IMPORTANT NOTE: Pigments used in this product are formed at high temperature calcination. Frits are produced from the chemical reactions which occur during high temperature smelting of various raw materials to form a molten glass. This glass is rapidly cooled to produce granuales or flakes. These may subsequently be milled to produce powdered frit. Frit (glass) is an essentially insoluble substance. Therefore pigments/frits do not necessarily have any of the properties of the components oxides or metals.

#### RESPIRATORY PROTECTION

When spraying or mixing dry glaze, use a NIOSH certified mask for dust or mist. Not needed for brush or sponge application.

# VENTILATION

Not needed.

### PROTECTIVE GLOVES

Not needed.

### EYE PROTECTION

Not needed.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

MATERIAL SAFETY DATA SHEET

Not needed.

WORK/HYGIENIC PRACTICES

Refer to AMACO Safety Manual for further information. Manual available upon request.

Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Since conditions of use are beyond our control we make no warranties, expressed or implied, except those that may be contained in our written acknowledgement.

3

Page: