according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.06.2015

Copper Sulfate, 0.1M

SECTION 1: Identification of the substance/mixture and of the supplier

Product name:

Copper Sulfate, 0.1M

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number:

CU3630-B

Recommended uses of the product and restrictions on use:

Manufacturer Details:

AquaPhoenix Scientific, Inc. 9 Barnhart Drive Hanover, PA 17331 1-717-632-1291

Supplier Details:

AquaPhoenix Scientific, Inc 9 Barnhart Drive, Hanover, PA 17331 (717) 632-1291

Emergency telephone number:

ChemTel: (24-hour) (US and Canada)

1-(800)-255-3924

SECTION 2: Hazards identification

Classification of the substance or mixture:



Irritant

Skin sensitization, category 1 Eye irritation, category 2B Skin irritation, category 2



Environmentally Damaging

Acute hazards to the aquatic environment, category 2



Health hazard

Specific target organ toxicity following repeated exposure, category 2

Signal word: Warning

Hazard statements:

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

May cause damage to organs through prolonged or repeated exposure.

Toxic to aquatic life.

Precautionary statements:

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.06.2015

Copper Sulfate, 0.1M

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with soap and water.

Specific treatment (see supplemental first aid instructions on this label).

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

If eye irritation persists get medical advice/attention.

Collect spillage.

Get Medical advice/attention if you feel unwell.

Dispose of contents and container to an approved waste disposal plant.

Other Non-GHS Classification: None

SECTION 3: Composition/information on ingredients

Ingredients:

Ingredients:		
CAS 7758-99-8	Copper Sulfate	<3 %
CAS 7732-18-5	Water, purified	>97 %
Percentages are by weight		

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Give artificial respiration if necessary. Get medical assistance if cough or other symptoms appear. If breathing is difficult, give oxygen.

After skin contact:

Wash affected area with soap and water for 15 minutes. Immediately get medical assistance.

After eye contact:

Protect unexposed eye. Rinse or flush exposed eye gently using water for 15-20 minutes. Remove contact lenses, if present and easy to do, and continue rinsing. Continue rinsing eyes for an additional 15 minutes. Immediately get medical assistance.

After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Seek medical attention immediately. Dilute with water immediately.

Most important symptoms and effects, both acute and delayed:

Shortness of breath, Irritation, Nausea, Headache,

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.06.2015

Copper Sulfate, 0.1M

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

Unsuitable extinguishing agents:

No information available.

Special hazards arising from the substance or mixture:

May react with metals to release hydrogen gas.

Advice for firefighters:

Protective equipment:

Wear protective eyewear, gloves, and clothing.

Additional information (precautions):

Ensure adequate ventilation. Avoid contact with skin, eyes, and clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational. Use personal protective equipment. Avoid contact with eyes, skin, and clothing.

Environmental precautions:

Not relevant considering the small amounts used.

Methods and material for containment and cleaning up:

Keep in suitable closed containers for disposal. Do not flush to sewer. Refer to Section 8. If necessary use trained response staff or contractor. Absorb with suitable material. Wear protective eyeware, gloves, and clothing. Always obey local regulations. Containerize for disposal. Refer to Section 13.

Reference to other sections: None

SECTION 7: Handling and storage

Precautions for safe handling:

Wash hands after handling. Follow proper disposal methods. Refer to Section 13. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with eyes, skin, and clothing.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Keep away from food and beverages. Provide ventilation for containers. Keep container tightly sealed. Store away from incompatible materials. Protect from freezing and physical damage.

SECTION 8: Exposure controls/personal protection





Control parameters: 7732-18-5, Water, purified, ACGIH TLV: NA, OSHA PEL: NA.

7732-18-5, Copper Sulfate, ACGIH TLV: NA, OSHA PEL: NA.

Appropriate engineering controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling. Normal ventilation is adequate.

Ensure eyewash and safety showers are available.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.06.2015

Copper Sulfate, 0.1M

Respiratory protection: Not required under normal conditions of use. Where risk assessment

shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved

breathing equipment.

Protection of skin: Select glove material impermeable and resistant to the substance. Select

glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear

protective clothing.

Eye protection: Safety glasses with side shields or goggles. Wear equipment for eye

protection tested and approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

General hygienic measures: Before rewearing wash contaminated clothing. Wash hands and exposed

skin with soap and plenty of water. Perform routine housekeeping. Avoid

contact with skin, eyes, and clothing.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Clear, blue liquid	Explosion limit lower: Explosion limit upper:	Non Explosive Non Explosive
Odor:	Odorless	Vapor pressure at 20°C:	Not applicable
Odor threshold:	Not applicable	Vapor density:	0.62 (Air = 1)
pH-value:	Not determined,	Relative density:	~ 1.0 - 1.2
Melting/Freezing point:	Approx 100° C	Solubilities:	Infinite.
Boiling point/Boiling range:	Approx 0° C	Partition coefficient (noctanol/water):	Not available
Flash point (closed cup):	Not applicable	Auto/Self-ignition temperature:	Not applicable
Evaporation rate:	Not applicable	Decomposition temperature:	Not available
Flammability (solid, gaseous):	Not flammable	Viscosity:	a. Kinematic: Not applicable b. Dynamic: 0.952 mPas at 20 °C (68 °F)
Density at 20°C:	Approximately 1.0 -1.2 g/cm³ (8.345 lbs/gal) at 20 °C (68 °F)		

SECTION 10: Stability and reactivity

Reactivity:

Nonreactive under normal conditions.

Chemical stability:

Stable under normal conditions of use and storage.

Possible hazardous reactions: None

Conditions to avoid:

Incompatible materials.

Incompatible materials:

Hydroxylamine, phosphates, alkalis, sulfuric acid, hydrazine, finely powdered metals, active metals.

Hazardous decomposition products:

Highly toxic fumes of Sulfur oxides.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.06.2015

Copper Sulfate, 0.1M

SECTION 11: Toxicological information

Acute Toxicity: No additional information. **Chronic Toxicity**: No additional information.

Skin corrosion/irritation: No additional information. **Serious eye damage/irritation**: No additional information. **Respiratory or skin sensitization**: No additional information.

Carcinogenicity: No additional information.

Germ cell mutagenicity: No additional information. **Reproductive Toxicity**: No additional information.

STOT-single and repeated exposure: No additional information. **Additional toxicological information**: No additional information.

SECTION 12: Ecological information

Ecotoxicity:

Copper Sulfate, Copper has high chronic and acute toxicity to aquatic life.

Copper Sulfate, 96 Hr LC50 Lepomis macrochirus: 0.66 - 1.15 mg/L [semi-static]; 96 Hr LC50 Lepomis macrochirus: 0.96 - 1.8 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 0.1478 - 0.165 mg/L [flow-through]; 96 Hr LC50 Oncorhynchus mykiss: 0.09 - 0.19 mg/L [static]; 96 Hr LC50 Pimephales promelas: 0.6752 mg/L [static].

Persistence and degradability:

Highly persistent with a >200 day half-life. Not expected to biodegrade.

Bioaccumulative potential:

This material is expected to bioaccumulate significantly.

Mobility in soil: No additional information.

Other adverse effects: No additional information.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification. Do not flush to sewer. Containerize for disposal. Comply with all local, state, and federal regulations.

SECTION 14: Transport information

US DOT

UN Number:

ADR, ADN, DOT, IMDG, IATA Not regulated

Limited Quantity Exception: None

Bulk: Non Bulk:

RQ (if applicable): None RQ (if applicable): None

Proper shipping Name: Not regulated. Proper shipping Name: Not regulated.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.06.2015

Copper Sulfate, 0.1M

Hazard Class: None

Packing Group: Not regulated.

Marine Pollutant (if applicable): No

additional information.

Comments: None

Marine Pollutant (if applicable): No additional information.

Comments: None

Hazard Class: None

Packing Group: Not regulated.

SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

7732-18-5 Water: not listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

7758-99-8 Copper Sulfate Pentahydrate 10 lbs.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL):

12125-02-9 Not Regulated.: not listed. 7732-18-5 Water, purified: not listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.06.2015

Copper Sulfate, 0.1M

incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 1-0-0 **HMIS**: 2-0-0

GHS Full Text Phrases: None

Abbreviations and Acronyms:

IMDG International Maritime Code for Dangerous Goods.

PNEC. Predicted No-Effect Concentration (REACH).

CFR Code of Federal Regulations (USA).

SARA Superfund Amendments and Reauthorization Act (USA).

RCRA. Resource Conservation and Recovery Act (USA).

TSCA. Toxic Substances Control Act (USA).

NPRI National Pollutant Release Inventory (Canada).

DOT US Department of Transportation.

IATA International Air Transport Association.

GHS Globally Harmonized System of Classification and Labelling of Chemicals.

ACGIH American Conference of Governmental Industrial Hygienists.

CAS Chemical Abstracts Service (division of the American Chemical Society).

NFPA National Fire Protection Association (USA).

HMIS Hazardous Materials Identification System (USA).

WHMIS Workplace Hazardous Materials Information System (Canada).

DNEL Derived No-Effect Level (REACH).

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014

Aluminum Sulfate, 0.1M

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Aluminum Sulfate, 0.1M

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: AL7510-B

Recommended uses of the product and restrictions on use: Laboratory

Manufacturer Details:

AquaPhoenix Scientific 9 Barnhart Drive, Hanover, PA 17331 (717) 632-1291

Supplier Details:

AquaPhoenix Scientific, Inc 9 Barnhart Drive, Hanover, PA 17331 (717) 632-1291

Emergency telephone number:

Emergency Telephone No.: 800-255-3924

SECTION 2: Hazards identification

Classification of the substance or mixture: Not classified for physical or health hazards under GHS.

Signal word: None

Hazard statements: None

Precautionary statements:

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Do not eat, drink or smoke when using this product.

Other Non-GHS Classification: None

SECTION 3: Composition/information on ingredients

Ingredients:

Ingredients:			
CAS 7784-31-8	Alum (Aluminium Sulfate, Tech)	6.3 %	
CAS 7732-18-5	Deionized Water	93.7 %	
		Percentages are by weight	

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014

Aluminum Sulfate, 0.1M

Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Seek medical advice if discomfort or irritation persists.

After skin contact:

Wash affected area with soap and water. Rinse thoroughly. Seek medical attention if irritation, discomfort or vomiting persists.

After eye contact:

Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Seek medical attention if irritation, discomfort or vomiting persists.

Most important symptoms and effects, both acute and delayed:

Irritation. Nausea. Headache. Shortness of breath.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

If in laboratory setting, follow laboratory fire suppression procedures. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition.

Unsuitable extinguishing agents: None

Special hazards arising from the substance or mixture:

Combustion products may include carbon oxides or other toxic vapors.

Advice for firefighters:

Protective equipment: None

Additional information (precautions):

Move product containers away from fire or keep cool with water spray as a protective measure, where feasible.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Use respiratory protective device against the effects of fumes/dust/aerosol. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Protect from heat. Stop the spill, if possible. Contain spilled material by diking or using inert absorbent. Transfer to a disposal or recovery container.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13.

Methods and material for containment and cleaning up:

If in a laboratory setting, follow Chemical Hygiene Plan procedures. Collect liquids using vacuum or by use of absorbents. Place into properly labeled containers for recovery or disposal. If necessary, use trained response staff/contractor.

Reference to other sections: None

SECTION 7: Handling and storage

Precautions for safe handling:

Prevent formation of aerosols. Follow good hygiene procedures when handling chemical materials. Do not eat,

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014

Aluminum Sulfate, 0.1M

drink, smoke, or use personal products when handling chemical substances. If in a laboratory setting, follow Chemical Hygiene Plan. Use only in well ventilated areas. Avoid splashes or spray in enclosed areas.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store away from foodstuffs. Store away from oxidizing agents. Store in cool, dry conditions in well sealed containers. Keep container tightly closed.

SECTION 8: Exposure controls/personal protection





Control parameters: No applicable occupational exposure limits.

Appropriate engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or mists below the applicable workplace exposure limits (Occupational

Exposure Limits-OELs) indicated above.

Respiratory protection: Not required under normal conditions of use. Use suitable respiratory

protective device when high concentrations are present. Use suitable respiratory protective device when aerosol or mist is formed. For spills,

respiratory protection may be advisable.

Protection of skin: The glove material has to be impermeable and resistant to the product/

the substance/ the preparation being used/handled. Selection of the glove material on consideration of the penetration times, rates of diffusion and

the degradation.

Eye protection: Safety glasses with side shields or goggles.

General hygienic measures: The usual precautionary measures are to be adhered to when handling

chemicals. Keep away from food, beverages and feed sources.

Immediately remove all soiled and contaminated clothing. Wash hands

before breaks and at the end of work. Do not inhale

gases/fumes/dust/mist/vapor/aerosols. Avoid contact with the eyes and

skin.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Clear, colorless liquid	Explosion limit lower: Explosion limit upper:	Not determined Not determined
Odor:	Odorless	Vapor pressure at 20°C:	Not determined
Odor threshold:	Not determined	Vapor density:	Not determined
pH-value:	Not determined	Relative density:	Not determined
Melting/Freezing point:	Not determined	Solubilities:	Infinite in water.
Boiling point/Boiling range:	Not determined	Partition coefficient (noctanol/water):	Not determined
Flash point (closed cup):	Not applicable	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	Not determined	Decomposition temperature:	Not determined

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014

Aluminum Sulfate, 0.1M		

Flammability (solid, gaseous):	Not applicable	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined
Density at 20°C:	Not determined		

SECTION 10: Stability and reactivity

Reactivity: None Chemical stability:

No decomposition if used and stored according to specifications.

Possible hazardous reactions: None

Conditions to avoid:

Store away from oxidizing agents, strong acids or bases.

Incompatible materials:

Strong acids. Strong bases.

Hazardous decomposition products:

Carbon oxides (CO, CO2).

SECTION 11: Toxicological information

Acute Toxicity: None

Chronic Toxicity: No additional information.

Skin corrosion/irritation: No additional information.

Serious eye damage/irritation: No additional information.

Respiratory or skin sensitization: No additional information.

Carcinogenicity: No additional information.

Germ cell mutagenicity: No additional information. **Reproductive Toxicity**: No additional information.

STOT-single and repeated exposure: No additional information.

Additional toxicological information: No additional information.

SECTION 12: Ecological information

Ecotoxicity: No additional information.

Persistence and degradability:

Readily degradable in the environment.

Bioaccumulative potential: No additional information.

Mobility in soil:

Aqueous solution has high mobility in soil.

Other adverse effects: No additional information.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Product/containers must not be disposed together with household garbage. Do not allow product to reach sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014

Aluminum Sulfate, 0.1M

local regulations regarding the proper disposal of waste material that may incorporate some amount of this product.

SECTION 14: Transport information

US DOT

Bulk:

UN Number:

ADR, ADN, DOT, IMDG, IATA

Not Regulated.

Limited Quantity Exception:

RQ (if applicable): None

Proper shipping Name: Not Regulated.

Hazard Class: None

Packing Group: Not Regulated.

Marine Pollutant (if applicable): No

additional information. **Comments:** None

Non Bulk:

None

RQ (if applicable): None

Proper shipping Name: Not Regulated.

Hazard Class: None

Packing Group: Not Regulated.

Marine Pollutant (if applicable): No

additional information.

Comments: None

SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

None of the ingredients are listed.

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients are listed.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014

Aluminum Sulfate, 0.1M

Canadian Domestic Substances List (DSL)

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 0-0-0 **HMIS**: 0-0-0

GHS Full Text Phrases: None

Abbreviations and Acronyms:

IMDG International Maritime Code for Dangerous Goods.

IATA International Air Transport Association.

GHS Globally Harmonized System of Classification and Labelling of Chemicals.

ACGIH American Conference of Governmental Industrial Hygienists.

CAS Chemical Abstracts Service (division of the American Chemical Society).

NFPA National Fire Protection Association (USA).

HMIS Hazardous Materials Identification System (USA).

WHMIS Workplace Hazardous Materials Information System (Canada).

DNEL Derived No-Effect Level (REACH).

PNEC. Predicted No-Effect Concentration (REACH).

CFR Code of Federal Regulations (USA).

SARA Superfund Amendments and Reauthorization Act (USA).

RCRA. Resource Conservation and Recovery Act (USA).

TSCA. Toxic Substances Control Act (USA).

NPRI National Pollutant Release Inventory (Canada).

DOT US Department of Transportation.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014

Zinc Sulfate, 0.1M

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Zinc Sulfate, 0.1M

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: ZN3020-B

Recommended uses of the product and restrictions on use:

Manufacturer Details:

AquaPhoenix Scientific, Inc. 9 Barnhart Drive Hanover, PA 17331 1-717-632-1291

Supplier Details:

AquaPhoenix Scientific, Inc 9 Barnhart Drive, Hanover, PA 17331 (717) 632-1291

Emergency telephone number:

ChemTel: (24-hour) (US and Canada)

1-(800)-255-3924

SECTION 2: Hazards identification

Classification of the substance or mixture: Not classified for physical or health hazards under GHS.

Signal word: None

Hazard statements: None

Precautionary statements:

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Do not eat, drink or smoke when using this product.

Other Non-GHS Classification: None

SECTION 3: Composition/information on ingredients

Ingredients:

Ingredients:		
CAS 7446-20-0	Zinc Sulfate Heptahydrate	<3 %
CAS 7732-18-5	Deionized Water	>97 %
	•	Percentages are by weight

SECTION 4: First aid measures

Description of first aid measures

Safety Data Sheet according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014

Zinc Sulfate, 0.1M

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position. Remove to fresh air. Give artificial respiration if necessary. Seek immediate medical attention or advice. If breathing is difficult, give oxygen.

After skin contact:

Rinse area with water for 10-15 minutes. Seek immediate medical attention or advice.

After eye contact:

Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek immediate medical attention or advice.

After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water or milk. Seek immediate medical attention or advice.

Most important symptoms and effects, both acute and delayed:

Irritation. Nausea. Headache. Shortness of breath. Burning of eyes. Redness, tearing.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician. Note to physician: Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

If in laboratory setting, follow laboratory fire suppression procedures. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition.

Unsuitable extinguishing agents: None

Special hazards arising from the substance or mixture:

Combustion products may include carbon oxides or other toxic vapors. Other toxic vapors include zinc and sulfur oxides.

Advice for firefighters:

Protective equipment: None

Additional information (precautions):

Move product containers away from fire or keep cool with water spray as a protective measure, where feasible. Do not allow fire protection water to enter sewer or discharge to open water.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Avoid contact with skin and eyes, and clothing. Use respiratory protective device against the effects of fumes/dust/aerosol. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Protect from heat. Stop the spill, if possible. Contain spilled material by diking or using inert absorbent. Transfer to a disposal or recovery container.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13. Do not allow this material to enter the environment.

Methods and material for containment and cleaning up:

If in a laboratory setting, follow Chemical Hygiene Plan procedures. Collect liquids using vacuum or by use of absorbents. Place into properly labeled containers for recovery or disposal. If necessary, use trained response staff/contractor. Clean up spills immediately, observing precautions in Section 8. Always obey local regulations.

Safety Data Sheet according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014

Zinc Sulfate, 0.1M

Reference to other sections: None

SECTION 7: Handling and storage

Precautions for safe handling:

Prevent formation of aerosols. Follow good hygiene procedures when handling chemical materials. Do not eat, drink, smoke, or use personal products when handling chemical substances. If in a laboratory setting, follow Chemical Hygiene Plan. Use only in well ventilated areas. Avoid splashes or spray in enclosed areas.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store away from foodstuffs. Store away from oxidizing agents. Store in cool, dry conditions in well sealed containers. Keep container tightly closed. Protect from freezing.

SECTION 8: Exposure controls/personal protection





Control parameters: No applicable occupational exposure limits.

Appropriate engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or mists below the applicable workplace exposure limits (Occupational

Exposure Limits-OELs) indicated above.

Respiratory protection: Not required under normal conditions of use. Use suitable respiratory

protective device when high concentrations are present. Use suitable respiratory protective device when aerosol or mist is formed. For spills,

respiratory protection may be advisable.

Protection of skin: The glove material has to be impermeable and resistant to the product/

the substance/ the preparation being used/handled. Selection of the glove material on consideration of the penetration times, rates of diffusion and

the degradation.

Eye protection: Safety glasses with side shields or goggles.

General hygienic measures: The usual precautionary measures are to be adhered to when handling

chemicals. Keep away from food, beverages and feed sources.

Immediately remove all soiled and contaminated clothing. Wash hands

before breaks and at the end of work. Do not inhale

gases/fumes/dust/mist/vapor/aerosols. Avoid contact with the eyes and

skin.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Clear, colorless liquid		Not determined Not determined
Odor:	Odorless	Vapor pressure at 20°C:	Not determined
Odor threshold:	Not determined	Vapor density:	Not determined
pH-value:	Not determined	Relative density:	Not determined
Melting/Freezing point:	Not determined	Solubilities:	Soluble in water.
Boiling point/Boiling range:	Not determined	Partition coefficient (noctanol/water):	Not determined

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014

7inc	CII	lfate.	n	1 M
ZIIIC	Эu.	Hale.	v.	TIAL

Flash point (closed cup):	Not applicable	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid, gaseous):	Not applicable	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined
Density at 20°C:	Not determined	11	

SECTION 10: Stability and reactivity

Reactivity: None Chemical stability:

No decomposition if used and stored according to specifications.

Possible hazardous reactions: None

Conditions to avoid:

Store away from oxidizing agents, strong acids or bases. Dust. Excess heat.

Incompatible materials:

Strong bases.

Hazardous decomposition products:

zinc oxides. sulfur oxides. Irritation gases and vapors may be released during thermal decomposition.

SECTION 11: Toxicological information

Acute Toxicity:

ATE (oral): 17361 mg/kg.

Chronic Toxicity: No additional information.

Skin corrosion/irritation: No additional information.

Serious eye damage/irritation:

May cause eye irritation. Minor ingredient.

Respiratory or skin sensitization: No additional information.

Carcinogenicity: No additional information.

Germ cell mutagenicity: No additional information.

Reproductive Toxicity:

Experiments have shown reproductive toxicity in laboratory animals.

STOT-single and repeated exposure: No additional information. Additional toxicological information: No additional information.

SECTION 12: Ecological information

Ecotoxicity:

Fish: LC50 Labeo rohita (fresh water fish) 96 hr (7733-02-0 zinc sulphate), 65 mg/l (small fish); 77.5 mg/l/96 hr (large fish).

Crustacea: LC50 Artemia salina (Brine shrimp) 24 hr (7733-02-0 zinc sulphate), 50.5 mg/L.

Algae: ; LC50 Chlorella vulgaris (Green algae) 24 hr, 40 hr; static (7733-02-0 zinc sulphate), 5.0 mg/L.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014

Zinc Sulfate, 0.1M

Persistence and degradability:

Readily degradable in the environment.

Bioaccumulative potential: No additional information.

Mobility in soil:

Aqueous solution has high mobility in soil.

Other adverse effects:

Zinc sulfate heptahydrate is very toxic to aquatic life that may cause long term adverse effects.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Product/containers must not be disposed together with household garbage. Do not allow product to reach sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product.

SECTION 14: Transport information

US DOT

UN Number:

ADR, ADN, DOT, IMDG, IATA

Not Regulated.

Limited Quantity Exception:

Bulk:

RQ (if applicable): None

Proper shipping Name: Not Regulated.

Hazard Class: None

Packing Group: Not Regulated.

Marine Pollutant (if applicable): No

additional information.

Comments: None

Non Bulk:

None

RQ (if applicable): None

Proper shipping Name: Not Regulated.

Hazard Class: None

Packing Group: Not Regulated.

Marine Pollutant (if applicable): No

additional information. **Comments:** None

SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings)

Acute

SARA Section 313 (Specific toxic chemical listings):

7446-20-0 Zinc (compounds) [313c].

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014

Zinc Sulfate, 0.1M

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients are listed.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL)

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 1-0-0 **HMIS**: 1-0-0

GHS Full Text Phrases: None

Abbreviations and Acronyms:

IMDG International Maritime Code for Dangerous Goods.

IATA International Air Transport Association.

GHS Globally Harmonized System of Classification and Labelling of Chemicals.

ACGIH American Conference of Governmental Industrial Hygienists.

CAS Chemical Abstracts Service (division of the American Chemical Society).

NFPA National Fire Protection Association (USA).

HMIS Hazardous Materials Identification System (USA).

WHMIS Workplace Hazardous Materials Information System (Canada).

DNEL Derived No-Effect Level (REACH).

PNEC. Predicted No-Effect Concentration (REACH).

CFR Code of Federal Regulations (USA).

SARA Superfund Amendments and Reauthorization Act (USA).

RCRA. Resource Conservation and Recovery Act (USA).

TSCA. Toxic Substances Control Act (USA).

NPRI National Pollutant Release Inventory (Canada).

Safety Data Sheet according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014

Zinc Sulfate, 0.1M

DOT US Department of Transportation.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 03.12.2015

Magnesium Sulfate 0.1M

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Magnesium Sulfate 0.1M

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: MG9420-B

Recommended uses of the product and restrictions on use: Laboratory Chemicals

Manufacturer Details:

AquaPhoenix Scientific 9 Barnhart Drive, Hanover, PA 17331 (717) 632-1291

Supplier Details:

AquaPhoenix Scientific, Inc 9 Barnhart Drive, Hanover, PA 17331 (717) 632-1291

Emergency telephone number:

Emergency Telephone No.: 800-255-3924

SECTION 2: Hazards identification

Classification of the substance or mixture: Not classified for physical or health hazards under GHS.

Signal word: None

Hazard statements: None

Precautionary statements:

If medical advice is needed have product container or label at hand,

Keep out of reach of children.

Read label before use.

Other Non-GHS Classification: None

SECTION 3: Composition/information on ingredients

Ingredients:

Ingredients:		
CAS 10034-99-8	Magnesium sulfate	<2.46 %
CAS 7732-18-5	Deionized Water	>97.54 %
		Percentages are by weight

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Loosen

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 03.12.2015

Magnesium Sulfate 0.1M

clothing and place exposed in a comfortable position. Seek medical assistance if cough or other symptoms appear.

After skin contact:

Wash hands and exposed skin with soap and plenty of water. Seek medical attention if irritation persists or if concerned.

After eye contact:

Protect unexposed eye. Flush exposed eye gently using water for 15-20 minutes. Remove contact lenses, if present and easy to do, and continue rinsing. Keep eyelids open while rinsing. Seek medical assistance.

After swallowing:

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Immediately seek medical attention.

Most important symptoms and effects, both acute and delayed:

Irritation. Shortness of breath. Headache. Nausea. Dizziness.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

Unsuitable extinguishing agents:

None identified.

Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors.

Advice for firefighters:

Protective equipment:

Wear protective eyeware, gloves, and clothing. Refer to Section 8.

Additional information (precautions):

Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

Environmental precautions:

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

Methods and material for containment and cleaning up:

Wear protective eyeware, gloves, and clothing. Always obey local regulations. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Containerize for disposal. Refer to Section 13. Keep in suitable closed containers for disposal. Refer to Section 8.

Reference to other sections: None

SECTION 7: Handling and storage

Precautions for safe handling:

Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Do not eat, drink, smoke, or use personal products when

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 03.12.2015

Magnesium Sulfate 0.1M

handling chemical substances. Refer to Section 13.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Keep away from food and beverages. Protect from freezing and physical damage. Provide ventilation for containers. Keep container tightly sealed. Store away from incompatible materials.

SECTION 8: Exposure controls/personal protection





Control parameters: No applicable occupational exposure limits.

Appropriate engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational

Exposure Limits-OELs) indicated above.

Respiratory protection: Not required under normal conditions of use. Where risk assessment

shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved

breathing equipment.

Protection of skin: Select glove material impermeable and resistant to the substance. Select

glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear

protective clothing.

Eye protection: Wear equipment for eye protection tested and approved under

appropriate government standards such as NIOSH (US) or EN 166(EU).

Safety glasses or goggles are appropriate eye protection.

General hygienic measures: Perform routine housekeeping. Wash hands before breaks and

immediately after handling the product. Avoid contact with skin, eyes,

and clothing. Before re-wearing wash contaminated clothing.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Clear colorless liquid	Explosion limit lower: Explosion limit upper:	Not determined Not determined
Odor:	Odorless	Vapor pressure at 20°C:	Not determined
Odor threshold:	Not determined	Vapor density:	Not determined
pH-value:	Not determined	Relative density:	Not determined
Melting/Freezing point:	Approximately 0C	Solubilities:	Soluble in water.
Boiling point/Boiling range:	Approximately 100C	Partition coefficient (n- octanol/water):	Not determined
Flash point (closed cup):	Not determined	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	Not determined	Decomposition temperature:	Not determined

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 03.12.2015

Magnesium Sulfate 0.1M

Flammability (solid, gaseous):	Not determined	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined
Density at 20°C:	Not determined		

SECTION 10: Stability and reactivity

Reactivity:

Nonreactive under normal conditions.

Chemical stability:

Stable under normal conditions.

Possible hazardous reactions:

None under normal processing.

Conditions to avoid:

Incompatible materials.

Incompatible materials:

Strong oxidizing agents.

Hazardous decomposition products:

Sulphur oxides, Magnesium oxides.

SECTION 11: Toxicological information

Acute Toxicity: None

Chronic Toxicity: No additional information.

Skin corrosion/irritation: No additional information.

Serious eye damage/irritation: No additional information.

Respiratory or skin sensitization: No additional information.

Carcinogenicity: No additional information.

Germ cell mutagenicity: No additional information. **Reproductive Toxicity**: No additional information.

STOT-single and repeated exposure: No additional information. **Additional toxicological information**: No additional information.

SECTION 12: Ecological information

Ecotoxicity: No additional information.

Persistence and degradability: No additional information. Bioaccumulative potential: No additional information.

Mobility in soil: No additional information.

Other adverse effects: No additional information.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed together with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable

Safety Data Sheet according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 03.12.2015

Magnesium Sulfate 0.1M

regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

Not Regulated

SECTION 14: Transport information

US DOT

UN Number:

ADR, ADN, DOT, IMDG, IATA

Limited Quantity Exception: None

Bulk: Non Bulk:

RQ (if applicable): None RQ (if applicable): None

Proper shipping Name: Not Regulated. Proper shipping Name: Not Regulated.

Hazard Class: None Hazard Class: None

Packing Group: Not Regulated.

Marine Pollutant (if applicable): No

Marine Pollutant (if applicable): No

additional information.

Comments: None

additional information.

Comments: None

SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

None of the ingredients are listed.

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

None of the ingredients are listed.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 03.12.2015

Magnesium Sulfate 0.1M

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 0-0-0 **HMIS**: 0-0-0

GHS Full Text Phrases: None

Abbreviations and Acronyms: None

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.07.2015

Ferric Sulfate 0.1M

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Ferric Sulfate 0.1M

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: FS7151-B

Recommended uses of the product and restrictions on use: Laboratory Chemicals

Manufacturer Details:

AquaPhoenix Scientific 9 Barnhart Drive, Hanover, PA 17331 (717) 632-1291

Supplier Details:

AquaPhoenix Scientific, Inc 9 Barnhart Drive, Hanover, PA 17331 (717) 632-1291

Emergency telephone number:

Emergency Telephone No.: 800-255-3924

SECTION 2: Hazards identification

Classification of the substance or mixture:



Irritant

Acute toxicity (oral, dermal, inhalation), category 4 Skin irritation, category 2 Eye irritation, category 2A

Acute Tox. 4. Skin Irrit. 2. Eye Irrit. 2A. Corr. Metals.

Signal word: Warning

Hazard statements:

May be corrosive to metals.

Harmful if swallowed.

Causes skin irritation.

Causes serious eye irritation.

Precautionary statements:

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

Do not eat, drink or smoke when using this product.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Rinse mouth.

IF ON SKIN: Wash with soap and water.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.07.2015

Ferric Sulfate 0.1M

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists get medical advice/attention.

Take off contaminated clothing and wash before reuse.

Dispose of contents/container.

Other Non-GHS Classification: None

SECTION 3: Composition/information on ingredients

Ingredients:

Ingredients:				
CAS 7720-78-7	Ferric sulfate	<4.9 %		
CAS 7732-18-5	Deionized Water	<95.1 %		
		Percentages are by weight		

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. If breathing difficult, give oxygen. Get medical attention.

After skin contact:

Get medical aid. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Wash affected area with soap and water. Rinse/flush exposed skin gently using water for 15-20 minutes. Get medical attention.

After eye contact:

Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek immediate medical attention or advice.

After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Get medical attention.

Most important symptoms and effects, both acute and delayed:

Irritation, Nausea. Headache. Shortness of breath.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician. Physician should treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

Use water spray, dry chemical, carbon dioxide, or chemical foam.

Unsuitable extinguishing agents: None

Special hazards arising from the substance or mixture:

Safety Data Sheet according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.07.2015

Ferric Sulfate 0.1M

Thermal decomposition can lead to release of irritating gases and vapors. Contact with most metals generates flammable and explosive hydrogen gas.

Advice for firefighters:

Protective equipment:

Wear protective eyeware, gloves, and clothing. Refer to Section 8.

Additional information (precautions):

Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Use spark-proof tools and explosion-proof equipment. Ensure adequate ventilation. Ensure that air-handling systems are operational.

Environmental precautions:

Should not be released into the environment.

Methods and material for containment and cleaning up:

Cover the spill with Sodium Carbonate or a soda ash - slaked lime mixture. Absorb with suitable material and containerize for disposal. Wear protective eyeware, gloves, and clothing. Always obey local regulations. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Containerize for disposal. Refer to Section 13. Keep in suitable closed containers for disposal. Refer to Section 8.

Reference to other sections: None

SECTION 7: Handling and storage

Precautions for safe handling:

Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials, Refer to Section 8. Follow proper disposal methods. Do not eat, drink, smoke, or use personal products when handling chemical substances. Refer to Section 13.

Conditions for safe storage, including any incompatibilities:

Store away from incompatible materials. Avoid storage near extreme heat, ignition sources or open flame. Store in a cool location. Keep away from food and beverages. Protect from freezing and physical damage. Provide ventilation for containers. Keep container tightly closed.

SECTION 8: Exposure controls/personal protection





Control parameters: No applicable occupational exposure limits.

Appropriate engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational

Exposure Limits-OELs) indicated above.

Respiratory protection: Not required under normal conditions of use. Where risk assessment

shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved

breathing equipment.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.07.2015

Ferric Sulfate 0.1M

Select glove material impermeable and resistant to the substance. Select Protection of skin:

glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear

protective clothing.

Safety glasses with side shields or goggles. Wear equipment for eye Eye protection:

protection tested and approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Perform routine housekeeping. Wash hands before breaks and General hygienic measures:

immediately after handling the product. Avoid contact with skin, eyes,

and clothing. Before re-wearing wash contaminated clothing.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Clear colorless liquid to light green	Explosion limit lower: Explosion limit upper:	Not determined Not determined
Odor:	Odorless	Vapor pressure at 20°C:	Not determined
Odor threshold:	Not determined	Vapor density:	Not determined
pH-value:	Not determined	Relative density:	Not determined
Melting/Freezing point:	Approximately 0°C	Solubilities:	None
Boiling point/Boiling range:	Approximately 100°C	Partition coefficient (n- octanol/water):	Not determined
Flash point (closed cup):	Not determined	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid, gaseous):	Not determined	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined
Density at 20°C:	Not determined		
Ferrous Sulfate	Molecular Weight: 278.01		

SECTION 10: Stability and reactivity

Reactivity:

Nonreactive under normal conditions.

Chemical stability:

Stable under normal conditions.

Possible hazardous reactions:

None under normal processing.

Conditions to avoid:

Incompatible materials. Excess heat. Dust generation.

Incompatible materials:

Strong bases, strong oxidizing agents, organics, chlorates, carbides, reducing agents, nitrates, fulminates. Contact with water will generate heat.

Hazardous decomposition products:

Iron oxides.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.07.2015

Ferric Sulfate 0.1M

SECTION 11: Toxicological information

Acute Toxicity: None

Chronic Toxicity: No additional information.

Skin corrosion/irritation: No additional information.

Serious eye damage/irritation: No additional information.

Respiratory or skin sensitization: No additional information.

Carcinogenicity: No additional information.

Germ cell mutagenicity: No additional information. **Reproductive Toxicity**: No additional information.

STOT-single and repeated exposure: No additional information. **Additional toxicological information**: No additional information.

SECTION 12: Ecological information

Ecotoxicity: No additional information.

Persistence and degradability:

Readily degradable in the environment.

Bioaccumulative potential: No additional information

Mobility in soil: No additional information.

Other adverse effects: No additional information.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Treat solid residue as normal refuse, unless prohibited due to iron content in the substance. Dispose of empty containers as unused product. Product or containers must not be disposed together with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification. Absorb with suitable material and containerize for disposal.

SECTION 14: Transport information

US DOT

UN Number:

ADR, ADN, DOT, IMDG, IATA

Not Regulated

Limited Quantity Exception:

None

Bulk:

RQ (if applicable): None

Proper shipping Name: Not Regulated.

Hazard Class: None

Packing Group: Not Regulated.

Marine Pollutant (if applicable): No

Non Bulk:

RQ (if applicable): None

Proper shipping Name: Not Regulated:

Hazard Class: None

Packing Group: Not Regulated.

Marine Pollutant (if applicable): No

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.07.2015

Ferric Sulfate 0.1M

additional information. additional information.

Comments: None Comments: None

SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute

SARA Section 313 (Specific toxic chemical listings):

7782-63-0 Ferrous Sulfate.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

7720-78-7 Ferric Sulfate 1000 lb.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL)

7782-63-0 Not listed.: not listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 2-0-0 **HMIS**: 2-0-0

Safety Data Sheet according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.07.2015

Ferric Sulfate 0.1M

GHS Full Text Phrases: None

Abbreviations and Acronyms:

IMDG International Maritime Code for Dangerous Goods.

PNEC. Predicted No-Effect Concentration (REACH).

CFR Code of Federal Regulations (USA).

SARA Superfund Amendments and Reauthorization Act (USA).

RCRA. Resource Conservation and Recovery Act (USA).

TSCA. Toxic Substances Control Act (USA).

NPRI National Pollutant Release Inventory (Canada).

DOT US Department of Transportation.

IATA International Air Transport Association.

GHS Globally Harmonized System of Classification and Labelling of Chemicals.

ACGIH American Conference of Governmental Industrial Hygienists.

CAS Chemical Abstracts Service (division of the American Chemical Society).

NFPA National Fire Protection Association (USA).

HMIS Hazardous Materials Identification System (USA).

WHMIS Workplace Hazardous Materials Information System (Canada).

DNEL Derived No-Effect Level (REACH).

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.29.2014

Potassium Chloride, 3.5M

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Potassium Chloride,3.5M

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: PC3500-B

Recommended uses of the product and restrictions on use: Laboratory chemicals

Manufacturer Details:

AquaPhoenix Scientific 9 Barnhart Drive, Hanover, PA 17331 (717) 632-1291

Supplier Details:

AquaPhoenix Scientific, Inc 9 Barnhart Drive, Hanover, PA 17331 (717) 632-1291

Emergency telephone number:

Emergency Telephone No.: 800-255-3924

SECTION 2: Hazards identification

Classification of the substance or mixture:



Serious EyeDam/Irri. 2.

Signal word: Warning

Hazard statements:

Causes serious eye irritation.

Precautionary statements:

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash skin thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

If eye irritation persists get medical advice/attention.

Other Non-GHS Classification: None

SECTION 3: Composition/information on ingredients

Ingredients:

Ingredients:

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.29.2014

Potassium Chloride, 3.5M				
CAS 7447-40-7	Potassium chloride	26.075 %		
CAS 7732-18-5	Deionized Water	73.925 %		
	•	Percentages are by weight		

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Seek medical advice if discomfort or irritation persists. If breathing difficult, give oxygen.

After skin contact:

Wash affected area with soap and water. Rinse/flush exposed skin gently using water for 15-20 minutes. Seek medical advice if discomfort or irritation persists.

After eye contact:

Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Seek medical attention if irritation, discomfort or vomiting persists.

Most important symptoms and effects, both acute and delayed:

Nausea. Headache. Shortness of breath. Diarrhea. Vomiting. Dehydration. Irritation- all routes of exposure.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

If in laboratory setting, follow laboratory fire suppression procedures. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition. Use water spray, dry chemical, alcohol-resistant foam, or carbon dioxide.

Unsuitable extinguishing agents: None

Special hazards arising from the substance or mixture:

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Keep product and empty containers away from heat and sources of ignition. Thermal decomposition can lead to release of irritating fine dusts, gases or vapors. Not considered to be a fire or explosion hazard under ordinary circumstances.

Advice for firefighters:

Protective equipment:

Use NIOSH-approved respiratory protection/breathing apparatus.

Additional information (precautions):

Move product containers away from fire or keep cool with water spray as a protective measure, where feasible. Use spark-proof tools and explosion-proof equipment.

SECTION 6: Accidental release measures

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.29.2014

Potassium Chloride, 3.5M

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Transfer to a disposal or recovery container. Use spark-proof tools and explosionproof equipment. Use respiratory protective device against the effects of fumes/dust/aerosol. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Protect from heat. Stop the spill, if possible. Contain spilled material by diking or using inert absorbent.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13.

Methods and material for containment and cleaning up:

If in a laboratory setting, follow Chemical Hygiene Plan procedures. Place into properly labeled containers for recovery or disposal. If necessary, use trained response staff/contractor. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air. Collect solids in powder form using vacuum with HEPA filter.

Reference to other sections: None

SECTION 7: Handling and storage

Precautions for safe handling:

Minimize dust generation and accumulation. Wash hands after handling. Avoid dispersal of dust in the air. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Follow good hygiene procedures when handling chemical materials. Do not eat, drink, smoke, or use personal products when handling chemical substances. If in a laboratory setting, follow Chemical Hygiene Plan. Use only in well ventilated areas. Avoid generation of dust or fine particulate. Avoid contact with eyes, skin, and clothing.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store away from foodstuffs. Store away from oxidizing agents. Store in cool, dry conditions in well sealed containers. Keep container tightly closed. Store with like hazards.

SECTION 8: Exposure controls/personal protection





Control parameters:

, , OSHA PEL TWA (Total Dust) 15 mg/m3 (50 mppcf*). , , ACGIH TLV TWA (inhalable particles) 10 mg/m3.

Appropriate engineering controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or dusts (total/respirable) below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Use under a fume hood. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.29.2014

Potassium Chloride, 3.5M

Respiratory protection: Not required under normal conditions of use. Use suitable respiratory

protective device when high concentrations are present. Use suitable respiratory protective device when aerosol or mist is formed. For spills,

respiratory protection may be advisable.

Protection of skin: The glove material has to be impermeable and resistant to the product/

the substance/ the preparation being used/handled. Selection of the glove material on consideration of the penetration times, rates of diffusion and

the degradation.

Eye protection: Safety glasses with side shields or goggles.

General hygienic measures: The usual precautionary measures are to be adhered to when handling

chemicals. Keep away from food, beverages and feed sources.

Immediately remove all soiled and contaminated clothing. Wash hands

before breaks and at the end of work. Do not inhale

gases/fumes/dust/mist/vapor/aerosols. Avoid contact with the eyes and

skin.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Clear, colorless liquid	Explosion limit lower: Explosion limit upper:	Not determined Not determined
Odor:	Odorless	Vapor pressure at 20°C:	1 mmHg @ 865 C
Odor threshold:	Not determined	Vapor density:	>1
pH-value:	Not determined	Relative density:	1.987
Melting/Freezing point:	Approx. 0C	Solubilities:	Partly soluble.
Boiling point/Boiling range:	Approx. 100C	Partition coefficient (noctanol/water):	Not determined
Flash point (closed cup):	Not determined	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid, gaseous):	Not determined	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined
Density at 20°C:	Not determined		

SECTION 10: Stability and reactivity

Reactivity:

Nonreactive under normal conditions.

Chemical stability:

No decomposition if used and stored according to specifications. Hydroscopic.

Possible hazardous reactions: None

Conditions to avoid:

Store away from oxidizing agents, strong acids or bases. exposure to moist air or water. excess heat. Dust generation.

Incompatible materials:

Strong oxidizing agents. Bromine trifluoride.

Hazardous decomposition products:

Chlorine. oxides of potassium.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.29.2014

Potassium Chloride, 3.5M

SECTION 11: Toxicological information

Acute Toxicity: No additional information.

Chronic Toxicity: No additional information.

Skin corrosion/irritation:

Classified as Skin Irritant. Section 2.

Serious eye damage/irritation:

Classified as eye irritant. Section 2.

Respiratory or skin sensitization: No additional information.

Carcinogenicity:

IARC, NTP, OSHA: Not listed as carcinogen.

Germ cell mutagenicity: No additional information. **Reproductive Toxicity**: No additional information.

STOT-single and repeated exposure: No additional information. **Additional toxicological information**: No additional information.

SECTION 12: Ecological information

Ecotoxicity:

Freshwater Fish, 96 Hr LC50 Lepomis macrochirus: 1060 mg/L. Freshwater Fish, 96 Hr LC50 Pimephales promelas: 750 - 1020 mg/L.

Persistence and degradability:

Not readily degradable in environment, except by dilution.

Bioaccumulative potential: No additional information.

Mobility in soil:

Partly soluble in water.

Other adverse effects:

Causes dehydration following ingestion and/or changes in aquatic salinity levels, which may have deleterious effects on various aquatic, terrestrial or avian species.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Product/containers must not be disposed together with household garbage. Do not allow product to reach sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product.

SECTION 14: Transport information

US DOT

UN Number:

ADR, ADN, DOT, IMDG, IATA

Effective date: 12.29.2014

Potassium Chloride, 3.5M

Limited Quantity Exception: None

Bulk: Non Bulk:

RQ (if applicable): None RQ (if applicable): None

Proper shipping Name: Not Regulated. Proper shipping Name: Not Regulated.

Hazard Class: None Hazard Class: None

Packing Group: Not Regulated. **Packing Group:** Not Regulated. Marine Pollutant (if applicable): No Marine Pollutant (if applicable): No

additional information. additional information. Comments: None Comments: None

SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients are listed.

Proposition 65 (California)

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL) *

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation

Effective date: 12.29.2014

Potassium Chloride, 3.5M

to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 1-0-0 **HMIS**: 1-0-0

GHS Full Text Phrases: None

Abbreviations and Acronyms:

IMDG International Maritime Code for Dangerous Goods.

PNEC. Predicted No-Effect Concentration (REACH).

CFR Code of Federal Regulations (USA).

SARA Superfund Amendments and Reauthorization Act (USA).

RCRA. Resource Conservation and Recovery Act (USA).

TSCA. Toxic Substances Control Act (USA).

NPRI National Pollutant Release Inventory (Canada).

DOT US Department of Transportation.

IATA International Air Transport Association.

GHS Globally Harmonized System of Classification and Labelling of Chemicals.

ACGIH American Conference of Governmental Industrial Hygienists.

CAS Chemical Abstracts Service (division of the American Chemical Society).

NFPA National Fire Protection Association (USA).

HMIS Hazardous Materials Identification System (USA).

WHMIS Workplace Hazardous Materials Information System (Canada).

DNEL Derived No-Effect Level (REACH).

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.16.2014

Potassium Iodide 0.5M

SECTION 1: Identification of the substance/mixture and of the supplier

Potassium Iodide 0.5M

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number:

PI1250-B

Recommended uses of the product and restrictions on use:

Manufacturer Details:

Product name:

AquaPhoenix Scientific, Inc. 9 Barnhart Drive Hanover, PA 17331 1-717-632-1291

Supplier Details:

AquaPhoenix Scientific, Inc 9 Barnhart Drive, Hanover, PA 17331 (717) 632-1291

Emergency telephone number:

ChemTel: (24-hour) (US and Canada)

1-(800)-255-3924

SECTION 2: Hazards identification

Classification of the substance or mixture:



Skin Irritation, Category 2. Eye Irritation, Category 2.

Signal word: Warning

Hazard statements:

Causes serious eye irritation. Causes skin irritation.

Precautionary statements:

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wash skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN: Wash with soap and water.

Specific treatment (see supplemental first aid instructions on this label).

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

If eye irritation persists get medical advice/attention.

Other Non-GHS Classification: None

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.16.2014

Potassium	obibal	O SM
POLASSIUIII	logide	U.DIVI

SECTION 3: Composition/information on ingredients

Ingredients:

Ingredients:		
CAS 7681-11-0	Potassium Iodide	8.3 %
CAS 7732-18-5	Deionized Water	91.55 %
CAS 1310-58-3	Potassium Hydroxide	0.1 %
CAS 144-55-8	Sodium Bicarbonate	0.05 %
		Percentages are by weight

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Seek medical advice if discomfort or irritation persists. If breathing difficult, give oxygen.

After skin contact:

Wash affected area with soap and water. Rinse thoroughly. Seek medical attention if irritation persists or if concerned.

After eye contact:

Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Seek medical attention if irritation, discomfort or vomiting persists.

Most important symptoms and effects, both acute and delayed:

Irritation, Nausea, Headache, Shortness of breath.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

If in laboratory setting, follow laboratory fire suppression procedures. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing agents: None

Special hazards arising from the substance or mixture:

Combustion products may include carbon oxides or other toxic vapors. Thermal decomposition can lead to release of irritating gases and vapors.

Advice for firefighters:

Protective equipment:

Use NIOSH-approved respiratory protection/breathing apparatus.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.16.2014

Potassium Iodide 0.5M

Additional information (precautions):

Move product containers away from fire or keep cool with water spray as a protective measure, where feasible,

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Use respiratory protective device against the effects of fumes/dust/aerosol. Keep unprotected persons away. Ensure adequate ventilation.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13. Small quantities may be flushed to drains with plenty of water.

Methods and material for containment and cleaning up:

If in a laboratory setting, follow Chemical Hygiene Plan procedures. Collect liquids using vacuum or by use of absorbents. Place into properly labeled containers for recovery or disposal. If necessary, use trained response staff/contractor.

Reference to other sections: None

SECTION 7: Handling and storage

Precautions for safe handling:

Wash hands after handling. Follow good hygiene procedures when handling chemical materials. Use only in well ventilated areas. Avoid contact with eyes, skin, and clothing.

Conditions for safe storage, including any incompatibilities:

Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store away from foodstuffs. Store away from oxidizing agents. Store in cool, dry conditions in well sealed containers. Keep container tightly closed. Protect from freezing and physical damage.

SECTION 8: Exposure controls/personal protection





Control parameters: 7681-11-0, Potassium Iodide, ACS, ACGIH NIOSH 0.01 mg/m3.

Appropriate engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or dusts (total/respirable) below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Use under a fume

hood.

Respiratory protection: Use suitable respiratory protective device when high concentrations are

present. For spills, respiratory protection may be advisable. Normal

ventilation is adequate.

Protection of skin: The glove material has to be impermeable and resistant to the product/

the substance/ the preparation being used/handled. Selection of the glove material on consideration of the penetration times, rates of diffusion and

the degradation.

Eye protection: Safety glasses with side shields or goggles.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.16.2014

Potassium Iodide 0.5M

General hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. Do not inhale gases/fumes/dust/mist/vapor/aerosols. Avoid contact with the eyes and skin.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Clear, colorless liquid	Explosion limit lower: Explosion limit upper:	Not determined Not determined
Odor:	Odorless	Vapor pressure at 20°C:	Not determined
Odor threshold:	Not determined	Vapor density:	Not determined
pH-value:	Not determined	Relative density:	Approx 1.07 - 1.36
Melting/Freezing point:	Approx 0°C	Solubilities:	Soluble in water.
Boiling point/Boiling range:	Approx 100°C	Partition coefficient (noctanol/water):	Not determined
Flash point (closed cup):	Not determined	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid, gaseous):	Not determined	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined
Density at 20°C:	Not determined		

SECTION 10: Stability and reactivity

Reactivity:

Nonreactive under normal conditions.

Chemical stability:

No decomposition if used and stored according to specifications.

Possible hazardous reactions:

None under normal processing.

Conditions to avoid:

exposure to light. Incompatible Materials.

Incompatible materials:

Strong acids. Strong bases. Strong oxidizers.

Hazardous decomposition products:

Hydrogen iodide. Iodine gas. May include oxides of iodine.

SECTION 11: Toxicological information

Acute Toxicity: No additional information. **Chronic Toxicity**: No additional information.

Skin corrosion/irritation:

Rabbit: causes irritation. 7681-11-0.

Serious eye damage/irritation:

Rabbit: causes irritation. 7681-11-0

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.16.2014

Potassium Iodide 0.5M

Respiratory or skin sensitization: No additional information.

Carcinogenicity: No additional information.

Germ cell mutagenicity: No additional information. **Reproductive Toxicity**: No additional information.

STOT-single and repeated exposure: No additional information. Additional toxicological information: No additional information.

SECTION 12: Ecological information

Ecotoxicity:

Crustacea LC50 Zebra mussel (Dreissena polymorpha) 220 - 313 mg/l, 24 hours, 7681-11-0, Fish LC50 - Oncorhynchus mykiss (rainbow trout) - 2,190 mg/l - 96 h, 7681-11-0.

Persistence and degradability: No additional information.

Bioaccumulative potential:

Not expected to bio accumulate.

Mobility in soil: No additional information.

Other adverse effects: No additional information.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Product/containers must not be disposed together with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product. Small amounts may be flushed with water to sewer. Larger volumes must be sent to approve plant for destruction.

SECTION 14: Transport information

US DOT

UN Number:

ADR, ADN, DOT, IMDG, IATA

Not Regulated

Limited Quantity Exception:

None

Bulk:

RQ (if applicable): None

Proper shipping Name: Not Regulated,

Hazard Class: None

Packing Group: Not Regulated. Marine Pollutant (if applicable): No

additional information. Comments: None

Non Bulk:

RQ (if applicable): None

Proper shipping Name: Not Regulated.

Hazard Class: None

Packing Group: Not Regulated. Marine Pollutant (if applicable): No

additional information. Comments: None

SECTION 15: Regulatory information

United States (USA)

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.16.2014

Potassium Iodide 0.5M

SARA Section 311/312 (Specific toxic chemical listings):

Acute

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients are listed.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL)

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 1-0-0 **HMIS**: 1-0-0

GHS Full Text Phrases: None

Abbreviations and Acronyms:

IMDG International Maritime Code for Dangerous Goods.

PNEC. Predicted No-Effect Concentration (REACH).

CFR Code of Federal Regulations (USA).

SARA Superfund Amendments and Reauthorization Act (USA).

RCRA. Resource Conservation and Recovery Act (USA).

Effective date: 12,16,2014

Potassium Iodide 0.5M

TSCA. Toxic Substances Control Act (USA).

NPRI National Pollutant Release Inventory (Canada).

DOT US Department of Transportation.

IATA International Air Transport Association.

GHS Globally Harmonized System of Classification and Labelling of Chemicals.

ACGIH American Conference of Governmental Industrial Hygienists.

CAS Chemical Abstracts Service (division of the American Chemical Society).

NFPA National Fire Protection Association (USA).

HMIS Hazardous Materials Identification System (USA).

WHMIS Workplace Hazardous Materials Information System (Canada).

DNEL Derived No-Effect Level (REACH).

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 03.02.2015

Copper Strip

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Copper Strip

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: KEMCU-5012-S

Recommended uses of the product and restrictions on use: Laboratory Chemicals

Manufacturer Details:

AquaPhoenix Scientific 9 Barnhart Drive, Hanover, PA 17331 (717) 632-1291

Supplier Details:

AquaPhoenix Scientific Inc. 9 Barnhart Drive, Hanover PA 17331 (717) 632-1291

Emergency telephone number:

Emergency Telephone No.: 800-255-3924

SECTION 2: Hazards identification

Classification of the substance or mixture:



Toyio

Acute toxicity (oral, dermal, inhalation), category 2



Irritant

Eye irritation, category 2A Skin sensitization, category 1



Health hazard

Germ cell mutagenicity, category 1A Specific target organ toxicity following repeated exposure, category 2

Acute toxicity - Oral - Category 2: H300 Fatal if swallowed.

Acute toxicity - Inhalation - Category 2: H330 Fatal if inhaled.

Specific target organ toxicity - Repeated exposure - (Oral,Inhalation) - Category 2: H373 May cause damage to digestive system, hematopoietic system, kidneys, nose, respiratory system, and/or skin through prolonged or repeated exposure if inhaled.

Hazards Not Otherwise Classified - Combustible Dust.

Not classified for physical or health hazards under GHS.

Hazards Not Otherwise Classified - Combustible Dust.

Serious Eye Damage/Eye Irritation - Category 2: H319 Causes serious eye irritation.

Skin sensitizers - Category 1: H317 May cause allergic skin reaction.

Germ cell mutagenicity - Category 1: H340 May cause genetic defects.

Hazardous to aquatic environment - acute hazard - Category 1: H400 Very toxic to aquatic life.

Signal word: Danger

Hazard statements:

Fatal if swallowed.

Fatal if inhaled.

Effective date: 03.02.2015

Copper Strip

May cause an allergic skin reaction.

Causes serious eye irritation.

May cause genetic defects.

May cause damage to organs through prolonged or repeated exposure.

Very toxic to aquatic life.

Precautionary statements:

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wash skin thoroughly after handling.

Avoid release to the environment.

Do not eat, drink or smoke when using this product.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Use only outdoors or in a well-ventilated area.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Use personal protective equipment as required.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Wash contaminated clothing before reuse.

IF exposed or concerned: Get medical advice/attention.

Collect spillage.

Specific treatment (see supplemental first aid instructions on this label).

Rinse mouth.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing.

If eye irritation persists get medical advice/attention.

IF ON SKIN: Wash with soap and water.

If skin irritation or a rash occurs: Get medical advice/attention.

Store locked up.

Dispose of contents and container as instructed in Section 13.

Other Non-GHS Classification: None

SECTION 3: Composition/information on ingredients

Ingredients:

Ingredients:		
CAS 7440-50-8	Copper	100 %
		Percentages are by weight

SECTION 4: First aid measures

Effective date: 03.02.2015

Copper Strip

Description of first aid measures

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position. Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Get medical assistance if cough or other symptoms appear.

After skin contact:

Rinse/flush exposed skin gently using soap and water for 15-20 minutes. Seek medical advice if discomfort or irritation persists.

After eye contact:

Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Seek medical attention if irritation, discomfort or vomiting persists. Never give anything by mouth to an unconscious person,

Most important symptoms and effects, both acute and delayed:

Irritation. Nausea. Headache. Shortness of breath.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician. Physician should treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition. Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

Unsuitable extinguishing agents:

None identified.

Special hazards arising from the substance or mixture:

Oxides of copper. Combustion products may include carbon oxides or other toxic vapors. Thermal decomposition can lead to release of irritating gases and vapors. Dust can be an explosion hazard when exposed to heat or flame. Noncombustible solid in bulk form, but powdered form may ignite.

Advice for firefighters:

Protective equipment:

Use NIOSH-approved respiratory protection/breathing apparatus.

Additional information (precautions):

Move product containers away from fire or keep cool with water spray as a protective measure, where feasible. Use spark-proof tools and explosion-proof equipment. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Use spark-proof tools and explosion-proof equipment. Ensure that air-handling systems are operational. Ensure adequate ventilation.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13.

Effective date: 03.02.2015

Copper Strip

Should not be released into environment.

Methods and material for containment and cleaning up:

Keep in suitable closed containers for disposal. Wear protective eyeware, gloves, and clothing. Always obey local regulations. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air. Collect solids in powder form using vacuum with HEPA filter. Evacuate personnel to safe areas. Sweep up, then place into a suitable container for disposal. Refer to Section 8.

Reference to other sections: None

SECTION 7: Handling and storage

Precautions for safe handling:

Minimize dust generation and accumulation. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with eyes, skin, and clothing.

Conditions for safe storage, including any incompatibilities:

Store away from incompatible materials. Protect from freezing and physical damage. Keep away from food and beverages. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store in cool, dry conditions in well sealed containers. Store with like hazards.

SECTION 8: Exposure controls/personal protection





Control parameters: 7440-50-8, Copper, OSHA PEL TWA (Total Dust) TWA 1 mg/m3.

7440-50-8, Copper, ACGIH TLV: 0.2 mg/m3 TWA (fume); 1 mg/m3 TWA

(dusts and mists).

7440-50-8, Copper, OSHA PEL: 0.1 mg/m3 TWA (fume).

Appropriate engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or dusts (total/respirable) below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use under a fume hood.

Respiratory protection: Not required under normal conditions of use. Where risk assessment

shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved

breathing equipment.

Protection of skin: Select glove material impermeable and resistant to the substance. Select

glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear

protective clothing.

. . .

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 03.02.2015

Copper Strip

Eye protection: Wear equipment for eye protection tested and approved under

appropriate government standards such as NIOSH (US) or EN 166(EU).

Safety glasses or goggles are appropriate eye protection.

General hygienic measures: Perform routine housekeeping. Wash hands before breaks and at the end

of work. Avoid contact with skin, eyes, and clothing. Before wearing wash

contaminated clothing.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Red to brown solid	Explosion limit lower: Explosion limit upper:	Not determined Not determined
Odor:	Odorless	Vapor pressure at 20°C:	Not determined
Odor threshold:	Not determined	Vapor density:	Not determined
pH-value:	Not determined	Relative density:	Not determined
Melting/Freezing point:	1083°C (1981.4°F)	Solubilities:	Insoluble.
Boiling point/Boiling range:	2595°C (4703°F)	Partition coefficient (noctanol/water):	Not determined
Flash point (closed cup):	Not determined	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid, gaseous):	Not determined	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined
Density at 20°C:	8.94 (Water = 1)		

SECTION 10: Stability and reactivity

Reactivity:

Stable at room temperature in closed containers under normal storage and handling conditions.

Chemical stability:

Stable under normal conditions.

Possible hazardous reactions:

None under normal processing.

Conditions to avoid:

Incompatible Materials. Dust formation. Moisture. Exposure to air.

Incompatible materials:

Liquid copper explodes on contact with water. Reacts violently with ammonium nitrate, bromates, iodates, chlorates, ethylene oxide, hydrazoic acid, potassium oxide, dimethyl sulfoxide. Page 3 of 4. CU4500 +. Trichloroacetic acid, hydrogen peroxide, sodium peroxide, sodium azide, sulfuric acid, hydrogen sulfide + air, and lead azide. Ignites on contact with chlorine, fluorine (above 121C), chlorine trifluoride, and hydrazinium nitrate (above 70C). Incompatible with 1-bromo-2-propyne, potassium dioxide, and acetylenic compounds.

Hazardous decomposition products:

Oxides of copper.

SECTION 11: Toxicological information

Acute Toxicity: No additional information. **Chronic Toxicity**: No additional information.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 03.02.2015

Copper Strip

Skin corrosion/irritation:

Dust is irritating to the respiratory tract. Inhalation of fumes may cause metal fume fever, which is characterized by flu-like symptoms with metallic taste, fever, chills, cough, weakness, chest pain, muscle pain and increased white blood cell count. 7440-50-8.

Serious eye damage/irritation: No additional information. **Respiratory or skin sensitization**: No additional information.

Carcinogenicity: No additional information.

Germ cell mutagenicity:

Please refer to RTECS# BO9000000 for specific information.

Reproductive Toxicity:

Fertility: Post-implantation mortality, oral-rat TDLo=40mg/kg.

STOT-single and repeated exposure: No additional information. **Additional toxicological information**: No additional information.

SECTION 12: Ecological information

Ecotoxicity:

Freshwater fish, 96 Hr LC50 Pimephales promelas: 0.0068 - 0.0156 mg/L; 96 Hr LC50 Pimephales promelas: <0.3 mg/L [static]; 96 Hr LC50 Pimephales promelas: 0.2 mg/L [flow-through]; 96 Hr LC50 Oncorhynchus mykiss: 0.052 mg/L [flow-through]; 96 Hr LC50 Lepomis macrochirus: 1.25 mg/L [static]; 96 Hr LC50 Cyprinus carpio: 0.3 mg/L [semi-static]; 96 Hr LC50 Cyprinus carpio: 0.8 mg/L [static]; 96 Hr LC50 Poecilia reticulata: 0.112 mg/L [flow-through].

Water flea, 48 Hr EC50 Daphnia magna: 0.03 mg/L [Static].

Persistence and degradability:

No information available.

Bioaccumulative potential:

No information available.

Mobility in soil: No additional information.

Other adverse effects:

No information available.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

SECTION 14: Transport information

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 03.02.2015

Copper Strip

UN Number:

ADR, ADN, DOT, IMDG, IATA Not regulated

Limited Quantity Exception: None

Bulk: Non Bulk:

RQ (if applicable): None RQ (if applicable): None

Proper shipping Name: Not regulated. Proper shipping Name: Not regulated.

Hazard Class: None Hazard Class: None

Packing Group: Not regulated. Packing Group: Not regulated.

Marine Pollutant (if applicable): No Marine Pollutant (if applicable): No

additional information. additional information. Comments: None Comments: None

SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute, Chronic, Fire

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

7440-50-8 Copper Sulfate 5000 Lbs.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

SECTION 16: Other information

Effective date: 03.02.2015

Copper Strip

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 2-0-0 **HMIS**: 2-0-0

GHS Full Text Phrases: None

Abbreviations and Acronyms:

IMDG International Maritime Code for Dangerous Goods.

PNEC. Predicted No-Effect Concentration (REACH).

CFR Code of Federal Regulations (USA).

SARA Superfund Amendments and Reauthorization Act (USA).

RCRA. Resource Conservation and Recovery Act (USA).

TSCA. Toxic Substances Control Act (USA).

NPRI National Pollutant Release Inventory (Canada).

DOT US Department of Transportation.

IATA International Air Transport Association.

GHS Globally Harmonized System of Classification and Labelling of Chemicals.

ACGIH American Conference of Governmental Industrial Hygienists.

CAS Chemical Abstracts Service (division of the American Chemical Society).

NFPA National Fire Protection Association (USA).

HMIS Hazardous Materials Identification System (USA).

WHMIS Workplace Hazardous Materials Information System (Canada).

DNEL Derived No-Effect Level (REACH).

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 02.11.2015

Magnesium Strip

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Magnesium Strip

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: KEMMG-2500-S

Recommended uses of the product and restrictions on use:

Manufacturer Details:

AquaPhoenix Scientific, Inc. 9 Barnhart Drive Hanover, PA 17331 1-717-632-1291

Supplier Details:

AquaPhoenix Scientific Inc. 9 Barnhart Drive, Hanover PA 17331 (717) 632-1291

Emergency telephone number:

ChemTel: (24-hour) (US and Canada)

1-(800)-255-3924

SECTION 2: Hazards identification

Classification of the substance or mixture:



Flammable

Flammable solids, category 1 Flammable gases, category 1

Pyrophoric solids. 1.

Emits Flamm. gas with water contact.

Signal word: Danger

Hazard statements:

Catches fire spontaneously if exposed to air.

In contact with water releases flammable gases which may ignite spontaneously.

Precautionary statements:

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Do not allow contact with air.

Keep away from any possible contact with water, because of violent reaction and possible flash fire.

Handle under inert gas. Protect from moisture.

Wear protective gloves/protective clothing/eye protection/face protection.

Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.

In case of fire, use agents recommended in section 5 for extinction.

Store in a dry place. Store in a closed container.

Dispose of contents and container as instructed in Section 13.

Other Non-GHS Classification: None

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 02.11.2015

Magnesium Strip	

SECTION 3: Composition/information on ingredients

Ingredients:

Ingredients:		
CAS 7439-95-4	Magnesium	>90 %
		Percentages are by weight

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Loosen clothing and place exposed in a comfortable position. Seek medical assistance if cough or other symptoms appear.

After skin contact:

Wash hands and exposed skin with soap and plenty of water. Seek medical attention if irritation persists or if concerned.

After eye contact:

Protect unexposed eye. Flush exposed eye gently using water for 15-20 minutes. Remove contact lenses, if present and easy to do, and continue rinsing. Seek medical attention if irritation persists or concerned.

After swallowing:

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention if irritation, discomfort, or vomiting persists.

Most important symptoms and effects, both acute and delayed:

Irritation, Shortness of breath, Headache, Nausea, Dizziness,

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

Dry powder.

Unsuitable extinguishing agents:

Water spray. Carbon dioxide extinguishers.

Special hazards arising from the substance or mixture:

Combustible dust formation is a risk. Thermal decomposition can lead to release of irritating gases and vapors. Water cannot extinguish magnesium fires. The hydrogen gas produced only intensifies the fire.

Advice for firefighters:

Protective equipment:

Wear protective eyeware, gloves, and clothing. Refer to Section 8.

Additional information (precautions):

Avoid dust generation. Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 02.11.2015

Magnesium Strip

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

Environmental precautions:

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

Methods and material for containment and cleaning up:

Sweep up and shovel, Contain spillage. Collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations. Wear protective eyeware, gloves, and clothing. Always obey local regulations. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Containerize for disposal. Refer to Section 13. Keep in suitable closed containers for disposal, Refer to Section 8.

Reference to other sections: None

SECTION 7: Handling and storage

Precautions for safe handling:

Combustible dust formation is a risk. Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Do not eat, drink, smoke, or use personal products when handling chemical substances. Refer to Section 13.

Conditions for safe storage, including any incompatibilities:

Store contents under inert gas. Air and moisture sensitive. Store in a cool location. Keep away from food and beverages. Protect from freezing and physical damage. Provide ventilation for containers. Keep container tightly sealed. Store away from incompatible materials.

SECTION 8: Exposure controls/personal protection







Control parameters:

No applicable occupational exposure limits.

Appropriate engineering controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Respiratory protection:

Not required under normal conditions of use. Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved breathing equipment.

Protection of skin:

Select glove material impermeable and resistant to the substance. Select glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear protective clothing.

Eye protection:

Face shield and safety glasses are appropriate eye protection. Wear equipment for eye protection tested and approved under appropriate

government standards such as NIOSH (US) or EN 166(EU).

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 02.11.2015

Magnesium Strip

General hygienic measures:

Perform routine housekeeping. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes, and clothing. Before re-wearing wash contaminated clothing.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Silver White Solid	Explosion limit lower: Explosion limit upper:	Not determined Not determined
Odor:	Not determined	Vapor pressure at 20°C:	1 hPa at 621 °C
Odor threshold:	Not determined	Vapor density:	Not determined
pH-value:	Not determined	Relative density:	1.74 g/cm3 at 25 °C
Melting/Freezing point:	650 °C	Solubilities:	Insoluble in water
Boiling point/Boiling range:	1107 °C	Partition coefficient (noctanol/water):	Not determined
Flash point (closed cup):	Not determined	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid, gaseous):	Flammable	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined
Density at 20°C:	Not determined		
Additional property	Hygroscopic (absorbs moisture from the air).		

SECTION 10: Stability and reactivity

Reactivity:

Reacts violently with water.

Chemical stability:

Stable under normal conditions.

Possible hazardous reactions:

Emits flammable gas when in contact with water.

Conditions to avoid:

Air and moisture sensitive. Incompatible materials.

Incompatible materials:

Strong oxidizing agents, acids, Acid chlorides, Halogens.

Hazardous decomposition products:

Magnesium oxide.

SECTION 11: Toxicological information

Acute Toxicity: None

Chronic Toxicity: No additional information.

Skin corrosion/irritation: No additional information.
Serious eye damage/irritation: No additional information.
Respiratory or skin sensitization: No additional information.

Carcinogenicity: No additional information.

Germ cell mutagenicity: No additional information:

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 02.11.2015

Magnesium Strip

Reproductive Toxicity: No additional information.

STOT-single and repeated exposure: No additional information. **Additional toxicological information:** No additional information.

SECTION 12: Ecological information

Ecotoxicity: No additional information.

Persistence and degradability: No additional information. **Bioaccumulative potential**: No additional information.

Mobility in soil: No additional information.

Other adverse effects: No additional information.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed together with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.

SECTION 14: Transport information

US DOT

UN Number:

ADR, ADN, DOT, IMDG, IATA 1869

Limited Quantity Exception: None

Bulk: Non Bulk:

RQ (if applicable): None RQ (if applicable): None

Proper shipping Name: Magnesium. Proper shipping Name: Magnesium.

Hazard Class: 4
Packing Group: III.
Hazard Class: 4
Packing Group: III.

Marine Pollutant (if applicable): No Marine Pollutant (if applicable): No

additional information.

Comments: None

additional information.

Comments: None





SECTION 15: Regulatory information

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 02.11.2015

Magnesium Strip

SARA Section 311/312 (Specific toxic chemical listings):

Reactive, Chronic, Fire

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

7439-95-4 Magnesium 10 lbs.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 1-0-1 **HMIS**: 1-0-1

GHS Full Text Phrases: None

Abbreviations and Acronyms: None

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014

REPLACE WITH ZN-5012-S

SECTION 1: Identification of the substance/mixture and of the supplier

Product name:

REPLACE WITH ZN-5012-S

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: ZN-5014-S

Recommended uses of the product and restrictions on use: Laboratory Chemicals

Manufacturer Details:

AquaPhoenix Scientific 9 Barnhart Drive, Hanover, PA 17331 (717) 632-1291

Supplier Details:

AquaPhoenix Scientific, Inc 9 Barnhart Drive, Hanover, PA 17331 (717) 632-1291

Emergency telephone number:

Emergency Telephone No.: 800-255-3924

SECTION 2: Hazards identification

Classification of the substance or mixture:



Corrosive

Serious eye damage, category 1



Irritant

Acute toxicity (oral, dermal, inhalation), category 4



Environmentally Damaging

Acute hazards to the aquatic environment, category 1 Chronic hazards to the aquatic environment, category 1

Eye Damage 1.

Acute Toxicity 4 (oral).

Aquatic Acute Toxicity 1.

Aquatic Chronic Toxicity 1.

Signal word: Danger

Hazard statements:

Causes serious eye damage.
Harmful if swallowed.
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.

Precautionary statements:

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Do not eat, drink or smoke when using this product.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014

REPLACE WITH ZN-5012-S

Wear protective gloves/protective clothing/eye protection/face protection.

Wash skin thoroughly after handling.

Avoid release to the environment.

Rinse mouth.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Dispose of contents and container as instructed in Section 13.

Other Non-GHS Classification: None

SECTION 3: Composition/information on ingredients

Ingredients:

Ingredients:		
CAS 7446-20-0	Zinc sulfate heptahydrate	100 %
		Percentages are by weight

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position. Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Get medical assistance if cough or other symptoms appear.

After skin contact:

Rinse/flush exposed skin gently using soap and water for 15-20 minutes. Seek medical advice if discomfort or irritation persists.

After eye contact:

Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Seek medical attention if irritation, discomfort, or vomiting persists. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed:

Irritation- all routes of exposure. Inhalation of fumes may cause metal fume fever, which is characterized by flulike symptoms with metallic taste, fever, chills, cough, weakness, chest pain, muscle pain and increased white blood cell count. Headache. Nausea. Shortness of breath. May cause bronchitis.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

Use agent most suitable for extinguishing surrounding fire. Use water spray to keep fire-exposed containers

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014

REPLACE WITH ZN-5012-S

cool.

Unsuitable extinguishing agents:

None identified.

Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors. Containers may explode in the heat of a fire.

Advice for firefighters:

Protective equipment:

Wear protective eyeware, gloves, and clothing. Use NIOSH-approved respiratory protection/breathing apparatus. Refer to Section 8.

Additional information (precautions):

Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

Environmental precautions:

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

Methods and material for containment and cleaning up:

Wear protective eyeware, gloves, and clothing. Always obey local regulations. Containerize for disposal. Refer to Section 13. Sweep up and containerize for disposal. Avoid generating dust. Refer to Section 8. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Keep in suitable closed containers for disposal.

Reference to other sections: None

SECTION 7: Handling and storage

Precautions for safe handling:

Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Do not eat, drink, smoke, or use personal products when handling chemical substances. Refer to Section 13.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Keep away from food and beverages. Protect from freezing and physical damage. Provide ventilation for containers. Keep container tightly closed. Store away from incompatible materials.

SECTION 8: Exposure controls/personal protection





Control parameters:

7446-20-0, Zinc, ACGIH TLV: NA, OSHA PEL: NA.

Appropriate engineering controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014

REPLACE WITH ZN-5012-S

Respiratory protection: Not required under normal conditions of use. Where risk assessment

shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved

breathing equipment.

Protection of skin: Select glove material impermeable and resistant to the substance. Select

glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear

protective clothing.

Eye protection: Wear equipment for eye protection tested and approved under

appropriate government standards such as NIOSH (US) or EN 166(EU).

Safety glasses or goggles are appropriate eye protection.

General hygienic measures: Perform routine housekeeping. Wash hands before breaks and at the end

of work. Avoid contact with skin, eyes, and clothing. Before wearing wash

contaminated clothing.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Gray solid	Explosion limit lower: Explosion limit upper:	Not determined Not determined
Odor:	Odorless	Vapor pressure at 20°C:	1 mmHg @ 487C
Odor threshold:	Not determined	Vapor density:	Not determined
pH-value:	Not determined	Relative density:	Not determined
Melting/Freezing point:	419C	Solubilities:	Reacts with water
Boiling point/Boiling range:	908C	Partition coefficient (noctanol/water):	Not determined
Flash point (closed cup):	Not determined	Auto/Self-ignition temperature:	46 C
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid, gaseous):	Not determined	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined
Density at 20°C:	7.14 g/cm3 at 20 °C		
Specific Gravity:	7.14		

SECTION 10: Stability and reactivity

Reactivity:

Nonreactive under normal conditions. Reacts with water.

Chemical stability:

Stable under normal conditions.

Possible hazardous reactions:

None under normal processing.

Conditions to avoid:

Incompatible materials. Excess heat.

Incompatible materials:

Oxidizing agents. Strong acids or bases.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014

REPLACE WITH ZN-5012-S

Hazardous decomposition products:

Zinc oxides.

SECTION 11: Toxicological information

Acute Toxicity: None

Chronic Toxicity: No additional information.

Skin corrosion/irritation: No additional information.
Serious eye damage/irritation: No additional information.
Respiratory or skin sensitization: No additional information.

Carcinogenicity: No additional information.

Germ cell mutagenicity: No additional information.

Reproductive Toxicity:

Reproductive effects shown in laboratory animals.

STOT-single and repeated exposure: No additional information. **Additional toxicological information**: No additional information.

SECTION 12: Ecological information

Ecotoxicity:

Fish (acute 7440-66-6): , 96 Hr LC50 Pimephales promelas: 2.16 - 3.05 mg/L [flow-through]; 96 Hr LC50 Pimephales promelas: 0.211 - 0.269 mg/L [semi-static]; 96 Hr LC50 Pimephales promelas: 2.66 mg/L [static]; 96 Hr LC50 Cyprinus carpio: 0.45 mg/L [semi-static]; 96 Hr LC50 Cyprinus carpio: 7.8 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 3.5 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 0.24 mg/L [flow-through]; 96 Hr LC50 Oncorhynchus mykiss: 0.59 mg/L [semi-static]; 96 Hr LC50 Oncorhynchus mykiss: 0.41 mg/L [static].

Crustacea (acute 7440-66-6): , 48 Hr EC50 Daphnia magna: 0.139 - 0.908 mg/L [Static].

Algae (acute 7440-66-6), 96 Hr EC50 Pseudokirchneriella subcapitata: 0.11 - 0.271 mg/L [static]; 72 Hr EC50 Pseudokirchneriella subcapitata: 0.09 - 0.125 mg/L [static].

Persistence and degradability: No additional information.

Bioaccumulative potential: No additional information.

Mobility in soil: No additional information.

Other adverse effects: No additional information.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

SECTION 14: Transport information

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014

REPLACE WITH ZN-5012-S

UN Number:

ADR, ADN, DOT, IMDG, IATA Not Regulated.

Limited Quantity Exception: None

Bulk: Non Bulk:

RQ (if applicable): None RQ (if applicable): None

Proper shipping Name: Not Regulated. Proper shipping Name: Not Regulated.

Hazard Class: None Hazard Class: None

Packing Group: Not Regulated.

Marine Pollutant (if applicable): No

Marine Pollutant (if applicable): No

additional information. additional information.

Comments: None Comments: None

SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

None of the ingredients are listed.

SARA Section 313 (Specific toxic chemical listings):

7440-66-6 Zinc Compounds (N982).

RCRA (hazardous waste code):

7440-66-6 Zinc [Phase 4 LDR Rule - Universal Treatment Standards 2.61 mg/L (wastewater); 4.3 mg/L TCLP (nonwastewater)].

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

7440-66-6 Zinc 1000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $\>100 \mu m$).

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL)

All ingredients are listed.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014

REPLACE WITH ZN-5012-S

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 3-0-0 **HMIS**: 3-0-0

GHS Full Text Phrases: None

Abbreviations and Acronyms:

IMDG International Maritime Code for Dangerous Goods.

IATA International Air Transport Association.

GHS Globally Harmonized System of Classification and Labelling of Chemicals.

ACGIH American Conference of Governmental Industrial Hygienists.

CAS Chemical Abstracts Service (division of the American Chemical Society).

NFPA National Fire Protection Association (USA).

HMIS Hazardous Materials Identification System (USA).

WHMIS Workplace Hazardous Materials Information System (Canada).

DNEL Derived No-Effect Level (REACH).

PNEC. Predicted No-Effect Concentration (REACH).

CFR Code of Federal Regulations (USA).

SARA Superfund Amendments and Reauthorization Act (USA).

RCRA. Resource Conservation and Recovery Act (USA).

TSCA. Toxic Substances Control Act (USA).

NPRI National Pollutant Release Inventory (Canada).

DOT US Department of Transportation.