



# SAFETY DATA SHEET

## 1. Identification

<b>Product identifier</b>	HP Color LaserJet CE400A-X-XC-YC Black Print Cartridge
<b>Other means of identification</b>	Not available.
<b>Recommended use</b>	This product is a black toner preparation that is used in HP LaserJet Enterprise 500 Color M551 / HP LaserJet Enterprise 500 color MFP M575 /HP LaserJet Pro 500 color MFP M570 series printers.
<b>Recommended restrictions</b>	None known.
<b>Company identification</b>	Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020  Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com

## 2. Hazard(s) identification

<b>Physical hazards</b>	Not classified.
<b>Health hazards</b>	Not classified.
<b>Environmental hazards</b>	Not classified.
<b>OSHA defined hazards</b>	Not classified.
<b>Label elements</b>	
<b>Hazard symbol</b>	None.
<b>Signal word</b>	None.
<b>Hazard statement</b>	Not available.
<b>Precautionary statement</b>	
<b>Prevention</b>	Not available.
<b>Response</b>	Not available.
<b>Storage</b>	Not available.
<b>Disposal</b>	Not available.
<b>Hazard(s) not otherwise classified (HNOC)</b>	Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended.
<b>Supplemental information</b>	None.

## 3. Composition/information on ingredients

### Mixtures

Chemical name	Common name and synonyms	CAS number	%
Styrene acrylate copolymer		Trade Secret	<85
Carbon black		1333-86-4	<10
Wax	Wax	Trade Secret	<10
Amorphous silica	Amorphous silica	7631-86-9	<3
Titanium dioxide		13463-67-7	<1

---

## 4. First-aid measures

<b>Inhalation</b>	Move person to fresh air immediately. If irritation persists, consult a physician.
<b>Skin contact</b>	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
<b>Eye contact</b>	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
<b>Ingestion</b>	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.
<b>Most important symptoms/effects, acute and delayed</b>	Not available.

---

## 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	CO2, water, or dry chemical
<b>Unsuitable extinguishing media</b>	None known.
<b>Specific hazards arising from the chemical</b>	Not applicable.
<b>Special protective equipment and precautions for firefighters</b>	Not available.
<b>Fire-fighting equipment/instructions</b>	If fire occurs in the printer, treat as an electrical fire.
<b>Specific methods</b>	None established.

---

## 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Minimize dust generation and accumulation.
<b>Methods and materials for containment and cleaning up</b>	Not available.
<b>Environmental precautions</b>	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.

---

## 7. Handling and storage

<b>Precautions for safe handling</b>	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.
<b>Conditions for safe storage, including any incompatibilities</b>	Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature.

---

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	PEL	3.5 mg/m3	
Titanium dioxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.

#### US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

---

**US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value
Amorphous silica (CAS 7631-86-9)	TWA	6 mg/m3
Carbon black (CAS 1333-86-4)	TWA	0.1 mg/m3
Biological limit values	No biological exposure limits noted for the ingredient(s).	
Exposure guidelines	USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)  ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)  Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3  TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)  UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)	
Appropriate engineering controls	Use in a well ventilated area.	
Individual protection measures, such as personal protective equipment		
Eye/face protection	Not available.	
Skin protection		
Hand protection	Not available.	
Other	Not available.	
Respiratory protection	Not available.	
Thermal hazards	Not available.	

**9. Physical and chemical properties**

<b>Appearance</b>	Fine powder
<b>Physical state</b>	Solid.
<b>Color</b>	Black.
<b>Odor</b>	Slight plastic odor
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not applicable
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not applicable
<b>Flash point</b>	Not applicable
<b>Evaporation rate</b>	Not applicable
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not flammable
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not applicable
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Negligible in water. Partially soluble in toluene and xylene.
<b>Partition coefficient (n-octanol/water)</b>	Not available.

<b>Auto-ignition temperature</b>	Not applicable
<b>Decomposition temperature</b>	> 392 °F (> 200 °C)
<b>Viscosity</b>	Not applicable
<b>Other information</b>	
<b>Percent volatile</b>	0 % estimated
<b>Softening point</b>	176 - 266 °F (80 - 130 °C)
<b>Specific gravity</b>	1 - 1.2

## 10. Stability and reactivity

<b>Reactivity</b>	Not available.
<b>Chemical stability</b>	Stable under normal storage conditions.
<b>Possibility of hazardous reactions</b>	Will not occur.
<b>Conditions to avoid</b>	Imaging Drum: Exposure to light
<b>Incompatible materials</b>	Strong oxidizers
<b>Hazardous decomposition products</b>	Carbon monoxide and carbon dioxide.

## 11. Toxicological information

<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	Not available.
---	----------------

### Information on toxicological effects

#### Acute toxicity

<b>Skin corrosion/irritation</b>	Not available.
----------------------------------	----------------

<b>Serious eye damage/eye irritation</b>	Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.
--	---

#### Respiratory or skin sensitization

<b>Respiratory sensitization</b>	Not available.
----------------------------------	----------------

<b>Skin sensitization</b>	Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.
---------------------------	---

<b>Germ cell mutagenicity</b>	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)
-------------------------------	---

<b>Carcinogenicity</b>	Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.
------------------------	---

Titanium dioxide is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). The IARC classification was based on high concentrations of titanium dioxide particles in animal lungs. Under intended use of this toner product, exposure to titanium dioxide is much lower.

None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

### IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS 7631-86-9)	3 Not classifiable as to carcinogenicity to humans.
Carbon black (CAS 1333-86-4)	2B Possibly carcinogenic to humans.
Titanium dioxide (CAS 13463-67-7)	2B Possibly carcinogenic to humans.

<b>Reproductive toxicity</b>	Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).
------------------------------	--

<b>Specific target organ toxicity - single exposure</b>	Not available.
---	----------------

<b>Specific target organ toxicity - repeated exposure</b>	Not available.
---	----------------

<b>Aspiration hazard</b>	Not available.
--------------------------	----------------

<b>Chronic effects</b>	No information available.
<b>Further information</b>	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.

Components	Species	Test Results
Amorphous silica (CAS 7631-86-9)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Mouse	> 15000 mg/kg
	Rat	> 22500 mg/kg
Carbon black (CAS 1333-86-4)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Rat	> 8000 mg/kg

## 12. Ecological information

### Ecotoxicity

Product	Species	Test Results
---------	---------	--------------

CE400A-X-XC-YC

#### **Aquatic**

Fish	LC50	Fish	> 100 mg/l, 96 Hours
------	------	------	----------------------

Components	Species	Test Results
------------	---------	--------------

Titanium dioxide (CAS 13463-67-7)

#### **Aquatic**

Crustacea	EC50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hours
-----------	------	----------------------------	-----------------------

Fish	LC50	Mummichog (Fundulus heteroclitus)	> 1000 mg/l, 96 hours
------	------	-----------------------------------	-----------------------

**Persistence and degradability** Not available.

**Bioaccumulative potential** Not available.

**Mobility in soil** Not available.

**Other adverse effects** Not available.

## 13. Disposal considerations

**Disposal instructions** Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

## 14. Transport information

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

## 15. Regulatory information

**US federal regulations** US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

### **TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

### **CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

### **SARA 304 Emergency release notification**

Not regulated.

### **OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No  
Delayed Hazard - No  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

### SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312** No  
**Hazardous chemical**

### Other federal regulations

**Safe Drinking Water Act (SDWA)** Not regulated.

### US state regulations

#### US. Massachusetts RTK - Substance List

Amorphous silica (CAS 7631-86-9)  
Carbon black (CAS 1333-86-4)  
Titanium dioxide (CAS 13463-67-7)

#### US. New Jersey Worker and Community Right-to-Know Act

Carbon black (CAS 1333-86-4)  
Titanium dioxide (CAS 13463-67-7)

#### US. Pennsylvania Worker and Community Right-to-Know Law

Amorphous silica (CAS 7631-86-9)  
Carbon black (CAS 1333-86-4)  
Titanium dioxide (CAS 13463-67-7)

#### US. Rhode Island RTK

Not regulated.

#### US. California Proposition 65

##### US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (AIRBORNE, UNBOUND PARTICLES OF RESPIRABLE SIZE [ $\leq 10$  MICROMETERS]) (CAS 1333-86-4) Listed: February 21, 2003

TITANIUM DIOXIDE (AIRBORNE, UNBOUND PARTICLES OF RESPIRABLE SIZE) (CAS 13463-67-7) Listed: September 2, 2011

**Regulatory information** All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

---

## 16. Other information, including date of preparation or last revision

**Issue date** 18-Sep-2014

**Revision date** 16-Apr-2015

**Version #** 02

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

**Manufacturer information** Hewlett-Packard Company  
11311 Chinden Boulevard  
Boise, ID 83714 USA  
(Direct) 1-503-494-7199  
(Toll-free within the US) 1-800-457-4209

## Explanation of abbreviations

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-Term Exposure Limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds