

1. Identification	
Product identifier	HP LaserJet CF283A-X-XC Print Cartridge
Other means of identification	Not available.
Recommended use	This product is a toner preparation that is used in HP LaserJet Pro MFP M125; HP LaserJet Pro MFF M126; HP LaserJet Pro MFP M127; HP LaserJet Pro MFP M128 series printers.
Recommended restrictions	None known.
Issue date	05-Nov-2014
Company identification	Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020
	Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com

2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	Not available.
Precautionary statement	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Hazard(s) not otherwise classified (HNOC)	None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Styrene acrylate copolymer		Trade Secret	<55
Ferrite		Trade Secret	<45
Wax	Wax	Trade Secret	<10

4. First-aid measures

Inhalation

Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
Ingestion	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.
Most important symptoms/effects, acute and delayed	Not available.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media	CO2, water, or dry chemical None known.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Not available.
Fire-fighting equipment/instructions	If fire occurs in the printer, treat as an electrical fire.
Specific methods	None established.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Methods and materials for containment and cleaning up	Minimize dust generation and accumulation. Not available.
Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.

7. Handling and storage

Precautions for safe handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.
Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.

8. Exposure controls/personal protection

Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Exposure guidelines	USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)
	ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)
	TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)
	UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)
Appropriate engineering controls	Use in a well ventilated area.
Individual protection measure	s, such as personal protective equipment
Eye/face protection	Not available.
Skin protection	
Hand protection	Not available.
Other	Not available.
Respiratory protection	Not available.
Thermal hazards	Not available.

9. Physical and chemical properties

Physical state Solid. Color Black. Odor Slight plastic odor Odor threshold Not available. pH Not available. Melting point/freezing point Not available. Initial boiling point and boiling range Not available. Flash point Not applicable Exaporation rate Not available. Initial soling goint and boiling range Not applicable Evaporation rate Not applicable Immability (solid, gas) Not available. Upper/lower flammability or explosive limits Not available. flammability limit - lower (%o) Not available. Explosive limit - lower (%o) Not available. Explosive limit - lower (%o) Not available. etapor pressure Not available. Solubility(water) Not available. Not available. Not available. (mod) Not available. <th></th> <th></th>		
ColorBlack.OdorSlight plastic odorOdor thresholdNot available.pHNot applicableHelting point/freezing poinNot available.Tritial boiling point and boiling rangeNot applicableFlash pointNot applicableEvaporation rateNot applicableFlarmability limit - lower (%)Not available.flammability inmit - lower (%)Not available.flammability limit - lower (%)Not available.glambility limit - lower (%)Not available.flammability limit - lower (%)Not available.glaper (%)Not available. <th>Appearance</th> <th>Fine powder</th>	Appearance	Fine powder
OdorSilpit platic odorOdorNot available.pHNot available.Imital boiling point and boiling rangeNot available.Flam- point freezing pointNot available.Flam- point and boiling rangeNot available.Flam- point rateNot available.Flam- point rateNot available.Flam- point freezing point freezing point and boiling rangeNot available.Flam- point rateNot availabl	Physical state	Solid.
Odor thresholdNot available.pHNot available.Initial boiling point and boiling rangeNot available.Initial boiling point and boiling rangeNot applicableFlash pointNot applicableEvaporation rateNot applicableFlammability (solid, gas)Not available.Upper/lower flammability or v=vlosive limitsFlammability limit - lower (%)Not available.Flammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.Explosive limit - upper (%)Not available.genge ressureNot available.vot applicableNot available.vot available.Not available.vot pressureNot available.solubility (water)Not available.vot applicableNot	Color	Black.
pH Not applicable Meting point and bolling point and bolling range Not applicable Intel bolling point and bolling range Not applicable Flats point Not applicable Flats point Not applicable Flats point Not applicable Flatmability (solid, gas) Not available. Flarmability limit - lower (%) Not available. Supposive limit - lower (%) Not available. Billy mater - specification (%) Not available. Subjosive limit - upper (%) Not available.	Odor	Slight plastic odor
Melting point/freezing point Not available. Initial boiling point and boiling range Not applicable Flash point Not applicable Evaporation rate Not applicable Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Not available. Flammability limit - lower (%) Not available. Flammability limit - lower (%) Not available. Explosive limit - lower (%) Not available. Explosive limit - lower (%) Not available. Solubility (ies) Not available. Solubility (water) Not available. Not applicable Not available. Vapor pressure Not available. Solubility (water) Negligible in water. Partially soluble in toluene and xylene. Partition coefficient (n-ocefficient	Odor threshold	Not available.
Initial boiling point and boiling range Not applicable Flash point Not applicable Evaporation rate Not applicable Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower flammability limit - lower Not available. (%) Flammability limit - lower flammability limit - lower Not available. (%) Explosive limit - lower flambility limit - lower Not available. (%) Explosive limit - lower (%) Not available. Vapor pressure Not applicable Solubility(vies) Not available. Solubility (water) Negligible in water. Partially soluble in toluene and xylene. Partition coefficient (n-octanol/water) Not available. Viscosity Not applicable Decomposition temperature Not applicable Othe	рН	Not applicable
boiling range Flash point Not applicable Flash point Not applicable Evaporation rate Not applicable Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower (%) Kot available. Vapor pressure Not available. Solubility (water) Not available. Solubility (water) Not available. Not available. Solubility (water) Not applicable Solubility (water) Not applicable Solubility (water) Not applicable. Solubility (Water) No	Melting point/freezing point	Not available.
Evaporation rate Not applicable Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not available. (%) Not available. Flammability limit - lower Not available. (%) Not available. Explosive limit - lower Not available. (%) Not available. Explosive limit - lower Not available. (%) Not available. Explosive limit - upper Not available. (%) Not available. Solubility(ies) Not available. Solubility (water) Not available. Not available. Not available. (ro-ctanol/water) Not available. Auto-ignition temperature Not available. Not available. Not available. Viscosity Not applicable Viscosity Not applicable Other information > 392 °F (> 200 °C) Viscosity Not applicable Other information Soligible Percent volatile Negligible Softening point	Initial boiling point and boiling range	Not applicable
Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower (%) Not available. Flammability limit - upper (%) Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Solubility (water) Not available. Solubility (water) Not available. Not available. Not available. Yapor pressure Not available. Solubility (water) Not available. Solubility (water) Not available. Yapor pressure Not available. Solubility (water) Not available. Solubility (water) Not available. Yapor pressure Not available. Solubility (water) Not available. Yapor pressure Not available. Yapor pre	Flash point	Not applicable
Upper/lower flammability or explosive limits Flammability limit - lower Not flammable (%) Not available. Flammability limit - lower Not available. upper (%) Not available. Explosive limit - lower Not available. (%) Not available. Solubility(ies) Not available. Solubility (water) Negligible in water. Partially soluble in toluene and xylene. Partition coefficient (n-octanol/water) Not available. Auto-ignition temperature Not applicable Decomposition temperature > 392 °F (> 200 °C) Viscosity Not applicable Other information Percent volatile Percent volatile Negligible Softening point 212 - 302 °F (100 - 150 °C)	Evaporation rate	Not applicable
Flammability limit - lower (%)Not flammableFlammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Explosive limit - upper (%)Not available.Explosive limit - upper (%)Not available.Solubility (water)Not available.Solubility (water)Not applicableSolubility (water)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature Decomposition temperatureNot applicableSolubility (water)Not applicablePartition coefficient (n-octanol/water)Not applicablePartition coefficient (n-octanol/water)Not applicablePartition temperature Percent volatileNot applicableSolubilityNot applicableDiscosityNot applicableOther Percent volatile Softening pointNegligibleSolubilitySolubilitySolubilityNot applicableDiscosityNot applicableDiscosityNot applicableDiscosityNot applicableDiscosityNegligiblePartitionNegligibleSolubilityNot applicableDiscosityNot applicableDiscosityNot applicableDiscosityNot applicableDiscosityNot applicableDiscosityNot applicableDiscosityNot applicableDis	Flammability (solid, gas)	Not available.
(%)Not available.Flammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot available.Solubility(ies)Not applicableSolubility (water)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature Decomposition temperatureNot applicableDiscosityNot applicableOther information Percent volatile Softening pointNegligibleSolubilityNegligibleSolubilityNegligibleSolubilityNot applicableDiscosityNot applicableComposition temperature Percent volatileNegligibleSolubilitySolubilitySolubilityNot applicableDiscosityNot applicableDiscosityNot applicableDiscosityNot applicableSolubilityNot applicableDiscosityNot applicableDiscosityNot applicableDiscosityNot applicableDiscosityNot applicableSolubilityNot applicableSolubilityNot applicableDiscosityNot applicableDiscosityNot applicableDiscosityNot applicableDiscosityNot applicableDiscosityNot applicableDiscosityNot app	•••••	-
upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor pressureNot applicableSolubility(ies)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature Decomposition temperatureNot applicableOttapplicable> 392 °F (> 200 °C)ViscosityNot applicableOther information Percent volatile Softening pointLigible (100 - 150 °C)	•	Not flammable
(%)Kaplosive limit - upper (%)Not available.Vapor pressureNot applicableSolubility(ies)Not applicableSolubility (water)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot applicableDecomposition temperatureNot applicableViscosityNot applicableOther information Percent volatileNegligiblePercent volatileNegligibleSoftening point212 - 302 °F (100 - 150 °C)		Not available.
(%) Vapor pressure Not applicable Solubility(ies) Solubility (water) Negligible in water. Partially soluble in toluene and xylene. Partition coefficient Not available. Not available. Auto-ignition temperature Not applicable Not applicable Viscosity Not applicable Viscosity Not applicable Percent volatile Negligible Softening point 212 - 302 °F (100 - 150 °C)		Not available.
Solubility(ies)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature Decomposition temperatureNot applicableDecomposition temperature (n-octanol/water)Not applicableOther information (n-octanol/water)InformationPercent volatile (notanie)NegligibleSoftening point212 - 302 °F (100 - 150 °C)		Not available.
Solubility (water)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot applicableDecomposition temperatureNot applicableViscosityNot applicableOther information Percent volatileNegligibleSoftening point212 - 302 °F (100 - 150 °C)	Vapor pressure	Not applicable
Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot applicableDecomposition temperature> 392 °F (> 200 °C)ViscosityNot applicableOther information Percent volatileNegligibleSoftening point212 - 302 °F (100 - 150 °C)	Solubility(ies)	
(n-octanol/water)Auto-ignition temperatureNot applicableDecomposition temperature> 392 °F (> 200 °C)ViscosityNot applicableOther information	Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.
Decomposition temperature> 392 °F (> 200 °C)ViscosityNot applicableOther informationPercent volatileNegligibleSoftening point212 - 302 °F (100 - 150 °C)	Partition coefficient (n-octanol/water)	Not available.
Viscosity Not applicable Other information Percent volatile Negligible Softening point 212 - 302 °F (100 - 150 °C)	Auto-ignition temperature	Not applicable
Other informationPercent volatileNegligibleSoftening point212 - 302 °F (100 - 150 °C)	Decomposition temperature	> 392 °F (> 200 °C)
Percent volatileNegligibleSoftening point212 - 302 °F (100 - 150 °C)	Viscosity	Not applicable
Softening point 212 - 302 °F (100 - 150 °C)	Other information	
	Percent volatile	Negligible
	Softening point	212 - 302 °F (100 - 150 °C)
VOC (Weight %) Not applicable	VOC (Weight %)	Not applicable

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable under normal storage conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Imaging Drum: Exposure to light
Incompatible materials	Strong oxidizers
Hazardous decomposition products	Carbon monoxide and carbon dioxide.

Not available.

11. Toxicological information

Skin corrosion/irritation

Symptoms related to the physical, chemical and toxicological characteristics	Not available.
Information on toxicological	effects
Acute toxicity	Not available.

Serious eye damage/eye irritation	Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.	
Respiratory or skin sensitization	on	
Respiratory sensitization	Not available.	
Skin sensitization	Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.	
Germ cell mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)	
Carcinogenicity	None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.	
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)		
Not listed.		
Reproductive toxicity	Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).	
Specific target organ toxicity - single exposure	Not available.	
Specific target organ toxicity - repeated exposure	Not available.	
Aspiration hazard	Not available.	
Chronic effects	No information available.	
Further information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.	

12. Ecological information

Aquatic toxicity	Not available			
Ecotoxicity	LL50: > 1000 mg/l, Fish, 96.00 Hours			
Product		Species	Test Results	
CF283A-X-XC				
Aquatic				
Fish	LL50	Fish	> 1000 mg/l, 96 Hours	
Persistence and degradability	Not available.			
Bioaccumulative potential	Not available.			
Mobility in soil	Not available.			
Other adverse effects	Not available.			
13. Disposal consideration	ons			
Disposal instructions	Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycles HP original inkjet and LaserJet supplies. For more information and to determine if this service available in your location, please visit http://www.hp.com/recycle.			
			s. For more information and to determine if this service is	
Hazardous waste code	Not regulated.			
Waste from residues / unused products	Not available.			
Contaminated packaging	Not available.			

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

UN number	UN2807
UN proper shipping name	
Transport hazard class(es)	r lagricuzea r laterial
Class	Not available.

Subsidiary risk	-
Packing group	Not applicable.
Environmental hazards	No.
Special precautions for	Not available.
user	

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information	105 or more of these cartridges shipped together in a single package (e.g., box, container), by air,
	are regulated as a magnetized material. These requirements do not apply to single or dual pack
	cartridges contained in an original HP package and shrink wrapped on a pallet for shipment by air.

15. Regulatory information

US federal regulations

US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - No
	Delayed Hazard - No
	Fire Hazard - No
	Pressure Hazard - No
	Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

No

SARA 311/312 Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations Not applicable.

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date Version #	05-Nov-2014 01
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Revision Information	 Product and Company Identification: Alternate Trade Names Physical & Chemical Properties: Multiple Properties Transport Information: Agency Name, Packaging Type, and Transport Mode Selection
Manufacturer information	Hewlett-Packard Company 11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199 (Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds