SAFETY DATA SHEET (SDS)

MATERIAL NAME: SAX TRUE FLOW LOW VOC ODORLESS SOLVENT

LAST REVISION: 3/02/2024

SECTION 1 – IDENTIFICATION

Material Name

SAX TRUE FLOW LOW VOC ODORLESS SOLVENT

Product Number Various (All information the same for all sizes.)

Company Information

Chroma Inc. 205 Bucky Drive Lititz, PA 17543 USA Phone: 717-626-8866 ; 800-257-8278 Fax: 717-626-9292 Email: gulrich@chromaonline.com ; infousa@chromaonline.com Website: www.chromaonline.com

Product Description Isopar M Fluid

Intended Use Solvent

For Health Emergencies Call the Poison Control Center: 1-888-516-2502 Seek medical assistance for further treatment, observation and support, if necessary.

SECTION 2 – HAZARDS IDENTIFICATION

| Physical Hazards | Not classified. |
|-----------------------|-------------------------------|
| Health Hazards | Aspiration hazard. Category 1 |
| Environmental Hazards | Not classified. |
| OSHA Defined Hazards | Not classified. |

Label

Pictogram:



Signal Word

Danger

Hazard Statement May be fatal if swallowed and enters airways.

All Sizes - Sax True Flow Low VOC Odorless Solvent

Precautionary Statement

| Prevention | Observe good industrial hygiene practices. |
|------------|---|
| Response | If swallowed, immediately call a poison center / doctor. Do NOT induce vomiting. |
| Storage | Store locked up. |
| Disposal | Dispose of contents / container in accordance with local / regional / national / international regulations. |

Hazards (s) not otherwise classified (HNOC): Combustible

Supplemental Information 100% of the mixture consists of component(s) of unknown acute oral toxicity. 100% of the mixture consists of component(s) of unknown acute dermal toxicity. 100% of the mixture consists of component(s) of unknown acute inhalation toxicity.

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

| Name | CAS# | Concentration* |
|---|------------|----------------|
| DISTILLATES (PETROLEUM), HYDROTREATED LIGHT | 64742-47-8 | 100% |

SECTION 4 – FIRST AID MEASURES

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin Contact

Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye Contact

Rinse with water. Get medical attention if irritation develops and persists.

Ingestion

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms / effects, acute and delayed

Aspiration may cause pulmonary edema and pneumonitis.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and tera symptomatically. Keep victim under observation. Symptoms may be delayed.

General information

Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

All Sizes - Sax True Flow Low VOC Odorless Solvent

Page 2 of 10

SDS Date 03/24

SECTION 5 – FIRE FIGHTING MEASURES

Suitable extinguishing media

Alcohol resistant foam. Powder. Dry chemicals. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment / instructions

Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

Combustible. No unusual fire or explosion hazards noted.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill / leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Use water spray to reduce vapors or divert vapor cloud drift.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

All Sizes - Sax True Flow Low VOC Odorless Solvent

Page 3 of 10 SDS Date 03/24

SECTION 7 – HANDLING & STORAGE

Precautions for safe handling

Avoid prolonged or repeated contact with skin. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat and sources, of ignition. Store in original tightly closed container. Store away from incompatible materials, (see Section 10 of the SDS.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure limits

No exposure limits noted for ingredient(s)

Biological limit values

No biological exposure limits noted for the ingredient(s)

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

The following are recommendations for Personnel Protective Equipment (PPE). The employer / user of this product must perform a Hazard Assessment of the workplace according to OSHA regulations 29 CFR 1910.132 to determine the appropriate PPE for use while performing any task involving potential exposure to this product.

| Eye / face protection | Face shield is recommended. Wear safety glasses with side shields (or goggles). |
|------------------------|--|
| Skin / hand protection | Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier. |
| Other | Wear suitable protective clothing. |
| Respiratory protection | In case of insufficient ventilation, wear suitable respiratory equipment. |
| Thermal Hazards | Wear appropriate thermal protective clothing, when necessary. |

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and / or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

All Sizes - Sax True Flow Low VOC Odorless Solvent

Page 4 of 10

SDS Date 03/24

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance

| Physical State Form Color | Liquid Liquid Clear Colorless |
|---|-------------------------------------|
| Odor | Faint |
| Odor Threshold | Not available |
| рН | Not available |
| Melting point / freezing point | -141 °F (-96.11 °C) |
| Initial boiling point and boiling range | Not available |
| Flash point | 207.0 °F (97.2 °C) |
| Evaporation rate | Not available |
| Flammability (solid, gas) | Not applicable |

Upper / lower flammability or explosive limits

| Flammability limit – lower (%) Flammability limit –upper (%) Explosive limit – lower (2%) Explosive limit – upper (%) | |
|--|---------------|
| Vapor pressure | Not available |
| Vapor density | Not available |
| Relative density | Not available |
| Solubility (water) | Not available |
| Partition coefficient (n-octanol / water) | Not available |
| Auto-ignition temperature | Not available |
| Decomposition temperature | Not available |
| Viscosity | Not available |

All Sizes – Sax True Flow Low VOC Odorless Solvent

Page 5 of 10

SDS Date 03/24

Other information

Density **Explosive properties** Flammability class Heat of combustion (NFPA 30B) **Oxidizing properties** Specific gravity

6.56 lbs. / gal Not explosive Combustible IIIB estimated 41.2 kJ/g

Not oxidizing 0.79

SECTION 10 – STABILITY AND REACTIVITY

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous reactions

No dangerous reactions known under conditions of normal use.

Conditions to avoid

Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11 – TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| Inhalation | No adverse effects due to inhalation are expected. |
|--------------|--|
| Skin contact | No adverse effects due to skin contact are expected. |
| Eye contact | Direct contact with eyes may cause temporary irritation. |
| Ingestion | Droplets of the product aspirated into the lungs through ingestion or vomiting |
| - | may cause a serious chemical pneumonia. |

Symptoms related to the physical, chemical and toxicological characteristic

Aspiration may cause pulmonary edema and pneumonitis.

Information on toxicological effects

| Acute toxicity | May be fatal if swallowed and enters airways. |
|-------------------------------------|--|
| Skin corrosion / irritation | Prolonged skin contact may cause temporary irritation. |
| Serious eye damage / eye irritation | Direct contact with eyes may cause temporary irritation. |

All Sizes - Sax True Flow Low VOC Odorless Solvent

Page 6 of 10

SDS Date 03/24

While we believe that the data contained herein is factual and the opinions expressed are those of qualified experts regarding the results of the tests conducted, the data is not to be taken as a warranty or representation for which we assume legal responsibility. It is offered solely for your consideration and verification. Any use of this data and information must be determined by the user to be in accordance with applicable Federal, State, and Local laws and regulations.

Respiratory or skin sensitization

| Respiratory sensitization | Not a respiratory sensitizer. |
|---------------------------|---|
| Skin sensitization | This product is not expected to cause skin sensitization. |

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity

Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity Not listed. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity – single exposure

Not classified.

Specific target organ toxicity – repeated exposure Not classified.

Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Product | | Species | Test Results |
|--|---|--|--------------------------|
| Distillates (petroleum), hydrotreated ligh | | ht (CAS 64742-47-8) | |
| Aquatic | | | |
| Fish | LC50 | Rainbow trout, Donaldson trout (Oncorhynchus mykiss) | 2.9 mg / I, 96 hours |
| Persistence and de | gradability | No data is available on the degradability of this product. | |
| Bioaccumulative po | otential | al No data available. | |
| Mobility in soilNo data available. | | | |
| Other adverse effec | adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. | | l, endocrine disruption, |

All Sizes - Sax True Flow Low VOC Odorless Solvent

Page 7 of 10 SDS Date 03/24

While we believe that the data contained herein is factual and the opinions expressed are those of qualified experts regarding the results of the tests conducted, the data is not to be taken as a warranty or representation for which we assume legal responsibility. It is offered solely for your consideration and verification. Any use of this data and information must be determined by the user to be in accordance with applicable Federal, State, and Local laws and regulations.

SECTION 13 – DISPOSAL CONSIDERATIONS

Disposal instructions

Collect and reclaim or dispose in sealed containers, at licensed waste disposal site. Dispose of contents / container in accordance with local / regional / national / international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14 – TRANSPORTATION INFORMATION

DOT

Not regulated as dangerous goods. Transport information on packaging may be different from that listed.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

| UN proper shipping name | JN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Distillates (petroleum), hydrotreated light) |
|--|---|
| Transport hazard class(es) Class Subsidiary risk | 9 - |
| Packing group | III |
| Environmental hazards Marine Pollutant | No. |
| EmS Special precautions for | F-A, S-F user Read safety instructions, SDS and emergence procedures before handling. |

All Sizes – Sax True Flow Low VOC Odorless Solvent

Page 8 of 10

SDS Date 03/24

IMDG



SECTION 15 – REGULATORY INFORMATION

US Federal Regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4) Not listed.

SARA 304 Emergency release notification Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1062) Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA) SARA 302 Extremely hazardous substance Not listed.

| SARA 311 / 312 Hazardous chemical | Yes |
|-----------------------------------|-------|
| Classified hazard | Flam |
| Categories | Aspir |

Yes Flammable (gases, aerosols, liquids, or solids) Aspiration hazard

SARA 313 (TRI reporting)

Not regulated.

Other Federal Regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

All Sizes – Sax True Flow Low VOC Odorless Solvent

Page 9 of 10

SDS Date 03/24

US State Regulations

California Proposition 65

California Safe Water and Toxic Enforcement Act of 2016 (Proposition 65). This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

| Country(s) or region | Inventory name | On inventory (yes / no)* |
|-----------------------------|--|--------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS.) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IEC | CSC) Yes |
| Europe | European Inventory of Existing Commercial Chemical Substan | ces (EINECS) Yes |
| Europe | European List of Notified Chemical Substances (ELINCS | S) No |
| Japan | Inventory of Existing and New Chemical Substances (EN | ICS) No |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substar | nces (PICCS) Yes |
| Taiwan | Taiwan Toxic Chemical Substances (TCS) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

* A "Yes" indicates that all contents of this product comply with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION 16 – OTHER INFORMATION

HMIS rating

Health: 3 Flammability: 2 Physical hazard: 0 Health: 0 Flammability: 1 Instability: 0

All information the same for all sizes.

All Sizes - Sax True Flow Low VOC Odorless Solvent

Page 10 of 10 SDS Date 03/24