

1 Identification

- **Product identifier**
- **Trade name:** Butyl Stearate, Lab Grade
- **Article number:** 020-6040
- **CAS Number:**
123-95-5
- **EC number:**
204-666-5
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Aqua Solutions, Inc.
6913 Highway 225
DEER PARK, TX 77536
USA
800-256-2586
- **Information department:**
Product safety department
Technical Coordinator
Sherman Nelson sherman@aquasolutions.org
- **Emergency telephone number:**
Chemtrec: 800-424-9300
Canutec: 613-996-6666

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



GHS07

Skin Sens. 1B H317 May cause an allergic skin reaction.

Eye Irrit. 2B H320 Causes eye irritation.

- **Label elements**
- **GHS label elements**
The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard statements**
Causes eye irritation.
May cause an allergic skin reaction.
- **Precautionary statements**
Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Specific treatment (see on this label).
Wash contaminated clothing before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/19/2014

Reviewed on 07/11/2014

Trade name: *Butyl Stearate, Lab Grade*

(Contd. of page 1)

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 1
Fire = 1
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 2
Fire = 1
Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description**
123-95-5 Butyl Stearate
- **Identification number(s)**
- **EC number:** 204-666-5

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Dispose of the collected material according to regulations.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/19/2014

Reviewed on 07/11/2014

Trade name: *Butyl Stearate, Lab Grade*

(Contd. of page 2)

See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

123-95-5 Butyl Stearate

TLV Long-term value: 10 mg/m³

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.

- **Breathing equipment:** Not required.

- **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Not required.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Semi-solid

Color: Yellow

- **Odor:** Odorless

- **Odour threshold:** Not determined.

- **pH-value:** Not determined.

- **Change in condition**

Melting point/Melting range: Information not °C

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/19/2014

Reviewed on 07/11/2014

Trade name: *Butyl Stearate, Lab Grade*

(Contd. of page 3)

Boiling point/Boiling range:	Information not °C
· Flash point:	160 °C (320 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	350 °C (662 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Not determined.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density at 20 °C (68 °F):	0.86 g/cm ³ (7.177 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with Water at 25 °C (77 °F):	3 g/l
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

Oral LD50	32000 mg/kg (rat)
-----------	-------------------

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)** Substance is not listed.
- **NTP (National Toxicology Program)** Substance is not listed.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/19/2014

Reviewed on 07/11/2014

Trade name: *Butyl Stearate, Lab Grade*

(Contd. of page 4)

· *OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.*

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** *No further relevant information available.*
- **Persistence and degradability** *No further relevant information available.*
- **Bioaccumulative potential** *No further relevant information available.*
- **Mobility in soil** *No further relevant information available.*
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **Other adverse effects** *No further relevant information available.*

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** *Disposal must be made according to official regulations.*

14 Transport information

- | | |
|--|------------------------|
| · UN-Number | |
| · DOT, ADN, IMDG, IATA | <i>Not regulated</i> |
| · UN proper shipping name | |
| · DOT, ADN, IMDG, IATA | <i>Not regulated</i> |
| · Transport hazard class(es) | |
| · DOT, ADN, IMDG, IATA | |
| · Class | <i>Not regulated</i> |
| · Packing group | |
| · DOT, IMDG, IATA | <i>Not regulated</i> |
| · Environmental hazards: | |
| · Marine pollutant: | <i>No</i> |
| · Special precautions for user | <i>Not applicable.</i> |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | <i>Not applicable.</i> |
| · Transport/Additional information: | |
| · DOT | |
| · Remarks: | <i>Not Regulated</i> |
| · IMDG | |
| · Remarks: | <i>Not Regulated</i> |

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/19/2014

Reviewed on 07/11/2014

Trade name: *Butyl Stearate, Lab Grade*

(Contd. of page 5)

· IATA	
· Remarks:	<i>Not Regulated</i>
· UN "Model Regulation":	<i>Not regulated</i>

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**
- **Section 355 (extremely hazardous substances):** Substance is not listed.
- **Section 313 (Specific toxic chemical listings):** Substance is not listed.
- **TSCA (Toxic Substances Control Act):** Substance is listed.
- **Proposition 65**
- **Chemicals known to cause cancer:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for females:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for males:** Substance is not listed.
- **Chemicals known to cause developmental toxicity:** Substance is not listed.
- **Carcinogenic categories**
- **EPA (Environmental Protection Agency)** Substance is not listed.
- **TLV (Threshold Limit Value established by ACGIH)** Substance is not listed.
- **NIOSH-Ca (National Institute for Occupational Safety and Health)** Substance is not listed.
- **GHS label elements**
The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard statements**
Causes eye irritation.
May cause an allergic skin reaction.
- **Precautionary statements**
Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Specific treatment (see on this label).
Wash contaminated clothing before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Environment protection department.
- **Contact:** Mr. Nelson
- **Date of preparation / last revision**
Creation date for SDS 09/09/2014 LS
11/19/2014 / -

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/19/2014

Reviewed on 07/11/2014

Trade name: Butyl Stearate, Lab Grade

(Contd. of page 6)

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B

Skin Sens. 1B: Sensitisation - Skin, Hazard Category 1B

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 07/29/2014

1 Identification

- **Product identifier**
- **Trade name:** Red Coloring
- **Article number:** 030-5788
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Aqua Solutions, Inc.
6913 Highway 225
DEER PARK, TX 77536
USA
800-256-2586
- **Information department:**
Technical Coordinator
Sherman Nelson sherman@aquasolutions.org
Product safety department
- **Emergency telephone number:**
Chemtrec: 800-424-9300
Canutec: 613-996-6666



2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2B H320 Causes eye irritation.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labeling:**
1,2-Propanediol (Propylene Glycol)
- **Hazard statements**
Harmful if swallowed.
Causes skin and eye irritation.
- **Precautionary statements**
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Wear protective gloves/protective clothing/eye protection/face protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Specific treatment (see on this label).

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 07/29/2014

Trade name: Red Coloring

(Contd. of page 1)

Take off contaminated clothing and wash before reuse.
 If skin irritation occurs: Get medical advice/attention.
 Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

 · **NFPA ratings (scale 0 - 4)**


Health = 1

Fire = 0

Reactivity = 0

 · **HMIS-ratings (scale 0 - 4)**

HEALTH	1	Health = 1
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

 · **Other hazards**

 · **Results of PBT and vPvB assessment**

 · **PBT:** Not applicable.

 · **vPvB:** Not applicable.

3 Composition/information on ingredients

 · **Chemical characterization: Mixtures**

 · **Description:** Mixture of the substances listed below with nonhazardous additions.

 · **Dangerous components:**

57-55-6	1,2-Propanediol (Propylene Glycol)	14.922%
---------	------------------------------------	---------

 · **Table of Nonhazardous Ingredients**

915-67-3	Amaranth Indicator (Acid Red 27), (Red #2)	2.984%
94-13-3	propyl 4-hydroxybenzoate	0.1%
7732-18-5	Water, Deionized, ASTM Type II	81.994%

4 First-aid measures

 · **Description of first aid measures**

 · **After inhalation:** Supply fresh air; consult doctor in case of complaints.

 · **After skin contact:** Generally the product does not irritate the skin.

 · **After eye contact:** Rinse opened eye for several minutes under running water.

 · **After swallowing:** If symptoms persist consult doctor.

 · **Most important symptoms and effects, both acute and delayed** No further relevant information available.

 · **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

 · **Extinguishing media**

 · **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

 · **Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 07/29/2014

Trade name: Red Coloring

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

57-55-6 1,2-Propanediol (Propylene Glycol)

TWA	Short-term value: 10 mg/m ³ weel
-----	--

WEEL	Long-term value: 10 mg/m ³
------	---------------------------------------

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 07/29/2014

Trade name: Red Coloring

(Contd. of page 3)

- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Liquid
Color:	Dark red
Odor:	Mild
Odour threshold:	Not determined.

· **pH-value:** Not determined.

· Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)

· **Flash point:** 210 °C (410 °F)

· **Flammability (solid, gaseous):** Not applicable.

· Ignition temperature:

Decomposition temperature: Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17 mm Hg)

· **Density at 20 °C (68 °F):** 1 g/cm³ (8.345 lbs/gal)

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· Viscosity:

Dynamic:	Not determined.
Kinematic:	Not determined.

· Solvent content:

Organic solvents:	0.0 %
Water:	82.0 %

· **Other information** No further relevant information available.

USA

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 07/29/2014

Trade name: Red Coloring

(Contd. of page 4)

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

57-55-6 1,2-Propanediol (Propylene Glycol)

Oral	LD50	20.000 mg/kg (rat)
Dermal	LD50	20.800 mg/kg (rabbit)
Irritation of skin	Skin Corrosion/Irritation	(Human)
Irritation of eyes	Eye damage/eye irritation	(rabbit)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

915-67-3 | Amaranth Indicator (Acid Red 27), (Red #2)

3

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
- **Water hazard class 1 (Self-assessment):** slightly hazardous for water
- **Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 6)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 07/29/2014

Trade name: Red Coloring

(Contd. of page 5)

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|--|-----------------|
| · UN-Number | |
| · DOT, ADN, IMDG, IATA | Not Applicable |
| · UN proper shipping name | |
| · DOT, ADN, IMDG, IATA | Not Applicable |
| · Transport hazard class(es) | |
| · DOT, ADN, IMDG, IATA | |
| · Class | Not Applicable |
| · Packing group | |
| · DOT, IMDG, IATA | Not Applicable |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | - |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

915-67-3 Amaranth Indicator (Acid Red 27), (Red #2)

94-13-3 propyl 4-hydroxybenzoate

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 07/29/2014

Trade name: Red Coloring

(Contd. of page 6)

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard-determining components of labeling:**

1,2-Propanediol (Propylene Glycol)

· **Hazard statements**

Harmful if swallowed.

Causes skin and eye irritation.

· **Precautionary statements**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Specific treatment (see on this label).

Take off contaminated clothing and wash before reuse.

If skin irritation occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing MSDS:** Environment protection department.

· **Contact:** Mr. Nelson

· **Date of preparation / last revision**

Creation date for SDS 08/12/2014 LS

08/12/2014 / -

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 07/29/2014

Trade name: Red Coloring

(Contd. of page 7)

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B

USA



SAFETY DATA SHEET

1. Identification

Product identifier	Sodium Chloride Food-Industrial (YPS Treated)
Other means of identification	
SDS number	S3
Synonyms	Diamond Crystal® Granulated Salt. * Flo-Ever® Granulated Salt - CMF®. * Gulf Shore Boat & Boil® Salt. * Flo-Ever® Fine Granulated Salt - CMF®. * Top-Flo® Plus Granulated Salt. * Top-Flo® Granulated Salt. * Hi-Tex® Granulated Salt. * Fine Blending Granulated Salt - YPS Treated. * Premier™ Extra Coarse Flake Salt. * Sodium Chloride (Salt). * Premier™ Select Coarse Flake Salt. * Premier™ Topping Flake Salt. * Premier™ Fine Flake Salt. * Purified Sea Salt with YPS. * Private Label Granulated Salt. * Sodium Chloride (Salt) - Treated with Yellow Prussiate of Soda (YPS). * Seafarer's® Fine Salt.
Recommended use	Salt may be intended for food or animal feed (agricultural) as well as several industrial applications including deicing and water conditioning.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/Distributor information	
Manufacturer	
Company name	Cargill Incorporated
Address	Minneapolis, MN 55440
Telephone	1-888-385-7258
Website	www.cargillsalt.com
Emergency telephone number	CHEMTREC (800) 424-9300

2. Hazard(s) identification

Physical hazards	Not classified.
Health Hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Sodium Chloride	7647-14-5	99.9987-99.9995
Sodium Ferrocyanide Decahydrate	13601-19-9	0.0005-0.0013

GRAS Substance (Generally Recognized As Safe).

4. First-aid measures

Inhalation	If dust from the material is inhaled, remove the affected person immediately to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Give one or two glasses of water if patient is alert and able to swallow. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	This product is not flammable or combustible.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Avoid inhalation of dust from the spilled material. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Collect dust using a vacuum cleaner equipped with HEPA filter. Minimize dust generation and accumulation. Avoid release to the environment. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Provide appropriate exhaust ventilation at places where dust is formed. Minimize dust generation and accumulation. Avoid breathing dust. Avoid contact with eyes. Avoid contact with water and moisture. Keep away from strong acids. Practice good housekeeping.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Becomes hygroscopic at 70-75% relative humidity. Avoid humid or wet conditions as product will cake and become hard.

8. Exposure controls/personal protection

Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Unvented, tight fitting goggles should be worn in dusty areas.
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear suitable protective clothing.

Respiratory protection	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	White crystalline solid
Physical state	Solid.
Form	Crystalline solid.
Color	White.
Odor	Halogen odor
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	1473.8 °F (801 °C)
Initial boiling point and boiling range	2669 °F (1465 °C) (760 mmHg)
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	2.4 mm Hg (1376.6 °F (747 °C))
Vapor density	Not available.
Relative density	2.16 (H ₂ O = 1)
Solubility(ies)	
Solubility (water)	26.4 %
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Bulk density	53 - 83 lb/ft ³
Molecular formula	NaCl
Molecular weight	58.44
pH in aqueous solution	4 - 9

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Incompatible materials	Avoid contact with strong acids. Becomes corrosive to metals when wet.

Hazardous decomposition products May evolve chlorine gas when in contact with strong acids.

11. Toxicological information

Information on likely routes of exposure

Inhalation Inhalation of dusts may cause respiratory irritation.
Skin contact Prolonged or repeated skin contact may cause irritation.
Eye contact Dust in the eyes will cause irritation.
Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Eye and skin contact: Exposure may cause temporary irritation, redness, or discomfort. For ingestion, consuming less than a few grams would not be harmful. The following effects were observed after ingesting an excessive quantity: nausea and vomiting, diarrhea, cramps, restlessness, irritability, dehydration, water retention, nose bleed, gastrointestinal tract damage, fever, sweating, sunken eyes, high blood pressure, muscle weakness, dry mouth and nose, shock, cerebral edema (fluid on brain), pulmonary edema (fluid in lungs), blood cell shrinkage, and brain damage (due to dehydration of brain cells). Death is generally due to cardiovascular collapse or CNS damage.

Information on toxicological effects

Acute toxicity In some cases of confirmed hypertension, ingestion may result in elevated blood pressure.

Components	Species	Test Results
Sodium Chloride (CAS 7647-14-5)		
Acute		
<i>Oral</i>		
LD50	Mouse	4000 mg/kg
	Rat	3000 mg/kg
<i>Other</i>		
LD50	Mouse	2602 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation Dust in the eyes will cause irritation.

Respiratory or skin sensitization

Respiratory sensitization Not available.
Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Due to the physical form of the product it is not an aspiration hazard.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test Results	
Sodium Chloride (CAS 7647-14-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	340.7 - 469.2 mg/l, 48 hours
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss)	4747 - 7824 mg/l, 96 hours

Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	None known.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

US federal regulations All components are on the U.S. EPA TSCA Inventory List. This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 21-August-2014

Revision date -

Version # 01

HMIS® ratings
Health: 1
Flammability: 0
Physical hazard: 0
Personal protection: A

Disclaimer All statements, technical information and recommendations contained herein are, the best of our knowledge, reliable and accurate; however no warranty, either expressed or implied is made with respect thereto, nor will any liability be assumed for damages resultant from the use of the material described.

It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations. It is also the responsibility of the user to maintain a safe workplace. The user should consider the health hazards and safety information provided herein as a guide and should take the necessary steps to instruct employees and to develop work practice procedures to ensure a safe work environment.

This information is not intended as a license to operate under, or a recommendation to practice or infringe upon any patent of this Company or others covering any process, composition of matter or use.

SAFETY DATA SHEET – JUNE 10, 2015



Section 1 – Identification

Product Identifier:	Silica Sand
Trade Names:	Holliston Sand Products, Slater Farms Products
Product Uses:	Filtration Media, Foundry Sand, Industrial Fillers, Bio-retention and Agricultural Sand, Sports Turf, Recreational Products, Commercial Products, Traction Sand Not recommended for sand-blasting.
Manufacturer's Name:	Holliston Sand Company, Inc.
Manufacturer's Address:	PO Box 1168, Slatersville, RI 02876
Manufacturer's Telephone:	401.766.5010, Monday – Friday, 7:00am to 5:00pm
Manufacturer's Facsimile:	401.762.4976
Emergency Telephone:	401.766.5010, Monday – Friday, 7:00am to 5:00pm

Section 2 – Hazards Identification

GHS – US Classification and Label Elements:

Health:

Category 1A – Carcinogen		
Category 1 – Specific Target Organ Toxicity (STOT) following repeated exposures		
Category 2B - Eye Irritation		
Signal Word (GHS-US) - DANGER		
GHS-US Labeling / Hazard Pictograms	 GHS08	 GHS07

Hazard Statements (GHS-US)

H335	May cause eye and respiratory irritation
H350	May cause cancer by inhalation
H372	Causes damage to organs through prolonged or repeated exposure by inhalation.

Precautionary Statements (GHS-US)

P202 – SDS – Read all safety precautions prior to handling.	P264 – Wash thoroughly after handling.
P308 / P313/P314/P304 – Call for medical attention if not well or uncomfortable. If inhaled, provide fresh air.	
P260 / P280 – Never breathe dust. Wear PPE prior to use.	P271 – Use in a well ventilated area.
P403 – Store properly. Closed container.	P501 – Dispose of according to local / regional regulations.

Section 3 – Composition

Name	Product Identifier	Percentage (%)	GHS-US Classification
Quartz	CAS #: 14808-60-7	85 – 99.9	Carc. 1A, H350, STOT SE 3, H335, STOT RE 1, H372

Section 4 – First Aid Measures

ANY SERIOUS INJURY OR UNCONSCIOUSNESS OBSERVATION SHOULD BE AN AUTOMATIC EMERGENCY CALL TO 911.

Inhalation – Move person to a clear area, provide fresh air. Provide medical or emergency attention.

Eye – Flush eye / eyes with water as needed. Provide medical attention as necessary.

Skin – Simple abrasions should be cleansed with mild soap and water. Provide medical attention as necessary.

Ingestion – Discomfort should be followed up with medical attention.

Signs and Symptoms of Exposure - Symptoms of silicosis may first appear 15 to 20 years after someone's exposure to crystalline silica. As the disease progresses, symptoms may include:

<i>Shortness of breath</i>	<i>Severe Cough</i>	<i>Weakness</i>
If you have silica in your lungs, your body may not be able to fight infections well. This can lead to other illnesses that can cause.		
<i>Chest Pains</i>	<i>Weight Loss</i>	<i>Night Sweats</i>
<i>Respiratory Failure</i>	<i>Fever</i>	

As the disease progresses over time, these symptoms can become worse. The symptoms of acute silicosis which can occur with exposures to very high concentrations of respirable crystalline silica over a very short time period, sometimes as short as six months, are the same as those associated with chronic silicosis. The symptoms of scleroderma, an autoimmune disease, include thickening and stiffness of the skin, particularly in the fingers, shortness of breath, difficulty swallowing and joint problems.

Section 5 – Fire Fighting Measures

Extinguishing Media:	Compatible with all media. Use appropriate media for surrounding fire.
Unusual Fire and Explosion Habits:	None known.
Special Fire Fighting Procedure:	None known. Not flammable. Use normal fire fighting equipment.
Hazardous Combustion Products:	None known.



Section 6 – Accidental Release Measures

- Personal precautions, protective equipment and emergency procedures
 - General measures.
 - Do not breathe dust. Avoid generation of dust during clean-up of spills. Recover the product by vacuuming, shoveling or sweeping. Vacuum must be fitted with HEPA filter to prevent release of particulates during clean-up. Use water to wet down clean up area to minimize particulate.
 - For non-emergency / emergency personnel.
 - Wear suitable protective clothing, gloves, eye and face protection. Use recommended respiratory protection. Collect as any solid.
- Environmental Precautions – no additional information available
- Methods and Material for Containment and Clean-up
 - Avoid generation of dust during clean-up of spills. Recover the product by vacuuming, shoveling or sweeping. Vacuum must be fitted with HEPA filter to prevent release of particulates during clean-up. Use water to wet down clean up area to minimize particulate.

Section 7 – Handling and Storage

- This product is not to be used for abrasive blasting without proper equipment and training. Do not breathe dust, which may be created during handling of this product.
- Engineering measures and good housekeeping are essential to preventing accumulation of silica dust in the workplace. Use adequate ventilation and dust collection systems.
- Testing can ensure engineering measures are sufficient. PPE is a solution until verification is established. Refer to Section 8 – Exposure Controls / Personal Protection for further information.
- Silica dust is not always visible in a form of a cloud. Use PPE.
- In accordance with OSHA's Hazard Communication Standard (29CFR 1910.12, 1915.99, 1917.28, 1918.90, 1926.59, 1928.21), state, and / or local right to know laws and regulations, familiarize your employees with this SDS and the information contained herein.
- Warn your employees, your customers and other third parties (in case of resale or distribution to others) of the potential health risks associated with the use of this product and train them in the appropriate use of PPE and engineering controls, which will reduce their risks of exposure.
- See ASTM International standard practice E1132-06, "Standard Practice for Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica."
- Store in a dry, cool place. Keep container tightly closed.

Section 8: Exposure Controls / Personal Protection

Control Parameters

Quartz (14808-60-7) – Occupational exposure limits (respirable fraction) in air for dust containing crystalline silica.		
USA ACGIH	ACGIH TWA (mg/m ³) (8 hour weighted average)	0.025 mg/m ³
USA IDLH	US IDLH (mg/m ³)	50 mg/m ³
USA NIOSH	NIOSH REL (TWA) (mg/m ³) (10 hour weighted average)	0.05 mg/m ³
USA MSHA/OSHA	MSHA/OSHA PEL (TWA) (mg/m ³) (8 hour weighted average) (Mineral Dust)	(30)/(%SiO ₂ + 2) mg/m ³ – total dust (10)/(% SiO ₂ + 2) mg/m ³ – respirable fraction

Occupational exposure limits in air for inert / nuisance dust.			
USA ACGIH	ACGIH TLV	3 mg/m ³	10mg/m ³
USA MSHA/OSHA	MSHA/OSHA PEL (As Inert or Nuisance Dust)	5 mg/m ³	15 mg/m ³

Exposure Controls

Engineering controls	Ensure adequate ventilation, especially in confined areas. Avoid dust production.
Personal protection equipment (PPE)	Use dust suits, protective goggles and respiratory protection in dusty areas. Self contained breathing apparatus is also a good option during dust production. Get training on the use of all PPE equipment. Respirator fit testing is mandatory. Contact NIOSH at 800.35.NIOSH, WWW.CDC.GOV/NIOSH
	Use impermeable gloves for hand protection.
	Use protective goggles for eye protection
	Use NIOSH approved respirators in areas containing airborne dust.
Hygiene	Always wash your hands after handling
Do not breathe dust. Use PPE. Research and engineer a solution for each application.	



California Inhalation Reference Exposure Limit (REL) as of 12/08: Crystalline silica (quartz, cristobalite, tridymite) is 3 ug/m ³ .
Canadian OEL:
<ul style="list-style-type: none"> • Canada Labour Code: 0.025 mg/m³ (respirable) • Alberta, British Columbia: 0.025 mg/m³ (respirable quartz and cristobalite) • Saskatchewan: 2 mg/m³ (respirable, amorphous: silica fume); 0.1 mg/m³ (respirable, amorphous: silica fused); 0.05 mg/m³ (respirable, cristobalite); 0.05 mg/m³ (respirable tridymite); 0.1 mg/m³ (respirable, quartz); 0.1 mg/m³ (respirable, tripoli) • Manitoba, Newfoundland, Prince Edward Island: 0.025 mg/m³ (respirable) • Ontario: 0.05 mg/m³ (respirable cristobalite, tridymite); 0.1 mg/m³ (quartz, tripoli); 0.1 mg/m³ (silica fused); 2 mg/m³ (silica fume) • Quebec: 0.05 mg/m³ (respirable, cristobalite, tridymite); 0.1 mg/m³ (quartz, tripoli) • New Brunswick: 0.1 mg/m³ (quartz); 0.05 mg/m³ (cristobalite) • Nova Scotia: 0.025 mg/m³ (quartz, cristobalite) • Yukon: 2 mg/m³ (respirable, amorphous); 300 particles/ml measured with a konimeter (quartz, and tripoli); 150 particles/ML measured with a konimeter (cristobalite and tridymite) • Northwest Territories, Nunavut: 2 mg/m³ (respirable, amorphous); 0.05 mg/m³ (respirable, cristobalite, tridymite, silica flour); 0.1 mg/m³ (respirable, fused silica, quartz, tripoli)
Austria OEL - Maximum concentration 0.15 mg/m ³
Japan OEL - Japan Society of Occupational Health Respirable crystalline silica 0.03 mg/m ³
Poland OEL TWA - 2 mg/m ³ (total inhalable dust, containing >50% free crystalline silica);
<ul style="list-style-type: none"> • 0.3 mg/m³ (respirable dust, containing >50% free crystalline silica); • 4.0 mg/m³ (total inhalable dust, containing 2% to 50% free crystalline silica); • 1.0 mg/m³ (respirable dust, containing 2% to 50% free crystalline silica)
United Kingdom OEL – 0.1 mg/m ³
Mexico – 0.1 mg/m ³ (quartz, inhalable)
<ul style="list-style-type: none"> • 0.05 mg/m³ (cristobalite, inhalable) • 0.05 mg/m³ (tridymite, inhalable) • 0.1 mg/m³ (tripoli containing respirable quartz powder, inhalable) • (Also refer to ACGIH)
Argentina – 0.05 mg/m ³ (quartz, respirable)
<ul style="list-style-type: none"> • 0.05 mg/m³ (cristobalite, respirable) • 0.05 mg/m³ (tridymite, respirable) • 0.1 mg/m³ (tripoli, respirable)

Section 9: Physical and chemical properties

Physical State / Appearance	Solid / Crystalline
Odor	None
Odor Threshold	No data available
Color	Natural
pH	No data available
Evaporation rate	No data available
Melting point	1710°C (3110°F)
Freezing point	No data available
Boiling point	2230°C (4046°F)
Flash point	No data available
Self ignition temperature	No data available



Decomposition temperature	No data available
Flammability (solid, gas)	Non-combustible solid
Vapour pressure	No data available
Relative vapour density at 20 °C	No data available
Relative density	No data available
Density	2.65 (approx.)
Solubility	Practically insoluble.
Log Pow	No data available
Log Kow	No data available
Viscosity	No data available
Explosive Limits	None known.
Oxidizing properties	None known.
Explosive limits	No data available

Section 10: Stability and Reactivity

Reactivity	None under normal conditions. Reactive with strong oxidizing agents.
Chemical / Thermal Stability	Chemically stable under normal temperature and pressure. Thermal instability occurs under high temperatures above 870°C (1598°F). It can change to crystalline silica such as tridymite and cristobalite.
Incompatible Materials	Avoid strong oxidizers such as fluorine, chlorine tri-fluoride, hydrogen fluoride, oxygen di-fluoride, hydrogen peroxide, acetylene, ammonia.
Hazardous Decomposition	Quartz (silica) will dissolve in hydrofluoric acid producing a corrosive gas, silicon tetra-fluoride.
Hazardous Polymerization	Not know to polymerize.

Section 11: Toxicological Information

Acute toxicity	Not classified	
Aspiration hazard	Not classified	
Skin Irritation	Not classified	
Eye Irritation	Not classified	
Respiratory or skin sensitization	Not classified	
Reproductive toxicity	Not classified	
Specific target organ toxicity (single exposure)	Not classified	
Specific target organ toxicity (repeated exposure)	Causes damage to organs (lung/respiratory system) through prolonged or repeated exposure (inhalation)	
Germ cell mutagenicity	Not classified	
Carcinogenicity	May cause cancer - inhalation	
Quartz (14808-60-7)	IARC Group – Group 1	National Toxicity Program (NTP) Status: Known Human Carcinogen
Silica – All grades (14808-60-7)	Repeated or prolonged exposure to respirable crystalline silica dust will cause lung damage in the form of silicosis. Symptoms will include progressively more difficult breathing, cough, fever, and weight loss. Acute silicosis can be fatal.	



Section 12: Ecological Information

Crystalline silica is not known to be eco-toxic, not readily biodegradable and not expected to bio-accumulate.

Section 13: Disposal Considerations

AS SOLD, our crystalline silica (quartz) products are not considered hazardous waste under the Resource Conservation and Recovery Act, or its regulations, 40 CFR 261 et seq. Dispose according to applicable local, state and federal regulations.

Section 14: Transport Information

Crystalline silica (quartz) is not a hazardous material for purposes of transportation under the U. S. Department of Transportation Table of Hazardous Materials, 49 CFR §172.101, and Transportation of Dangerous Goods Regulations in the European Union, Canada, Argentina, Republic of Uzbekistan and Japan. Consult applicable international, national, state, provincial or local laws. In accordance with DOT / TDG / ADR / RID / ADN / IMDG / ACAA / IATA, crystalline silica is not a dangerous product in the sense of transport regulations.

Section 15: Regulatory Information

US Federal Regulations	Silica / Quartz 14808-60-7	Immediate health hazard - acute Delayed health hazard – chronic.	On US TSCA (Toxic Substances Control Act) inventory listing.
Canada Regulations		WHMIS Classification. Class D Division 2 Subdivision A – Very toxic material causing other toxic effects.	
International Info		IARC (international Agency for Research on Cancer) listing.	NTP (National Toxicology Program) specifies as a carcinogen.
U State Regulations		See below.	
U.S. - California - Proposition 65 - Carcinogens List . This product contains Quartz, a substance known to the state of California to cause cancer. U.S. - Hawaii - Occupational Exposure Limits - TWAs U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs) U.S. - Idaho - Occupational Exposure Limits - Mineral Dusts U.S. - Illinois - Toxic Air Contaminant Carcinogens U.S. - Maine - Chemicals of High Concern U.S. - Massachusetts - Right To Know List U.S. - Michigan - Occupational Exposure Limits - TWAs U.S. - Minnesota - Chemicals of High Concern U.S. - Minnesota - Hazardous Substance List U.S. - Minnesota - Permissible Exposure Limits - TWAs U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - New Jersey - Special Health Hazards Substances List U.S. - Oregon - Permissible Exposure Limits - Mineral Dusts U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Tennessee - Occupational Exposure Limits - TWAs U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term U.S. - Vermont - Permissible Exposure Limits - TWAs U.S. - Washington - Permissible Exposure Limits - STELs U.S. - Washington - Permissible Exposure Limits - TWAs			



Section 16 – Other Information

NFPA

Health Hazard	2 – intense or continued exposure could cause temporary or incapacitation or possible residual injury unless prompt medical attention is given	
Fire Hazard	0 – materials that will not burn	
Reactivity	0 – normally stable, even under fire exposure conditions, are not reactive with water	

HMIS III Rating

Health	2 – moderate hazard, temporary injury may occur
Flammability	0 – minimal hazard
Physical	0 – minimal hazard
Personal Protection	All equipment required plus engineering measures.

Definitions

Carc. 1A	Carcinogenicity Category 1A
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3

User's Responsibility: The OSHA Hazard Communication Standard 29 CFR 1910.1200 requires that this SDS be made available to your employees who handle or may be exposed to this product. Educate and train your employees regarding applicable precautions. Instruct your employees to handle this product properly.

Disclaimer: The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for one's own particular use. Since the actual use of the product described herein is beyond our control, Holliston Sand company, Inc., assumes no liability arising out of the use of the product by others. Appropriate warnings and safe handling procedures should be provided to handlers and users.

More information on the effects of crystalline silica exposure may be obtained from OSHA website: <http://www.osha.gov> or from NIOSH website: <http://www.cdc.gov/niosh>.



Safety Data Sheet
Isoamyl Benzoate for Synthesis

SDS Revision Date:

12/09/2014



1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity	Isoamyl Benzoate for Synthesis
Alternate Names	Isoamyl Benzoate for Synthesis

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use	Chemical for synthesis
Application Method	See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name	Thermco Products, Inc. 10 Millpond Drive, Unit #10 Lafayette, NJ 07848
---------------------	---

Emergency

Customer Service: Thermco Products, Inc.	973.300.9100
---	--------------

2. Hazard identification of the product

2.1. Classification of the substance or mixture

Combustible Liquid;H227 Combustible Liquid.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.
H227 Combustible liquid.

[Prevention]:

P210 Keep away from heat / sparks / open flames / hot surfaces - No smoking.
P280 Wear protective gloves / eye protection / face protection.

[Response]:

No GHS response statements

[Storage]:

P403+235 Store in a well ventilated place. Keep cool.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

Safety Data Sheet

Isoamyl Benzoate for Synthesis

SDS Revision Date:

12/09/2014



3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
ISOPENTYL BENZOATE CAS Number: 0000094-46-2	100	Not classified	[1]

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eyes	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
Ingestion	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview	No specific symptom data available. See section 2 for further details.
-----------------	---

5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray.
Do not use; water jet.

5.2. Special hazards arising from the substance or mixture

Do not inhale vapors/aerosols. Ensure supply of fresh air in enclosed rooms.

Safety Data Sheet

Isoamyl Benzoate for Synthesis

SDS Revision Date:

12/09/2014



Hazardous decomposition: No hazardous decomposition data available.

Keep away from heat / sparks / open flames / hot surfaces - No smoking.

5.3. Advice for fire-fighters

Special risks:

Combustible. Vapors heavier than air.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapors possible in the event of fire.

Special protective equipment for fire fighting:

Do not stay in dangerous zone without self-contained breathing apparatus.

Do not allow run off water and contaminants from fire fighting to enter drains or water ways.

ERG Guide No. ----

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Do not inhale vapors/aerosols. Ensure supply of fresh air in enclosed rooms.

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Do not inhale vapors/aerosols. Ensure supply of fresh air in enclosed rooms.

Take up with liquid-absorbent material (e.g. Chemizorb). Forward for disposal. Clean up affected area.

7. Handling and storage

7.1. Precautions for safe handling

Store in accordance with the National Fire Protection Association's publication NFPA 30, Flammable and Combustible Liquids Code. 29 CFR 1910.106 applies to the handling, storage, and use of flammable and combustible liquids.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Store in a cool dry area, away from heat, sparks and open flame. Keep containers sealed when not in use. Store out of direct sunlight.

Incompatible materials: Strong oxidizing agents

Tightly closed. At +15C to +25C.

Safety Data Sheet

Isoamyl Benzoate for Synthesis

SDS Revision Date:

12/09/2014



See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0000094-46-2	ISOPENTYL BENZOATE	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

Carcinogen Data

CAS No.	Ingredient	Source	Value
0000094-46-2	ISOPENTYL BENZOATE	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls

Respiratory

If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.

Eyes

Protective safety glasses required

Skin

Butyl rubber gloves
 Layer thickness: 0.7 mm
 Breakthrough time: >240 min

Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

Safety Data Sheet

Isoamyl Benzoate for Synthesis

SDS Revision Date:

12/09/2014



9. Physical and chemical properties

Appearance	Colorless Liquid
Odor	Almost Odorless
Odor threshold	Not Measured
pH	NA
Melting point / freezing point	NA
Initial boiling point and boiling range	260 C
Flash Point	89 C
Evaporation rate (Ether = 1)	NA
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: NA Upper Explosive Limit: NA
Vapor pressure (Pa)	NA
Vapor Density	NA
Density	0.99 g/cm ³ (@20C)
Solubility in Water	Insoluble
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	NA
Decomposition temperature	NA
Viscosity (cSt)	NA
VOC %	NA
Log Pow	4.15 (experimental) (Lit.)

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Forms explosive mixtures with air on intense heating.

Safety Data Sheet

Isoamyl Benzoate for Synthesis

SDS Revision Date:

12/09/2014



10.5. Incompatible materials

Strong Oxidizing agents.

10.6. Hazardous decomposition products

No hazardous decomposition data available.

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
ISOPENTYL BENZOATE - (94-46-2)	6330.00, Rat - Category: NA	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	---	Not Applicable
Serious eye damage/irritation	---	Not Applicable
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

Safety Data Sheet

Isoamyl Benzoate for Synthesis

SDS Revision Date:

12/09/2014



12. Ecological information

12.1. Toxicity

Do not allow product to enter water, wastewater or soil! See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
ISOPENTYL BENZOATE - (94-46-2)	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

An appreciable bioaccumulation potential is to be expected (log Po/w >3)

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Applicable	Not Regulated	Not Regulated
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable DOT Label: ---	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable

Safety Data Sheet
Isoamyl Benzoate for Synthesis

SDS Revision Date:

12/09/2014



14.5. Environmental hazards

IMDG Marine Pollutant: No

14.6. Special precautions for user

No further information

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA Inventory.

WHMIS Classification B3

US EPA Tier II Hazards

Fire: Yes

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): No

Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:
(No Product Ingredients Listed)

EPCRA 302 Extremely Hazardous :
(No Product Ingredients Listed)

EPCRA 313 Toxic Chemicals:
(No Product Ingredients Listed)

Proposition 65 - Carcinogens (>0.0%):
(No Product Ingredients Listed)

Proposition 65 - Developmental Toxins (>0.0%):
(No Product Ingredients Listed)

Proposition 65 - Female Repro Toxins (>0.0%):
(No Product Ingredients Listed)

Proposition 65 - Male Repro Toxins (>0.0%):
(No Product Ingredients Listed)

N.J. RTK Substances (>1%) :
(No Product Ingredients Listed)

Penn RTK Substances (>1%) :
(No Product Ingredients Listed)

Safety Data Sheet
Isoamyl Benzoate for Synthesis

SDS Revision Date:

12/09/2014



16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is: not applicable

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

Disclaimer: This information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Document

Echo Inc: Thermometer Filling

Safety Data Sheet

Section 1: Identification

Product Name: Echo Inc. glass tube thermometers

Manufacturer/Supplier: Echo Inc.

Address: 2755 Columbus Ave, Springfield, OH 45503

Emergency Phone Number: 855-639-3648

Product Use: Glass tube thermometers

Section 2: Hazard(s) Identification

Odor: No odor

Immediate health, physical and environmental hazards: none

Eye contact: No health effects are expected

Skin contact: No health effects are expected

Inhalation: No health effects are expected

Ingestion: No health effects are expected

Section 3: Composition/Information on Ingredients

Ingredients	C.A.S No.	% by Wt.
Texanol Isobutyrate	6846-50-0	97-99
Solvent Blue A	14233-37-5	1-1.5
Solvent Red 26	4477-79-6	1-1.5
Toulene	108-88-3	< .25
Isopropanol 99%	67-63-0	< .25

Section 4: First-Aid Measures

First Aid Procedures:

The following first aid recommendations are based on an assumption that appropriate personal and industrial hygiene practices are followed.

Eye Contact: Flush eyes with water

Skin contact: Wash affected area with soap and water

Inhalation: No need for first air anticipated

If swallowed: Make sure all glass is removed and rinse with water.

Section 5: Fire-Fighting Measures

Flammable Properties: Flash point: 289.99 Degrees Fahrenheit

Extinguishing Media: Foam or Water but not directly on liquid, may cause frothing

Protection of Fire Fighters: Wear full protective equipment (Bunker Gear) and a self-contained breathing apparatus.

NFPA: Flammable and Combustible Liquids Classification: Combustible Liquid Class IIIA

Unusual Fire and Explosion Hazards: Not applicable

Section 6: Accidental Release Measures

Accidental Release Measures: Steps to be taken in case material is released or spilled. Absorb with paper towel (wash hands). Thermometer contains $1/10^{\text{th}}$ of 1 cc.

Section 7: Handling and Storage

Handling: Not applicable

Storage: Not applicable

Section 8: Exposure Controls/Personal Protection

Engineering Controls: Not applicable

Personal Protective Equipment : Eye/Face protection: Not applicable

Skin Protection: Not applicable

Respiratory Protection: Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protections

Prevention of Swallowing: Not applicable

Section 9: Physical and Chemical Properties

Specific Physical Form: Red or Blue Liquid

General Physical Form: Liquid

Auto-ignition Temperature: Not applicable

Flash Point: 289.99 degrees Fahrenheit

Boiling Point: 536.00 degrees Fahrenheit

Density: Not applicable

Vapor Pressure: 0.01 mm Hg @ 77.00 Degrees Fahrenheit

Specific Density: Air=1 >5.00

Section 10: Stability and Reactivity

Stability: Stable

Materials and conditions to avoid: Strong acids, strong oxidizing agents

Section 11: Toxicological Information

Acute Oral Toxicity: Trimethyl-1,3 Pentanediol, Diisobutyrate LD 50 Rat: >3.2g/kg

Acute inhalation toxicity: Trimethyl-1,3 Pentanediol, Diisobutyrate

LD 50 Rat: >5.3mg/l, 6h

Acute dermal toxicity: Trimethyl-1,3 Pentanediol, Diisobutyrate

LD 50 Guinea pig: >18.84-18.96/kg

Section 12: Ecological Information* (non-mandatory)

- Not mandatory but keep section in document and leave empty/blank

Section 13: Disposal Considerations* (non-mandatory)

- Not mandatory but keep section in document and leave empty/blank

Section 14: Transport Information* (non-mandatory)

- Not mandatory but keep section in document and leave empty/blank

Section 15: Regulatory Information* (non-mandatory)

- Not mandatory but keep section in document and leave empty/blank

Section 16: Other Information

National Fire Protection Association (NFPA) Ratings: This information is intended solely for the use of individuals trained in the NFPA system.

Health: 1

Flammability: 2

Reactivity: 0

Revision Indicator: May 25, 2016

Disclaimer: The information contained herein is accurate to the best of our knowledge. My Company makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances.

*Note: Since other Agencies regulate this information, OSHA will not be enforcing Sections 12 through 15(29 CFR 1910.1200(g)(2)).