


# Classroom Select® Pneumatic Lift Chair





## ASSEMBLY INSTRUCTIONS

Thank you for purchasing Classroom Select® Pneumatic Lift Chair from School Specialty®. Please review the enclosed packing list to ensure all components are included and read the instructions carefully before you begin assembly. If you find anything missing or have any questions now or after set-up, please contact Customer Care at 888.388.3224 or [customercare.schoolspecialty.com/contact-us-email](mailto:customercare.schoolspecialty.com/contact-us-email).

Disclaimer: These instructions are shown with foot ring, but also work for the Pneumatic Lift Chair without foot ring.




PART AND TOOLS LIST




## STEP 1

To install the casters on the five-star chair base, align the stem of each caster with the hole at the end of each leg of the base. Firmly push the caster into the hole until it clicks or fits snugly. Repeat this process for all five casters, ensuring each one is securely attached. Once completed, turn the base upright and roll it on a flat surface to confirm the casters are properly installed and rotate smoothly.




## STEP 2

To assemble the Pneumatic cylinder onto the five-star chair base, position the Pneumatic cylinder vertically above the central opening in the base. To install the foot ring (if purchased), slide it onto the pneumatic cylinder, adjust the height, and tighten the knob. Carefully align the bottom end of the Pneumatic cylinder with the hole and gently insert it until it fits securely. Ensure the cylinder is straight and fully seated in the base.



## STEP 3

To attach the chair seat to the Pneumatic Lift Chair and base assembly, position the chair seat so that the opening underneath aligns with the top of the Pneumatic cylinder. Carefully lower the seat onto the cylinder, ensuring that it fits securely into the mounting mechanism. Apply gentle pressure to ensure the seat is properly seated on the Pneumatic cylinder, allowing for a stable and functional connection. Once assembled, verify the connection by lightly testing the seat's stability and range of motion by activating the pneumatic lift level, and sit in the chair to fully seat the cylinder.



## DISCLAIMERS

---

Please review the enclosed packing list to ensure all components are included. Please read the instructions carefully before you begin assembly. If you find anything missing or have any questions now or after set-up, please contact Customer Care at 888.388.3224 or [customercare.schoolspecialty.com/contact-us-email](mailto:customercare.schoolspecialty.com/contact-us-email).

Heavy or large furniture may require two or more people for proper assembly. Improper assembly may void the warranty. Ensure all hardware is correctly installed and screws are fully tightened before use. Recheck and tighten screws at least once per year. Failure to assemble or secure parts properly may result in product failure or personal injury.

The products illustrated/photographed in this assembly instruction may vary slightly from the actual product.

**Product Warranty:** [help.schoolspecialty.com/s/article/Product-Warranties](https://help.schoolspecialty.com/s/article/Product-Warranties)