

# SAFETY DATA SHEET

I T E M 1 4 9 3 0 1 7

1. Identification		
Product identifier	HP Color LaserJet CF351A Cyan Print Cartridge	
Other means of identification	Not available.	
Recommended use	This product is a cyan toner preparation that is used in HP Color LaserJet Pro MFP M176/ HP Color LaserJet Pro MFP M177 series printers.	
<b>Recommended restrictions</b>	None known.	
Company identification	HP 1501 Page Mill Road Palo Alto, CA 94304-1112 United States Telephone 650-857-5020	
	HP health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com	

### 2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	Not available.
Precautionary statement	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).

### 3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Styrene acrylate copolymer		Trade Secret	<85
Pigment	Pigment	Trade Secret	<10
Wax	Wax	Trade Secret	<10
Amorphous silica	Amorphous silica	7631-86-9	<3
Titanium dioxide		13463-67-7	<1

#### 4. First-aid measures

Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
Ingestion	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.
Most important symptoms/effects, acute and delayed	Not available.

#### 5. Fire-fighting measures

Suitable extinguishing media	CO2, water, or dry chemical
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Not available.
Fire-fighting equipment/instructions	If fire occurs in the printer, treat as an electrical fire.
Specific methods	None established.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Minimize dust generation and accumulation.
Methods and materials for containment and cleaning up	Not available.
Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.

# 7. Handling and storage

Precautions for safe handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.
Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.

### 8. Exposure controls/personal protection

Туре	Value	Form
PEL	15 mg/m3	Total dust.
ues		
Туре	Value	
TWA	10 mg/m3	
nemical Hazards		
Туре	Value	
TWA	6 mg/m3	
	PEL lues Type TWA nemical Hazards Type	PEL 15 mg/m3 Ues Type Value TWA 10 mg/m3 Type Value Value

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Exposure guidelines	USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)		
	ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)		
	Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3		
	TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)		
	UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)		
Appropriate engineering controls	Use in a well ventilated area.		
Individual protection measures, such as personal protective equipment			
Eye/face protection	Not available.		
Skin protection			
Hand protection	Not available.		
Other	Not available.		
Respiratory protection	Not available.		

## 9. Physical and chemical properties

Not available.

**Thermal hazards** 

Appearance	Fine powder		
Physical state	Solid.		
Color	Cyan		
Odor	Slight plastic odor		
Odor threshold	Not available.		
рН	Not applicable		
Melting point/freezing point	Not available.		
Initial boiling point and boiling range	Not applicable		
Flash point	Not applicable		
Evaporation rate	Not applicable		
Flammability (solid, gas)	Not available.		
Upper/lower flammability or e	xplosive limits		
Flammability limit - lower (%)	Not flammable		
Flammability limit - upper (%)	Not available.		
Explosive limit - lower (%)	Not available.		
Explosive limit - upper (%)	Not available.		
Vapor pressure	Not applicable		
Solubility(ies)			
Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.		
Partition coefficient (n-octanol/water)	Not available.		
Auto-ignition temperature	Not applicable		
Decomposition temperature	> 392 °F (> 200 °C)		
Viscosity	Not applicable		
Other information			
Percent volatile	0 % estimated		
Softening point	176 - 266 °F (80 - 130 °C)		

#### 10. Stability and reactivity

Reactivity	Not available.		
Chemical stability	Stable under normal storage conditions.		
Possibility of hazardous reactions	Will not occur.		
Conditions to avoid	Imaging Drum: Exposure to light		
Incompatible materials	Strong oxidizers		
Hazardous decomposition products	Carbon monoxide and carbon dioxide.		

# **11. Toxicological information**

11. Ioxicological informa	ation		
Symptoms related to the physical, chemical and toxicological characteristics	Not available.		
Information on toxicological e	ffects		
Acute toxicity	Based on available data, the classification criteria are not met.		
Skin corrosion/irritation	Based on available data, the classification criteria are not met.		
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.		
Respiratory or skin sensitization	on		
Respiratory sensitization	Based on available	data, the classification criteria are not met.	
Skin sensitization	Based on available	data, the classification criteria are not met.	
Germ cell mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met.		
Carcinogenicity	Based on available data, the classification criteria are not met.		
IARC Monographs. Overall	Evaluation of Carc	inogenicity	
Amorphous silica (CAS 76 Titanium dioxide (CAS 13		3 Not classifiable as to carcinogenicity to humans. 2B Possibly carcinogenic to humans.	
Reproductive toxicity	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.		
Aspiration hazard	Based on available	data, the classification criteria are not met.	
Further information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.		
Components	Species	Test Results	
Amorphous silica (CAS 7631-86-9)			
Acute			
Oral			
LD50	Mouse	> 15000 mg/kg	
	Rat	> 22500 mg/kg	
12. Ecological informatio	n		

Ecotoxicity						
Product		Species	Test Results			
CF351A						
Aquatic						
Fish	LC50	Fish	> 100 mg/l, 96 Hours			

Components		Species	Test Results		
Titanium dioxide (CAS 13463	3-67-7)				
Aquatic					
Crustacea	EC50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hours		
Fish	LC50	Mummichog (Fundulus heteroclitus)	> 1000 mg/l, 96 hours		
Persistence and degradability	Not available.				
Bioaccumulative potential	Not available.				
Mobility in soil	Not available.				
Other adverse effects	Not available.				
13. Disposal considerati	ions				
Disposal instructions	Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state and local regulations.				
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.				
14. Transport information	on				
Further information	Not a danger	ous good under DOT, IATA, ADR, IMDG,	or RID.		
15. Regulatory informat	tion				
US federal regulations	US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.				
• • •	ease notificatio	-			
Not listed.	Desutheringtic				
Superfund Amendments and Hazard categories	Immediate Ha				
	Delayed Haza Fire Hazard - Pressure Haza Reactivity Haz	rd - No No ard - No			
SARA 302 Extremely haz	•				
SARA 302 Extremely haza Not listed.	•				
	•				
Not listed. SARA 311/312	ardous substan	ice			
Not listed. SARA 311/312 Hazardous chemical Other federal regulations Safe Drinking Water Act	ardous substan	ice			
Not listed. SARA 311/312 Hazardous chemical Other federal regulations Safe Drinking Water Act (SDWA)	No No Not regulated				
Not listed. SARA 311/312 Hazardous chemical Other federal regulations Safe Drinking Water Act (SDWA) US state regulations US. Massachusetts RTK - Amorphous silica (CAS 7 Titanium dioxide (CAS 1	No Not regulated Substance List 7631-86-9) 3463-67-7)				
Not listed. SARA 311/312 Hazardous chemical Other federal regulations Safe Drinking Water Act (SDWA) US state regulations US. Massachusetts RTK - Amorphous silica (CAS 7	No Not regulated Substance List 7631-86-9) 3463-67-7) nd Community				

#### US. Pennsylvania Worker and Community Right-to-Know Law

Amorphous silica (CAS 7631-86-9) Titanium dioxide (CAS 13463-67-7)

US. Rhode Island RTK

Not regulated.

#### **US.** California Proposition 65

#### US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

TITANIUM DIOXIDE (AIRBORNE, UNBOUND

PARTICLES OF RESPIRABLE SIZE) (CAS 13463-67-7)

**Regulatory information** All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Listed: September 2, 2011

16. Other information, including date of preparation or last revision			
Issue date	16-Apr-2015		
Revision date	18-Aug-2015		
Version #	04		
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.		
<b>Revision Information</b>	Other information, including date of preparation or last revision: Disclaimer		
Manufacturer information			
Explanation of abbreviations			
ACGIH	American Conference of Governmental Industrial Hygienists		
CAS	Chemical Abstracts Service		
CERCLA	Comprehensive Environmental Response Compensation and Liability Act		
CFR	Code of Federal Regulations		
COC	Cleveland Open Cup		

COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds