

## Section 1 Chemical Product and Company Identification

Page E1 of E2

**Innovating Science**<sup>®</sup> by Aldon Corporation  
 "cutting edge science for the classroom"

221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

|                |                               |
|----------------|-------------------------------|
| <b>Product</b> | <b>UNIVERSAL PH INDICATOR</b> |
|----------------|-------------------------------|

|                 |                     |
|-----------------|---------------------|
| <b>Synonyms</b> | Universal Indicator |
|-----------------|---------------------|

## Section 2 Hazards Identification

**Signal word:** DANGER**Pictograms:** GHS02 / GHS07 / GHS08 / GHS06**Target organs:** Eyes, Central nervous system, Liver, Kidneys.**GHS Classification:**

Flammable liquid (Category 2)

Acute toxicity, inhalation (Category 3)

Skin irritation (Category 2)

Eye irritation (Category 2B)

STOT-SE (Category 2)

STOT-SE (Category 3)

**GHS Label information: Hazard statement:**

H225: Highly flammable liquid and vapour.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H331: Toxic if inhaled.

H336: May cause drowsiness or dizziness.

H371: May cause damage to organs.

**Precautionary statement:**

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P260: Do not breathe mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTER or doctor if you feel unwell.

P332+P313: If skin irritation occurs: Get medical attention.

P337+P313: If eye irritation persists: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / Information on Ingredients

| Chemical Name          | CAS #      | %              | EINECS    |
|------------------------|------------|----------------|-----------|
| Ethyl alcohol          | 64-17-5    | 64.50 - 65.11% | 200-578-6 |
| Water                  | 7732-18-5  | 23.96%         | 231-791-2 |
| Isopropyl alcohol      | 67-63-0    | 6.83%          | 200-661-7 |
| Methanol               | 67-56-1    | 3.03 - 3.26%   | 200-659-6 |
| Methyl isobutyl ketone | 108-10-1   | 0.68 - 0.76%   | 203-550-1 |
| Bromothymol blue       | 76-59-5    | 0.06%          | 200-971-2 |
| Phenolphthalein        | 77-09-8    | 0.06%          | 201-004-7 |
| Methyl red             | 845-10-3   | 0.02%          | 212-682-9 |
| Thymol blue            | 62625-21-2 | 0.005%         | 263-650-6 |

## Section 4 First Aid Measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure Controls / Personal Protection

| Exposure Limits: | Chemical Name | ACGIH (TLV)                                  | OSHA (PEL)                             | NIOSH (REL)                            |
|------------------|---------------|--|--|--|
|                  | Ethanol       | STEL: 1000 ppm / 1880 mg/m <sup>3</sup> (A3) | TWA: 1000 ppm / 1900 mg/m <sup>3</sup> | TWA: 1000 ppm / 1900 mg/m <sup>3</sup> |

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

|   |   |   |
|---|---|---|
| <b>Appearance:</b> Clear, green liquid.           | <b>Evaporation rate ( Butyl acetate = 1):</b> 4.1*          | <b>Partition coefficient:</b> Data not available      |
| <b>Odor:</b> Mild characteristic odor.            | <b>Flammability (solid/gas):</b> Data not available.        | <b>Auto-ignition temperature:</b> 400°C (752°F)*      |
| <b>Odor threshold:</b> Data not available.        | <b>Explosion limits: Lower / Upper:</b> 4.0%(V) / 20.0%(V)* | <b>Decomposition temperature:</b> Data not available. |
| <b>pH:</b> Data not available.                    | <b>Vapor pressure (mm Hg):</b> 44.6 @ 20°C (68°F)*          | <b>Viscosity:</b> Data not available.                 |
| <b>Melting / Freezing point:</b> -114°C (-173°F)* | <b>Vapor density (Air = 1):</b> 1.59*                       | <b>Molecular formula:</b> Mixture                     |
| <b>Boiling point:</b> 75-80°C (173-174°F)*        | <b>Relative density (Specific gravity):</b> 0.794 @ 60°F*   | <b>Molecular weight:</b> Mixture                      |
| <b>Flash point:</b> Approximately 21°C (70°F)     | <b>Solubility(ies):</b> Soluble in water.                   | *[Pure Ethanol]                                       |

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition.

**Incompatible materials:** Strong oxidizers, inorganic acids and halogens.

**Hazardous decomposition products:** Oxides of carbon.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 7060 mg/kg ; Inhalation-rat LC50: 124.7 mg/l/4hours [Ethanol]

**Skin corrosion/irritation:** Skin-rabbit - Slight irritant.

**Serious eye damage/irritation:** Eyes-rabbit - Severe irritant.

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 3: Not classifiable as to its carcinogenicity to humans. [Isopropanol]

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

CA Prop 65: ⚠️ WARNING! :This product can expose you to Phenolphthalein, Methanol and Methyl isobutyl ketone, which are known to the State of California to cause cancer and birth defects or other reproductive harm.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation may cause dizziness, drowsiness, nausea, vomiting, inability to concentrate and irritation of the throat.

Ingestion: Ingestion causes dizziness, drowsiness, decreased reaction, euphoria, nausea, vomiting, staggering gait and coma.

Skin: Contact with skin causes irritation defatting on prolonged contact.

Eyes: Contact with eyes may cause blindness.

**Signs and symptoms of exposure:** See Potential health effects above.

**Additional information:** RTECS #: KQ6300000 [Ethanol]

## Section 12 Ecological Information

**Toxicity to fish:** Oncorhynchus mykiss (fish, fresh water), LC50 = 11,200 mg/l/24 hours [Ethanol]

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacia), EC50 = 10,800 mg/l/24 hours [Ethanol, 99.8% pure]

**Toxicity to algae:** Chlorella pyrenoidosa (Algae), EC50 = 9,310 mg/l/growth rate [Ethanol, absolute]

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN1170

**Shipping name:** Ethanol solution

**Hazard class:** 3

**Packing group:** II

**Reportable Quantity:** 5,000 lbs (2270 kg)

**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 1 L

**2016 ERG Guide #** 127

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component   | TSCA   | CERLCA (RQ) | RCRA code  | DSL    | NDSL       | CA Prop 65  |
|-------------|--------|-------------|------------|--------|------------|---|
| Ethanol     | Listed | Not listed  | D001       | Listed | Not listed | ⚠️ WARNING -Cancer and Reproductive Harm<br>- www.P65Warnings.ca.gov. |
| Methanol    | Listed | 5,000 lbs.  | U154       | Listed | Not listed |   |
| Isopropanol | Listed | Not listed  | Not listed | Listed | Not listed |   |

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Chemical Product and Company Identification

Page E1 of E2

**Innovating Science**<sup>®</sup> by Aldon Corporation  
 "cutting edge science for the classroom"

221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

|                 |                  |
|-----------------|------------------|
| <b>Product</b>  | <b>BROMOFORM</b> |
| <b>Synonyms</b> | Tribromethane    |

## Section 2 Hazards Identification

**Signal word:** DANGER

**Pictograms:** GHS06 / GHS07 / GHS09

**Target organs:** Respiratory and Central nervous systems, Liver, Kidneys, Eyes, Skin

**GHS Classification:**

Acute toxicity, oral (Category 4)

Acute toxicity, inhalation (Category 3)

Skin irritation (Category 2)

Eye irritation (Category 2A)

Aquatic toxicity, acute (Category 2)

Aquatic toxicity, chronic (Category 2)

**GHS Label information: Hazard statement:**

H302: Harmful if swallowed.

H331: Toxic if inhaled.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H401: Toxic to aquatic life.

H411: Toxic to aquatic life with long lasting effects.

**Precautionary statement:**

P261: Avoid breathing mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

P330: Rinse mouth.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P311: Call a POISON CENTER or doctor.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P332+P313: If skin irritation occurs: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P391: Collect spillage.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Lachrymator

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / Information on Ingredients

| Chemical Name                     | CAS #   | %   | EINECS    |
|-----------------------------------|---------|-----|-----------|
| Bromoform                         | 75-25-2 | 97% | 200-854-6 |
| Contains: Ethanol (as stabilizer) | 64-17-5 | 3%  | 200-578-6 |

## Section 4 First Aid Measures

**INGESTION:** HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** TOXIC IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES SERIOUS EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Use extinguishing agent suitable for type of surrounding fire.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, well-ventilated area away from incompatible substances. Light sensitive. Protect from light.

## Section 8 Exposure Controls / Personal Protection

| Exposure Limits: | Chemical Name | ACGIH (TLV)                          | OSHA (PEL)                         | NIOSH (REL)                        |
|------------------|---------------|--------------------------------------|------------------------------------|------------------------------------|
|                  | Bromoform     | TWA: 0.5 ppm / 5.2 mg/m <sup>3</sup> | TWA: 0.5 ppm / 5 mg/m <sup>3</sup> | TWA: 0.5 ppm / 5 mg/m <sup>3</sup> |

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

**Appearance:** Liquid. Solid below 47°F

**Odor:** Chloroform-like odor

**Odor threshold:** Data not available

**pH:** Data not available

**Melting / Freezing point:** 8.3°C (47°F)

**Boiling point:** 149°C (300°F)

**Flash point:** Data not available

**Evaporation rate ( = 1):** Data not available

**Flammability (solid/gas):** Data not available

**Explosion limits: Lower / Upper:** Data not available

**Vapor pressure (mm Hg):** 0.7 kPa (@ 20°C)

**Vapor density (Air = 1):** 8.7

**Relative density (Specific gravity):** 2.607

**Solubility(ies):** 0.1% in water

**Partition coefficient:** Data not available

**Auto-ignition temperature:** Data not available

**Decomposition temperature:** Data not available

**Viscosity:** Data not available

**Molecular formula:** CHBr<sub>3</sub>

**Molecular weight:** 252.73

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperature and heat. Protect from light.

**Incompatible materials:** Lithium, sodium, potassium, calcium, aluminum, zinc, magnesium, strong caustics, acetone [Note: Gradually decomposes, acquiring yellow color; air & light accelerate decomposition.]

**Hazardous decomposition products:** Carbon oxides and bromide fumes.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-Rat LD50: 993 mg/kg ; Inhalation-rat LCLo: 45 g/m<sup>3</sup>/4H

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 3: Not classifiable as to its carcinogenicity to humans.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: ⚠ WARNING! This product can expose you to a chemical, Bromoform which is known to the State of California to cause cancer.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Toxic if inhaled.

Ingestion: Harmful if swallowed.

Skin: Causes skin irritation.

Eyes: Causes serious eye irritation.

**Signs and symptoms of exposure:** To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

**Additional information:** RTECS #: PB5600000

## Section 12 Ecological Information

**Toxicity to fish:** NOEC - Cyprinodon variegatus (sheepshead minnow) - 2.9 mg/l - 96.0 h

**Toxicity to daphnia and other aquatic invertebrates:** LC50 - Daphnia magna (Water flea) - 46 mg/l - 48 h

**Toxicity to algae:** No data available

**Persistence and degradability:** Not biodegradable

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN2515

**Shipping name:** Bromoform

**Hazard class:** 6.1

**Packing group:** III

**Reportable Quantity:** 100 lbs (45.4 kg)

**Marine pollutant:** Yes

**Exceptions:** Limited quantity equal to or less than 5 Lt

**2016 ERG Guide #** 159

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA   | CERLCA (RQ)       | RCRA code | DSL    | NDSL       | CA Prop 65  |
|-----------|--------|-------------------|-----------|--------|------------|---|
| Bromoform | Listed | 100 lbs (45.4 kg) | U225      | Listed | Not listed | ⚠ WARNING - Reproductive Harm - www.P65Warnings.ca.gov. |

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Chemical Product and Company Identification

Page E1 of E2

**Innovating Science**<sup>®</sup> by Aldon Corporation  
 "cutting edge science for the classroom"

221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

**Product** BROMOBENZENE

**Synonyms** Monobromobenzene

## Section 2 Hazards Identification

**Signal word:** WARNING

**Pictograms:** GHS02 / GHS07 / GHS09

**Target organs:** Central nervous system, Liver, Blood



**GHS Classification:**

Flammable liquid (Category 3)

Skin irritation (Category 2)

Aquatic toxicity, chronic (Category 2)

**GHS Label information: Hazard statement:**

H226: Flammable liquid and vapour.

H315: Causes skin irritation.

H411: Toxic to aquatic life with long lasting effects.

**Precautionary statement:**

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233: Keep container tightly closed.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P264: Wash hands thoroughly after handling.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P332+P313: If skin irritation occurs: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish.

P391: Collect spillage.

P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / Information on Ingredients

| Chemical Name | CAS #    | %    | EINECS    |
|---------------|----------|------|-----------|
| Bromobenzene  | 108-86-1 | 100% | 203-623-8 |

## Section 4 First Aid Measures

**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Dry chemical, CO<sub>2</sub>, water spray or regular foam.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure Controls / Personal Protection

| Exposure Limits: | Chemical Name | ACGIH (TLV)     | OSHA (PEL)      | NIOSH (REL)     |
|------------------|---------------|-----------------|-----------------|-----------------|
|                  | Bromobenzene  | Not established | Not established | Not established |

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** Use a chemical fume hood and/or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

|  |   |  |
|--|---|--|
| <b>Appearance:</b> Liquid. Clear, colorless      | <b>Evaporation rate ( = 1):</b> Data not available                  | <b>Partition coefficient:</b> (n-octanol / water): Log Pow: 2.99 |
| <b>Odor:</b> Aromatic odor                       | <b>Flammability (solid/gas):</b> Data not available                 | <b>Auto-ignition temperature:</b> 566°C (1050°F)                 |
| <b>Odor threshold:</b> Data not available        | <b>Explosion limits: Lower / Upper:</b> 0.50% / 2.50%               | <b>Decomposition temperature:</b> Data not available             |
| <b>pH:</b> Data not available                    | <b>Vapor pressure (mm Hg):</b> 3.34 mm @ 20°C                       | <b>Viscosity:</b> Data not available                             |
| <b>Melting / Freezing point:</b> -31°C (-23.8°F) | <b>Vapor density (Air = 1):</b> 5.4                                 | <b>Molecular formula:</b> C <sub>6</sub> H <sub>5</sub> Br       |
| <b>Boiling point:</b> 156°C (312.8°F)            | <b>Relative density (Specific gravity):</b> 1.491 g/cm <sup>3</sup> | <b>Molecular weight:</b> 157.01                                  |
| <b>Flash point:</b> 51°C (123.8°F)               | <b>Solubility(ies):</b> Practically insoluble in water              |  |

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition.

**Incompatible materials:** Strong oxidizers.

**Hazardous decomposition products:** Carbon oxides, hydrogen bromide gas.

## Section 11 Toxicological Information

**Acute toxicity:** Data not available

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation may cause dizziness.

Ingestion: Ingestion causes nausea and diarrhea.

Skin: Contact with skin may cause redness.

Eyes: Contact with eyes may cause irritation.

**Signs and symptoms of exposure:** To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

**Additional information:** RTECS #: CY9000000

## Section 12 Ecological Information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available **Bioaccumulative potential:** No data available

**Mobility in soil:** No data available **PBT and vPvB assessment:** No data available

**Other adverse effects:** Toxic to aquatic life with long lasting effects.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN2514

**Shipping name:** Bromobenzene

**Hazard class:** 3

**Packing group:** III

**Reportable Quantity:** No

**Marine pollutant:** Yes

**Exceptions:** Limited quantity equal to or less than 5 L

**2016 ERG Guide #** 130

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component    | TSCA   | CERLCA (RQ) | RCRA code  | DSL    | NDSL       | CA Prop 65   |
|--------------|--------|-------------|------------|--------|------------|--|
| Bromobenzene | Listed | Not listed  | Not listed | Listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Chemical Product and Company Identification

Page E1 of E2

**Innovating Science**<sup>®</sup> by Aldon Corporation  
 "cutting edge science for the classroom"

221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

|                |   |
|----------------|---|
| <b>Product</b> | <b>POTASSIUM CHROMATE, 0.5 MOLAR SOLUTION</b> |
|----------------|---|

|                 |                                    |
|-----------------|------------------------------------|
| <b>Synonyms</b> | Potassium Chromate, Water Solution |
|-----------------|------------------------------------|

## Section 2 Hazards Identification

**Signal word:** DANGER**Pictograms:** GHS07 / GHS08 / GHS09**Target organs:** Respiratory system, Liver, Kidneys, Blood**GHS Classification:**

Skin irritation (Category 2)

Skin sensitization (Category 1)

Eye irritation (Category 2)

Mutagenicity (Category 1B)

Carcinogenicity (Category 1B)

Aquatic toxicity, acute (Category 1)

Aquatic toxicity, chronic (Category 1)

**GHS Label information: Hazard statement:**

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H340: May cause genetic defects.

H350: May cause cancer.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

**Precautionary statement:**

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P261: Avoid breathing mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P333+P313: If skin irritation or rash occurs: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P391: Collect spillage.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / Information on Ingredients

| Chemical Name      | CAS #     | %     | EINECS    |
|--------------------|-----------|-------|-----------|
| Water              | 7732-18-5 | 90.3% | 231-791-2 |
| Potassium chromate | 7789-00-6 | 9.7%  | 232-140-5 |

## Section 4 First Aid Measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES SERIOUS EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** CAUSES SKIN IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Use extinguishing agent suitable for type of surrounding fire.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale mist/vapours/spray. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, well-ventilated area away from incompatible substances.

## Section 8 Exposure Controls / Personal Protection

| Exposure Limits: | Chemical Name                    | ACGIH (TLV)                            | OSHA (PEL)                             | NIOSH (REL)                        |
|------------------|----------------------------------|--|--|------------------------------------|
|                  | Chromium(VI) inorganic compounds | TWA: 0.05 mg/m <sup>3</sup> (A1) as Cr | TWA: 0.005 mg/m <sup>3</sup> as Cr(VI) | TWA: 0.001 mg/m <sup>3</sup> as Cr |

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

|   |   |   |
|---|---|---|
| <b>Appearance:</b> Liquid. Clear yellow.                          | <b>Evaporation rate ( Water = 1):</b> <1                              | <b>Partition coefficient:</b> Data not available      |
| <b>Odor:</b> No odor.   | <b>Flammability (solid/gas):</b> Data not available.                  | <b>Auto-ignition temperature:</b> Data not available  |
| <b>Odor threshold:</b> Data not available.                        | <b>Explosion limits: Lower / Upper:</b> Data not available            | <b>Decomposition temperature:</b> Data not available. |
| <b>pH:</b> Data not available.                                    | <b>Vapor pressure (mm Hg):</b> 14 (water)                             | <b>Viscosity:</b> Data not available.                 |
| <b>Melting / Freezing point:</b> Approximately 0°C (32°F) (water) | <b>Vapor density (Air = 1):</b> 0.7 (water)                           | <b>Molecular formula:</b> Mixture                     |
| <b>Boiling point:</b> Approximately 100°C (212°F) (water)         | <b>Relative density (Specific gravity):</b> Approximately 1.0 (water) | <b>Molecular weight:</b> Mixture                      |
| <b>Flash point:</b> Data not available                            | <b>Solubility(ies):</b> Complete in water.                            |   |

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures which cause evaporation.

**Incompatible materials:** Reducing agents. Most organic substances, bromides, iodides, chlorides, hypophosphites, sulfites, sulfides. Combustible materials, oxidizable materials.

**Hazardous decomposition products:** Potassium oxides.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-mouse LD50: 180 mg/kg [Potassium chromate]

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: Known to be a human carcinogen. [Potassium chromate]

IARC classified: Group 1: Carcinogenic to humans. [Potassium chromate]

OSHA: Data not available.

CA Prop 65: ⚠️ **WARNING!** : This product can expose you a chemical, Chromium [hexavalent compounds], which is known to the State of California to cause cancer and reproductive harm.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation may cause burning sensation, sore throat, cough, wheezing, labored breathing.

Ingestion: Ingestion causes nausea, vomiting, abdominal pain, burning sensation, diarrhea, shock or collapse.

Skin: Causes skin irritation. May cause an allergic skin reaction.

Eyes: Contact with eyes may cause serious irritation.

**Signs and symptoms of exposure:** Risk of cancer depends on level and duration of exposure. Chromium compounds in the form of chromates and dichromates have been found to be mutagenic in bacterial and mammalian cells, including those of the Chinese hamster. Recent studies indicate a significant risk of lung cancer among long-term employees of the chromate producing industry. Exercise appropriate procedures to minimize potential hazards.

**Additional information: RTECS #:** GB2940000 [Potassium chromate]

## Section 12 Ecological Information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available **Bioaccumulative potential:** No data available

**Mobility in soil:** No data available **PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** Yes

**Marine pollutant:** No

**Exceptions:** Not applicable

**2016 ERG Guide #** Not applicable

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component          | TSCA   | CERLCA (RQ)      | RCRA code  | DSL    | NDSL       | CA Prop 65   |
|--------------------|--------|------------------|------------|--------|------------|--|
| Potassium chromate | Listed | 10 lbs (4.54 kg) | D001, D007 | Listed | Not listed | ⚠️ <b>WARNING</b> -Cancer and Reproductive Harm<br>- www.P65Warnings.ca.gov. |

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.



## Section 1 Chemical Product and Company Identification

Page E1 of E2

**Innovating Science**<sup>®</sup> by Aldon Corporation 221 Rochester Street  
 "cutting edge science for the classroom" Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

|                |   |
|----------------|---|
| <b>Product</b> | <b>HYDROCHLORIC ACID, 0.5 MOLAR (0.5 NORMAL) SOLUTION</b> |
|----------------|---|

|                 |  |
|-----------------|--|
| <b>Synonyms</b> | Muriatic Acid, Water Solution; Hydrogen Chloride, Water Solution |
|-----------------|--|

## Section 2 Hazards Identification

**Signal word:** WARNING**Pictograms:** None required**Target organs:** Respiratory system, skin, eyes, lungs.**GHS Classification:**

Skin irritant (Category 3)

Eye irritant (Category 2B)

**GHS Label information:****Hazard statement(s):**

H316: Causes mild skin irritation.

H320: Causes eye irritation.

**Precautionary statement(s):**

P264: Wash hands thoroughly after handling.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical attention.

P337+P313: If eye irritation persists: Get medical attention.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / Information on Ingredients

| Chemical Name     | CAS #     | %      | EINECS    |
|-------------------|-----------|--------|-----------|
| Water             | 7732-18-5 | 98.44% | 231-791-2 |
| Hydrochloric acid | 7647-01-0 | 1.56%  | 231-595-7 |

## Section 4 First Aid Measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY CAUSE IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Contact with metals produce hydrogen, which is flammable and may produce explosive mixtures with air.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Neutralize spill with sodium bicarbonate or calcium hydroxide, absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, well-ventilated area away from incompatible substances.

## Section 8 Exposure Controls / Personal Protection

| Exposure Limits: | Chemical Name     | ACGIH (TLV)                              | OSHA (PEL)                            | NIOSH (REL)                           |
|------------------|-------------------|--|---------------------------------------|---------------------------------------|
|                  | Hydrogen chloride | STEL: C 2 ppm / C 2.98 mg/m <sup>3</sup> | STEL: C 5 ppm / C 7 mg/m <sup>3</sup> | STEL: C 5 ppm / C 7 mg/m <sup>3</sup> |

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

|   |   |  |
|---|---|--|
| <b>Appearance:</b> Clear, colorless liquid.                 | <b>Evaporation rate ( = 1):</b> Data not available.       | <b>Partition coefficient:</b> (n-octanol / water): Data not available. |
| <b>Odor:</b> Pungent odor.                                  | <b>Flammability (solid/gas):</b> Data not available.      | <b>Auto-ignition temperature:</b> Data not available.                  |
| <b>Odor threshold:</b> Data not available.                  | <b>Explosion limits: Upper/Lower:</b> Data not available. | <b>Decomposition temperature:</b> Data not available.                  |
| <b>pH:</b> N/A  | <b>Vapor pressure (mm Hg):</b> 14 [water]                 | <b>Viscosity:</b> Data not available.                                  |
| <b>Melting / Freezing point:</b> Approx. 0°C (32°F) [water] | <b>Vapor density (Air = 1):</b> 0.7 [water]               | <b>Molecular formula:</b> Mixture                                      |
| <b>Boiling point:</b> Approx. 100°C (212°F) [water]         | <b>Relative density (Specific gravity):</b> 1.0 [water]   | <b>Molecular weight:</b> Mixture                                       |
| <b>Flash point:</b> Not flammable.                          | <b>Solubility(ies):</b> Soluble in water.                 |  |

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Containers may burst when heated. Avoid contact with water.

**Incompatible materials:** Metals, bases, active metals, alkali metals, oxidizing agents, hydroxides, amines, carbonates, cyanides, sulfides, sulfites, formaldehyde.

**Hazardous decomposition products:** Hydrogen chloride gas.

## Section 11 Toxicological Information

**Acute toxicity:** Data not available

**Skin corrosion/irritation:** Data not available at this dilution.

**Serious eye damage/irritation:** Data not available at this dilution.

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP.

IARC: Group 3: Not classifiable as to its carcinogenicity to humans.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available at this dilution.

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:** To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

Inhalation: May be harmful if inhaled. Material may cause irritation to the tissue of the mucous membranes and upper respiratory tract.

Ingestion: May be harmful if swallowed.

Skin: May cause irritation and/or burns.

Eyes: May cause irritation and/or burns.

**Signs and symptoms of exposure:** Data not available at this dilution.

**Additional information:** RTECS #: MW4025000 [Hydrochloric acid]

## Section 12 Ecological Information

**Toxicity to fish:** LC50 - Gambusia affinis (Mosquito fish) - 282 mg/l - 96 h (Hydrochloric acid)

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN1789

**Shipping name:** Hydrochloric acid

**Hazard class:** 8

**Packing group:** III

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 5 L

**2016 ERG Guide #** 157

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component         | TSCA   | CERLCA (RQ) | RCRA code | DSL    | NDSL       | CA Prop 65   |
|-------------------|--------|-------------|-----------|--------|------------|--|
| Hydrochloric acid | Listed | Not listed  | D002      | Listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Chemical Product and Company Identification

Page E1 of E2

**Innovating Science**<sup>®</sup> by Aldon Corporation  
 "cutting edge science for the classroom"

221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

|                |               |
|----------------|---------------|
| <b>Product</b> | SOIL SAMPLE A |
|----------------|---------------|

|                 |      |
|-----------------|------|
| <b>Synonyms</b> | None |
|-----------------|------|

## Section 2 Hazards Identification

**Signal word:** DANGER**Pictograms:** GHS03 / GHS05 / GHS07 / GHS08 / GHS09**Target organs:** Blood, Heart, Kidneys, Endocrine, Immune and Central nervous systems**GHS Classification:**

Oxidizing solid (Category 2)

Acute toxicity, Oral (Category 4)

Serious eye damage (Category 1)

Acute toxicity, Inhalation (Category 4)

Reproductive toxicity (Category 1A)

Specific target organ toxicity - repeated exposure (Category 2)

Acute aquatic toxicity (Category 1)

Chronic aquatic toxicity (Category 1)

**GHS Label information: Hazard statement(s):**

H272: May intensify fire; oxidizer.

H302 + H332: Harmful if swallowed or if inhaled

H318: Causes serious eye damage.

H360: May damage fertility or the unborn child.

H373: May cause damage to organs through prolonged or repeated exposure.

H410: Very toxic to aquatic life with long lasting effects.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

**Precautionary statement(s):**

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P220: Keep away from clothing and combustible materials.

P221: Take any precaution to avoid mixing with combustibles.

P260: Do not breathe dust.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P370+P378: In case of fire: Use water to extinguish.

P391: Collect spillage.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with all local, state and federal regulations.

## Section 3 Composition / Information on Ingredients

| Chemical Name | CAS #       | %   | EINECS      |
|---------------|-------------|-----|-------------|
| Top soil      | None listed | 84% | None listed |
| Lead nitrate  | 10099-74-8  | 16% | 233-245-9   |

## Section 4 First Aid Measures

**INGESTION:** HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** TOXIC IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Use water. Do not use dry chemicals or foams. CO<sub>2</sub> or Halon<sup>®</sup> may provide limited control

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Substance is a strong oxidizer which releases oxygen on heating. The oxygen will intensify any fire in the immediate surrounding. Contact with easily oxidizable, combustible substance or powdered metals may cause fire or explosion upon ignition from any source. Strong oxidizers may explode when shocked, or if exposed to heat, flame, or friction. Also may act as initiation source for dust or vapor explosions.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure Controls / Personal Protection

| Exposure Limits: | Chemical Name                     | ACGIH (TLV)                      | OSHA (PEL)                  | NIOSH (REL)                 |
|------------------|-----------------------------------|----------------------------------|-----------------------------|-----------------------------|
|                  | Lead & inorganic compounds, as Pb | TWA: 0.05 mg/m <sup>3</sup> (A3) | TWA: 0.05 mg/m <sup>3</sup> | TWA: 0.05 mg/m <sup>3</sup> |

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** Lead based compounds require the use of a NIOSH type N100 filter.

## Section 9 Physical &amp; Chemical Properties

|  |   |  |
|--|---|--|
| <b>Appearance:</b> Solid. Brown dirt with white granules | <b>Evaporation rate ( = 1):</b> Data not available              | <b>Partition coefficient:</b> Data not available     |
| <b>Odor:</b> Earthy odor.                                | <b>Flammability (solid/gas):</b> Data not available.            | <b>Auto-ignition temperature:</b> Data not available |
| <b>Odor threshold:</b> Data not available.               | <b>Explosion limits: Lower / Upper:</b> Data not available      | <b>Decomposition temperature:</b> Data not available |
| <b>pH:</b> Data not available.                           | <b>Vapor pressure (mm Hg):</b> Data not available               | <b>Viscosity:</b> Data not available.                |
| <b>Melting / Freezing point:</b> Data not available      | <b>Vapor density (Air = 1):</b> Data not available              | <b>Molecular formula:</b> Mixture                    |
| <b>Boiling point:</b> Data not available                 | <b>Relative density (Specific gravity):</b> 4.53 (Lead nitrate) | <b>Molecular weight:</b> Mixture                     |
| <b>Flash point:</b> Data not available                   | <b>Solubility(ies):</b> Partially soluble in water              |  |

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures and heat.

**Incompatible materials:** Ammonium thiocyanate, powdered carbon, lead hypophosphite.

**Hazardous decomposition products:** Lead oxides and nitrogen oxides.

## Section 11 Toxicological Information

**Acute toxicity:** Data not available  
**Skin corrosion/irritation:** Data not available  
**Serious eye damage/irritation:** Data not available  
**Respiratory or skin sensitization:** Data not available  
**Germ cell mutagenicity:** Data not available  
**Carcinogenicity:** Data not available  
 NTP: (R) Reasonably anticipated to be a human carcinogen (Lead nitrate).  
 IARC classified: Group 2A: Probably carcinogenic to humans (Lead nitrate).  
 OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.  
 Ca Prop 65: ⚠️ WARNING! This product can expose you to a chemicals including, crystalline silica, Lead, and, lead compounds, which are known to the State of California to cause cancer, birth defects, and reproductive harm.  
**Reproductive toxicity:** Data not available  
**STOT-single exposure:** The substance or mixture is classified as specific target organ toxicant, single exposure, category 2 with respiratory effects.  
**STOT-repeated exposure:** Data not available  
**Aspiration hazard:** Data not available  
**Potential health effects:**  
 Inhalation: Toxic if inhaled. Causes respiratory tract irritation.  
 Ingestion: Harmful if swallowed.  
 Skin: Harmful if absorbed through skin. Causes skin irritation.  
 Eyes: Causes severe eye irritation.  
**Signs and symptoms of exposure:** Lead is a cumulative poison and exposure to even small amounts can raise the body's content to toxic levels. Nitrates entering the body by any route can cause headache, vomiting, dizziness, cyanosis, decreased blood pressure and possible respiratory paralysis. Acute poisoning can lead to muscle weakness, "lead line" on the gums, metallic taste, definite loss of appetite, insomnia, dizziness, high lead levels in the blood and urine with shock, coma and death in extreme cases.  
**Additional information:** RTECS #: OG2100000 (Lead nitrate)

## Section 12 Ecological Information

**Toxicity to fish:** LC50 - Oncorhynchus mykiss (rainbow trout) - 1.5 mg/l - 96.0 h (Lead nitrate)  
**Toxicity to daphnia and other aquatic invertebrates:** EC50 - Daphnia magna (Water flea) - 0.5 - 2.0 mg/l - 48 h (Lead nitrate)  
**Toxicity to algae:** No data available  
**Persistence and degradability:** No data available **Bioaccumulative potential:** No data available  
**Mobility in soil:** No data available **PBT and vPvB assessment:** No data available  
**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN1469 **Shipping name:** Lead nitrate mixture  
**Hazard class:** 5.1, (6.1) **Packing group:** II **Reportable Quantity:** 10 lbs (4.54 kg) **Marine pollutant:** Yes  
**Exceptions:** Limited quantity equal to or less than 0.5 Kg **2016 ERG Guide #** 141

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component    | TSCA   | CERLCA (RQ) | RCRA code  | DSL    | NDSL       | CA Prop 65  |
|--------------|--------|-------------|------------|--------|------------|---|
| Lead nitrate | Listed | Listed      | Not listed | Listed | Not listed | ⚠️ WARNING -Cancer and Reproductive Harm<br>- www.P65Warnings.ca.gov. |

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Chemical Product and Company Identification

Page E1 of E2

**Innovating Science**<sup>®</sup> by Aldon Corporation  
 "cutting edge science for the classroom"

221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

|                |                      |
|----------------|----------------------|
| <b>Product</b> | <b>SOIL SAMPLE B</b> |
|----------------|----------------------|

|                 |      |
|-----------------|------|
| <b>Synonyms</b> | None |
|-----------------|------|

## Section 2 Hazards Identification

Signal word: WARNING

Pictograms: GHS08

Target organs: Lungs



GHS Classification:

\*STOT-RE (Category 2)

GHS Label information: Hazard statement:

\*H373: May cause damage to organs (*lungs*) through prolonged or repeated exposure (*inhalation*).

\* Respirable dust particles containing silicon dioxide may be generated by crushing. There are no known hazards associated with this material when used as recommended.

Precautionary statement:

P260: Do not breathe dust.

P314: Get medical advice/attention if you feel unwell.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / Information on Ingredients

| Chemical Name | CAS #       | %   | EINECS      |
|---------------|-------------|-----|-------------|
| Top soil      | None listed | 91% | None listed |
| Sand          | 14808-60-7  | 9%  | 238-878-4   |

## Section 4 First Aid Measures

**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** RESPIRABLE CRYSTALLINE SILICA MAY BE HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE CORNEAL ABRASIONS. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Sand will not burn or support fire. Use any media suitable for extinguishing supporting fire

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool..

**Specific Hazards:** None known.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area.

## Section 8 Exposure Controls / Personal Protection

| Exposure Limits: | Chemical Name                         | ACGIH (TLV)                                  | OSHA (PEL)                                | NIOSH (REL)                                 |
|------------------|---------------------------------------|--|---|---|
|                  | Silica, crystalline, $\alpha$ -quartz | TWA: 0.025 mg/m <sup>3</sup> respirable (A2) | TWA: 10 mg/m <sup>3</sup> respirable dust | TWA: 0.05 mg/m <sup>3</sup> respirable dust |

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

|   |   |   |
|---|---|---|
| <b>Appearance:</b> Solid. Brown dirt with yellow granules.<br><b>Odor:</b> Earthy odor.<br><b>Odor threshold:</b> Data not available.<br><b>pH:</b> Data not available.<br><b>Melting / Freezing point:</b> Data not available<br><b>Boiling point:</b> Data not available<br><b>Flash point:</b> Not flammable | <b>Evaporation rate ( = 1):</b> Not applicable<br><b>Flammability (solid/gas):</b> Data not available.<br><b>Explosion limits: Lower / Upper:</b> Not flammable<br><b>Vapor pressure (mm Hg):</b> Data not available<br><b>Vapor density (Air = 1):</b> Data not available<br><b>Relative density (Specific gravity):</b> Data not available<br><b>Solubility(ies):</b> Partially soluble in water. | <b>Partition coefficient:</b> Data not available<br><b>Auto-ignition temperature:</b> Data not available<br><b>Decomposition temperature:</b> Data not available.<br><b>Viscosity:</b> Data not available.<br><b>Molecular formula:</b> Mixture<br><b>Molecular weight:</b> Mixture |
|---|---|---|

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Avoid contact with incompatible materials.

**Incompatible materials:** Contact with powerful oxidizing agents such as fluorine, chlorine trifluoride, manganese trioxide and oxygen difluoride may cause fire.

**Hazardous decomposition products:** Will dissolve in hydrofluoric acid and produce silicon tetrafluoride, a corrosive gas.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 500 mg/kg (Sand)

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: Known to be a human carcinogen (respirable). [Quartz]

IARC classified: Group 1: Carcinogenic to humans. [Quartz]

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: ⚠️ WARNING! This product can expose you to a chemical, crystalline silica, which is known to the State of California to cause cancer.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Inhalation - May cause damage to organs through prolonged or repeated exposure. [Quartz]

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion: May be harmful if swallowed.

Skin: May cause transient irritation.

Eyes: May cause transient irritation.

**Signs and symptoms of exposure:** Prolonged inhalation of crystalline silica may result in silicosis, a disabling pulmonary fibrosis characterized by fibrotic changes and miliary nodules in the lungs, a dry cough, shortness of breath, emphysema, decreased chest expansion, and increased susceptibility to tuberculosis.

**Additional information:** RTECS #: VV7330000 (Sand)

## Section 12 Ecological Information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2016 ERG Guide #:** Not applicable

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA   | CERLCA (RQ) | RCRA code  | DSL    | NDSL       | CA Prop 65                                      |
|-----------|--------|-------------|------------|--------|------------|---|
| Sand      | Listed | Not listed  | Not listed | Listed | Not listed | ⚠️ WARNING -Cancer -<br>www.P65Warnings.ca.gov. |

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Chemical Product and Company Identification

Page E1 of E2

**Innovating Science**<sup>®</sup> by Aldon Corporation  
 "cutting edge science for the classroom"

221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

|                |                      |
|----------------|----------------------|
| <b>Product</b> | <b>SOIL SAMPLE C</b> |
|----------------|----------------------|

|                 |      |
|-----------------|------|
| <b>Synonyms</b> | None |
|-----------------|------|

## Section 2 Hazards Identification

**Signal word:** WARNING

**Pictograms:** GHS08

**Target organs:** Lungs



**GHS Classification:**

\*STOT-RE (Category 2)

**GHS Label information: Hazard statement:**

\*H373: May cause damage to organs (*lungs*) through prolonged or repeated exposure (*inhalation*).

\* *Respirable dust particles containing silicon dioxide may be generated by crushing. There are no known hazards associated with this material when used as recommended.*

**Precautionary statement:**

P260: Do not breathe dust.

P314: Get medical advice/attention if you feel unwell.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / Information on Ingredients

| Chemical Name | CAS #       | %     | EINECS      |
|---------------|-------------|-------|-------------|
| Top soil      | None listed | 83.3% | None listed |
| Sand          | 14808-60-7  | 12.5% | 238-878-4   |
| Cork dust     | 61789-98-8  | 4.2%  | Not listed  |

## Section 4 First Aid Measures

**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** RESPIRABLE CRYSTALLINE SILICA MAY BE HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE CORNEAL ABRASIONS. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Sand will not burn or support fire. Use any media suitable for extinguishing supporting fire

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool..

**Specific Hazards:** None known.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area.

## Section 8 Exposure Controls / Personal Protection

| Exposure Limits: | Chemical Name                         | ACGIH (TLV)                                  | OSHA (PEL)                                | NIOSH (REL)                                 |
|------------------|---------------------------------------|--|---|---|
|                  | Silica, crystalline, $\alpha$ -quartz | TWA: 0.025 mg/m <sup>3</sup> respirable (A2) | TWA: 10 mg/m <sup>3</sup> respirable dust | TWA: 0.05 mg/m <sup>3</sup> respirable dust |

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

|  |  |   |
|--|--|---|
| <b>Appearance:</b> Solid. Brown dirt with yellow granules. | <b>Evaporation rate ( = 1):</b> Not applicable                 | <b>Partition coefficient:</b> Data not available      |
| <b>Odor:</b> Earthy odor.                                  | <b>Flammability (solid/gas):</b> Data not available.           | <b>Auto-ignition temperature:</b> Data not available  |
| <b>Odor threshold:</b> Data not available.                 | <b>Explosion limits: Lower / Upper:</b> Not flammable          | <b>Decomposition temperature:</b> Data not available. |
| <b>pH:</b> Data not available.                             | <b>Vapor pressure (mm Hg):</b> Data not available              | <b>Viscosity:</b> Data not available.                 |
| <b>Melting / Freezing point:</b> Data not available        | <b>Vapor density (Air = 1):</b> Data not available             | <b>Molecular formula:</b> Mixture                     |
| <b>Boiling point:</b> Data not available                   | <b>Relative density (Specific gravity):</b> Data not available | <b>Molecular weight:</b> Mixture                      |
| <b>Flash point:</b> Not flammable                          | <b>Solubility(ies):</b> Partially soluble in water.            |   |

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Avoid contact with incompatible materials.

**Incompatible materials:** Contact with powerful oxidizing agents such as fluorine, chlorine trifluoride, manganese trioxide and oxygen difluoride may cause fire.

**Hazardous decomposition products:** Will dissolve in hydrofluoric acid and produce silicon tetrafluoride, a corrosive gas.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 500 mg/kg (Sand)

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: Known to be a human carcinogen (respirable). [Quartz]

IARC classified: Group 1: Carcinogenic to humans. [Quartz]

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: ⚠ WARNING! This product can expose you to a chemical, crystalline silica, which is known to the State of California to cause cancer.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Inhalation - May cause damage to organs through prolonged or repeated exposure. [Quartz]

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion: May be harmful if swallowed.

Skin: May cause transient irritation.

Eyes: May cause transient irritation.

**Signs and symptoms of exposure:** Prolonged inhalation of crystalline silica may result in silicosis, a disabling pulmonary fibrosis characterized by fibrotic changes and milary nodules in the lungs, a dry cough, shortness of breath, emphysema, decreased chest expansion, and increased susceptibility to tuberculosis.

**Additional information:** RTECS #: VV7330000 (Sand)

## Section 12 Ecological Information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2016 ERG Guide #:** Not applicable

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA   | CERLCA (RQ) | RCRA code  | DSL    | NDSL       | CA Prop 65                                     |
|-----------|--------|-------------|------------|--------|------------|--|
| Sand      | Listed | Not listed  | Not listed | Listed | Not listed | ⚠ WARNING -Cancer -<br>www.P65Warnings.ca.gov. |

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.



## Section 1 Chemical Product and Company Identification

Page E1 of E2

**Innovating Science**<sup>®</sup> by Aldon Corporation  
 "cutting edge science for the classroom"

221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

|                |                      |
|----------------|----------------------|
| <b>Product</b> | <b>SOIL SAMPLE D</b> |
|----------------|----------------------|

|                 |      |
|-----------------|------|
| <b>Synonyms</b> | None |
|-----------------|------|

## Section 2 Hazards Identification

**Signal word:** WARNING**Pictograms:** GHS07 / GHS08**Target organs:** Lungs**GHS Classification:**

Skin irritation (Category 2)

Eye irritation (Category 2A)

STOT-SE (Category 3)

\*STOT-RE (Category 2)

**GHS Label information: Hazard statement:**

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

\*H373: May cause damage to organs (*lungs*) through prolonged or repeated exposure (*inhalation*).

\* Respirable dust particles containing silicon dioxide may be generated by crushing. There are no known hazards associated with this material when used as recommended.

**Precautionary statement:**

P260: Do not breathe dust.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P332+P313: If skin irritation occurs: Get medical attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTER or doctor if you feel unwell.

P362+P364: Take off contaminated clothing and wash it before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / Information on Ingredients

| Chemical Name | CAS #      | %     | EINECS    |
|---------------|------------|-------|-----------|
| Sand          | 14808-60-7 | 99.5% | 238-878-4 |
| Luminol       | 521-31-3   | 0.5%  | 209-309-4 |

## Section 4 First Aid Measures

**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** RESPIRABLE CRYSTALLINE SILICA MAY BE HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE CORNEAL ABRASIONS. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Sand will not burn or support fire. Use any media suitable for extinguishing supporting fire

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool..

**Specific Hazards:** None known.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area.

## Section 8 Exposure Controls / Personal Protection

| Exposure Limits: | Chemical Name                         | ACGIH (TLV)                                  | OSHA (PEL)                                | NIOSH (REL)                                 |
|------------------|---------------------------------------|--|---|---|
|                  | Silica, crystalline, $\alpha$ -quartz | TWA: 0.025 mg/m <sup>3</sup> respirable (A2) | TWA: 10 mg/m <sup>3</sup> respirable dust | TWA: 0.05 mg/m <sup>3</sup> respirable dust |

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

|   |  |   |
|---|--|---|
| <b>Appearance:</b> Solid. Yellow granules.          | <b>Evaporation rate ( = 1):</b> Not applicable                 | <b>Partition coefficient:</b> Data not available      |
| <b>Odor:</b> Earthy odor.                           | <b>Flammability (solid/gas):</b> Data not available.           | <b>Auto-ignition temperature:</b> Data not available  |
| <b>Odor threshold:</b> Data not available.          | <b>Explosion limits: Lower / Upper:</b> Not flammable          | <b>Decomposition temperature:</b> Data not available. |
| <b>pH:</b> Data not available.                      | <b>Vapor pressure (mm Hg):</b> Data not available              | <b>Viscosity:</b> Data not available.                 |
| <b>Melting / Freezing point:</b> Data not available | <b>Vapor density (Air = 1):</b> Data not available             | <b>Molecular formula:</b> Mixture                     |
| <b>Boiling point:</b> Data not available            | <b>Relative density (Specific gravity):</b> Data not available | <b>Molecular weight:</b> Mixture                      |
| <b>Flash point:</b> Not flammable                   | <b>Solubility(ies):</b> Partially soluble in water.            |   |

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Avoid contact with incompatible materials.

**Incompatible materials:** Contact with powerful oxidizing agents such as fluorine, chlorine trifluoride, manganese trioxide and oxygen difluoride may cause fire.

**Hazardous decomposition products:** Will dissolve in hydrofluoric acid and produce silicon tetrafluoride, a corrosive gas.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 500 mg/kg (Sand)

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available


**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: Known to be a human carcinogen (respirable). [Quartz]

IARC classified: Group 1: Carcinogenic to humans. [Quartz]

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65:  WARNING! This product can expose you to a chemical, crystalline silica, which is known to the State of California to cause cancer.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Inhalation - May cause damage to organs through prolonged or repeated exposure. [Quartz]

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion: May be harmful if swallowed.

Skin: May cause transient irritation.

Eyes: May cause transient irritation.

**Signs and symptoms of exposure:** Prolonged inhalation of crystalline silica may result in silicosis, a disabling pulmonary fibrosis characterized by fibrotic changes and milary nodules in the lungs, a dry cough, shortness of breath, emphysema, decreased chest expansion, and increased susceptibility to tuberculosis.

**Additional information:** RTECS #: VV7330000 (Sand)

## Section 12 Ecological Information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No


**Marine pollutant:** No

**Exceptions:** Not applicable

**2016 ERG Guide #:** Not applicable

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA   | CERLCA (RQ) | RCRA code  | DSL    | NDSL       | CA Prop 65   |
|-----------|--------|-------------|------------|--------|------------|--|
| Sand      | Listed | Not listed  | Not listed | Listed | Not listed |  WARNING -Cancer -<br>www.P65Warnings.ca.gov. |
| Luminol   | Listed | Not listed  | Not listed | Listed | Not listed |  |

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.