TOTAL PETROCHEMICALS

Material Safety Data Sheet

OTAL PETROCHEMICALS USA INC.

Trade name	TOTAL Polypropylene	Code	PP_HOMOPOLYMER
Supplier	TOTAL PETROCHEMICALS USA, INC.	MSDS#	P89
	P O Box 674411 Houston,TX 77267-4411	Validation I	Pare 10/7/2009
Synonym	Polyprapylene, Homopolymer	Print Date	10/7/2009
	This MSDS covers all prime homopolymer polypropylene grades including but not limited to:		
	3###ABC M3###ABC		
	where # can be any number and ABC may be any combination of letters (the letters may or may not be present), EXCEPT 3287WZ, 3354, 3375HA, 3481Z, 3727W, and 3727WZ.		
	This MSDS also covers experimental grades which are homopolymers including LX1 xx-xx, LX4 xx- xx, and LX5 xx-xx, & EOD xx-xx, and specially compounded samples labeled TOTAL PETROCHEMICALS Homopolymer Polypropylene Nxxxxx and Nxxxxx-x, where x may be any number.		
MSDS Name	Polypropylene	Responsible (for Paul Bradley
Chemical Family	Palymer	Preparation	
CAS Registry Number	9003-07-0	Emergeney (Chemtrec: 800) 424-9300
Threshold Limit Value	Not available.	Ĺ	OTAL PETROCHEMICAL JSA, INC: 800) 322-3462
Manufacturer	TOTAL PETROCHEMICALS USA, INC. P.O. Box 888 Deer Park, TX 77536	Intermation (L T F	OTAL PETROCHEMICAL JSA, INC. Ja Porte Research an echnology PO Box 1200 Deer Park,Tx. 77536 81-884-7500

Section 2. Composition	on and Information o	n Ingredie	nts
Name	CAS#	% by Weight	Exposure Limits
Polypropylene	9003-07-0	- 100	Not available.

Physical State and Appearance	Solid. (Solid pellets.)
Emergency Overview	Irritating vapors to respiratory system and eyes may form when polymer is processed at high temperatures. Molten or heated material in skin contact can cause severe burns.
Routes of Entry	FOR HOT MATERIAL: Skin contact, Eye contact, Inhalation.
Potential Acute Health F	Effects
<i>t</i> ģ	Prov Dust may cause mechanical irritation to eye. Heated Polymer: Eye contact can cause serious thermal burns. Vapors formed when polymer is heated may be irritating to the eye.

TOTAL Polypropyle	ne	Page: 2/6
Skin	No known acute effects of this product resulting from skin contact at Heated Polymer: skin contact can cause serious thermal burns.	room temperature.
Inhalation	Negligible at room temperature. Nuisance dusts can be irritating to the Irritating vapors may form when the polymer is processed at high ter	
Ingestion	No effects are expected for ingestion of small amounts. May be a ch	oking hazard.
Potential Chronic Health Effects	CARCINOGENIC EFFECTS: Polypropylene is not a known ca carcinogen by OSHA, NTP or IARC.	rcinogen. Not listed as a
Medical Conditions Aggravated by Overexposure	There is no known effect from chronic exposure to this produc exposure is not known to aggravate any medical condition.	t.Repeated or prolonged
Overexposure /Signs/Symptoms	No adverse health effects anticipated from the solid pellet.	
See Toxicological Informati	m (Section 14)	

Section 4. Firs	st Aid Measures
Eye Contact	Rinse with water for a few minutes. Seek medical attention if necessary,
Skin Contact	Polymer: NO known EFFECT on skin contact, rinse with water for few minutes. Heated Polymer: For serious burns from heated polymer, get medical attention. In case of skin contact, immediately immerse in or flush with clean, cold water.
Inhalation	Allow the victim to rest in a well-ventilated area.
Ingestion	No First Aid procedures are needed.

Section 5. Fire Fighting Measures			
Flammability of the Product	May be combustible at high temperature.		
Auto-ignition Temperature	Not available.		
Flash Points	>200°C (>392°F)		
Flammable Limits	Not available.		
Products of Combustion	Carbon oxides (CO, CO2) and soot.		
Fire Hazards in Presence of Various Substances	No specific information is available in our database regarding the flammability of this product in presence of various materials.		
Explosion Hazards in Presence of Various Substances	Risks of explosion of the product in presence of mechanical impact: Not expected. Risks of explosion of the product in presence of static discharge: Possible.		
	Risk of explosion from dust accumulation of this product is possible. See MSDS section 7 Handling for more information.		
Fire Fighting Media and Instructions	SMALL FIRE: Dry chémical extinguisher (ABC or AB). Use water spray or fog. LARGE FIRE: Usé water spray or fog. Do not use water jet.		
	May re-ignite itself after fire is extinguished.		
Protective (Anthing (Fire)	Wear MSHA/NIOSH-approved self-contained breathing apparatus or equivalent and full protective gear.		
Special Remarks on Fire Hazards	Fire may produce irritating gases and dense smoke. Flowing material may produce static discharge, igniting dust accumulations.		
Special Remarks on Explosion Hazards	Processing or material handling equipment may generate dust of sufficiently small particle size, that when suspended in air may be explosive.		

v i i i i i

~4!	^ - ' '			
Section	n <i>Accide</i> nts	ii Walasca:	8800 C 141	~~ ~
0000000	6. Accidenta	1.11C/C03C:	mcasui	E-3

Small Spill and Leak

Large Spill and Leak

Pellets on the floor could present a serious slipping problem. Good housekeeping must be maintained at all times to avoid this hazard. Sweep, shovel, or vacuum material into clean containers.

Use a shovel to put the material into a convenient waste disposal container. Do not allow any potentially contaminated water with pellets to enter any waterway, sewer or drain.

Section 7. Handling and Storage

Handling

Handling of plastic may form nuisance dust. Protect personnel.

Pneumatic material handling and processing equipment may generate dust of sufficiently small particle size that, when suspended in air, may be explosive. Dust accumulations should be controlled through a comprehensive dust control program that includes, but is not limited to, source capture, inspection and repair of leaking equipment, routine housekeeping and employee training in hazards. See NFPA 654.

When handled in bulk quantities, this product and its associated packaging may present a crushing hazard due to the large masses involved, possibly resulting in severe injury or death.

Storage

Keep container dry, Keep container in a cool place. Ground all equipment containing material. Combustible materials should be stored away from extreme heat and away from strong oxidizing agents.

Section 8. Exposure Controls/Personal Protection

Engineering Controls

Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protection

Even Safety glasses:

Rinly Coveralls.

Respiratory Ventilation is normally required when handling this product at high temperatures. Wear appropriate respirator when ventilation is inadequate.

Hunds Thermally insulated gloves required when handling hot material.

Feet Shoes.

Protective Clothing (Pictograms)



Personal Protection in Case of a Large Spill Safety glasses, Gloves.

Product Name

Exposure Limits

Polypropylana

Not available.

Consult local authorities for acceptable exposure limits.

Section 9. Physical and Chemical Properties

dection of this			The state of the s
Physical State and Appearance	Solid. (Solid pellets.)	Odor	Odorless.
Molecular Weight	Not available.	Taste	Not available.
Motecular Formula	(C3H6)x	Color	Translucent white pellets.
Melting/Freezing Point	120 to 170°C (248 to 338°F)		
Specific Gravity	0.91 to 0.97 (Water = 1)		
	.,		
Volatifity	Negligible.		

Continued on Next Page

TOTAL Polypro	oylene	 		 Page: 4/6	٦
Solubility in Water	Insoluble in water,		 		٦

Section 10. Stabilit	y and Reactivity
Stability and Reactivity	The product is stable. Avoid temperatures above 300 degree C (570 F).
Incompatibility with Various Substances	Reactive or incompatible with strong oxidizing agents.
Hazardous Decomposition Products	Hazardous decomposition products are carbon monoxide, carbon dioxide, dense smoke, and various hydrocarbons.
Huzardons Polymerization	No.

Section 11. Toxic	ological Information		
Toxicity to Animals	LD50: Not available. LC50: Not available.		
Chronic Effects on Humans	CARCINOGENIC EFFECTS: Not listed as a carcinogen by OSHA, NTP or IARC.		
Other Toxic Effects on Humans	Not considered to be dangerous to humans,		

Ecotoxicity	Not available.	
BOD5 and COD	Not available.	
Biodegradable/OECD	Not available.	
Mobility	Not available.	

Section 13. Disp	osal Considerations	
Waste Information	Transfer to an approved disposal area in accordance with federal, state, and local regulations.	
Consult your local or r	rional authorities.	

DOT Classification for Bulk Shipments (non-bulk- shipments may differ)	Not a DOT controlled material (United States).	\otimes	
DOT Proper Shipping Name	Not applicable.		
QS Number	Not applicable.		
Packing Group	Not applicable.		
USCG Proper Shipping Name	Polypropylene		
Marine Pollutant	Not listed in Appendix B to 49CFR172.101	No label required	
Hazardous Substances Reportable Quantity	Not listed in Appendix A to 49CFR172.101		
Special Provisions for Transport	Not applicable.		
TDG Classification	Not controlled under TDG (Canada).		

TOTAL Polypropylene		Page: 5/6
ADR/RID Classification	Not controlled under ADR (Europe).	
IMO/IMDG Classification	Not controlled under IMDG.	
ICAO/IATA Classification	Not controlled under IATA.	

ACT A CARL COT A COT COT COT	Not and the desired state	
ICAC/IATA Classification	Not controlled under IATA,	
Section 15. Regulatory Information		
HCS Classification	This product is not a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
U.S. Federal Regulations	TSCA inventory: All components are listed or exempted.	
	SARA 313	
	This product contains no chemicals in excess of the applicable de minimis concentration that are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372 (Table 372.65).	
	SARA 304	
	No chemicals in this product require reporting under the requirement of 40 CFR 355, Emergency Planning And Notification (SARA extremely hazardous substances listed in Appendix A to Part 355 or CERCLA hazardous substances listed in Table 302.4, of 40 CFR Part 302).	
	SARA 301/302/303	
·	No chemicals in this product are listed as extremely hazardous substances in 40 CFR 355. Emergency Planning And Notification (Appendix A to Part 355).	
	SARA 311/312	
	This product is not a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910,1200, and as such does not require reporting under the requirements of 40 CFR 370, Hazardous Chemical Reporting: Community Right-To-Know.	
	Specific state and local regulations should be consulted to determine if there are any additional requirements. Because many states and localities have added requirements or incorporated the Federal contents in their own forms, Tier I & II forms should be obtained from the State Emergency Response Commission (SERC).	
	Clean water act (CWA) 307: No products were found.	
	Clean water act (CWA) 311: No products were found.	
	Clean air act (CAA) 112 accidental release prevention: No products were found. Clean air act (CAA) 112 regulated flammable substances: No products were found. Clean air act (CAA) 112 regulated toxic substances: No products were found.	
International Regulations		
WHMIS (Canada)	Not controlled under WHMIS (Canada).	
	CEPA Toxic substances: This material is not listed. Canadian ARET: This material is not listed. Canadian NPRI: This material is not listed. Alberta Designated Substances: This material is not listed. Ontario Designated Substances: This material is not listed. Quebec Designated Substances: This material is not listed.	
DSCL (EEC)	This product is not classified according to EU legislation.	
	All components are listed or exempted.	
Internationa) Lists	Australia inventory (AICS): This material is listed or exempted. China inventory (IECSC): This material is listed or exempted. Japan inventory (ENCS): This material is listed or exempted. Japan inventory (ISHL): Not determined. Korea inventory (KECI): This material is listed or exempted. New Zealand Inventory of Chemicals (NZIoC): This material is listed or exempted. Philippines inventory (PICCS): This material is listed or exempted.	
State Regulations.		

TOTAL Polypropylene

Page: 6/6

Connecticut Carcinogen Reporting: This material is not listed.

Connecticut Hazardous Material Survey: This material is not listed.

Florida substances: This material is not listed.

Illinois Chemical Safety Act: This material is not listed.

Illinois Toxic Substances Disclosure to Employee Act: This material is not listed.

Louisiana Reporting: This material is not listed. Louisiana Spill: This material is not listed. Massachusetts Spill: This material is not listed.

Massachusetts Substances: This material is not listed.

Michigan Critical Material: This material is not listed.

Minnesota Hazardous Substances: This malerial is not listed, New Jersey Hazardous Substances: This material is not listed.

New Jersey Spitt: This material is not listed.

New Jersey Toxic Catastrophe Prevention Act: This material is not listed. New York Acutely Hazardous Substances: This material is not listed.

New York Toxic Chemical Release Reporting: This material is not listed. Pennsylvania RTK Hazardous Substances: This material is not listed. Rhode Island Hazardous Substances: This material is not listed.

Section 16. Other Information

Label requirements

Irritating vapors to respiratory system and eyes may form when polymer is processed at high temperatures.

Molten or heated material in skin contact can cause severe burns.

Hazardous Material Information System (U.S.A.)



10 National Fire Protection Association (U.S.A.)



References

Chemtox Database

Hazardous Substance Database

Other Special Considerations Acceptable business/technical terms necessary for medical device applications must be developed by contacting your TOTAL PETROCHEMICALS USA, INC. sales representative. Without such documented business terms, TOTAL PETROCHEMICALS USA, INC. makes no representations and disclaims all warranties, express or implied, concerning biocompatibility and/or suitability of this product for medical device applications.

Validated by Paul Bradley on 10/7/2009.

Verified by Karen Scheel.

Printed 10/7/2009.

Chemtrec:

(800) 424-9300

TOTAL PETROCHEMICALS USA, INC:

(800) 322-3462

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsaever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sale responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.