MATERIAL SAFETY DATA SHEET

VERSABLOCK FLUORESCENT BLOCK PRINT INK

TRAVEL NAME ON LABEL

ROCK PAINT DISTRIBUTING CORP.		A Property of the Control of the Con					
MANUFACTURER MSDS NUMBER							
365 SUNNYSIDE DR. P.O. BOX 482							
ADDRESS	CAS NUMBER						
MILTON, WI 53563	JUNE 2011						
(000) 000 000	DATE PREPARED						
(608)868-6873 (608) 868-5401 PHONE NUMBER(FOR INFORMATION)	08)868-6873 (608) 868-5401 ONE NUMBER(FOR INFORMATION) PREPARED BY						
FRONE NOWIDER(FOR INFORMATION)							
SECTION 1 - MATERIAL IDENTIFICATION AND	INFORMAT	ION		OTHER LIMITS			
COMPONENTS: CHEMICAL NAME & COMMON NAMES	%	OSHA PEL	ACGIH TLV	RECOMMENDED			
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		produces and translational to the contract of			
WATER							
PIGMENT: ASSORTED NON-TOXIC COLORS							
PROPYLENE GLYCOL			l				
CALCIUM CARBONATE							
BARIUM SULFATE							
GUMS and/or CELLULOSIC				i			
ACRYLIC EMULSION				[
AS PER ASTM D-4236 AND AS PER THE ART AND CRAFT MATERIALS							
INSTITUTE (ACMI) INC. THIS PAINT HAS BEEN CERTIFIED NON-TOXIC.							
SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS							
BOILING POINT - ABOUT 212	SPECIFIC GRAVITY (H2O-1) - ABOUT 9LBS PER GAL						
VAPOR PRESSURE (mm Hg & TEMPÉRATURE) - 17mm Hg	MELTING POINT - N/A						
VAPOR DENSITY (AIR=1) - NOT AVAILABLE	EVAPORATION RATE (WATER=1) - SLOWER						
SOLUBILITY IN WATER - DILUTABLE	WATER REACTIVE · N/A						
APPEARANCE & ODOR - SLIGHT AMMONIA ODOR, OR NO ODOR PRESENT							
SECTION 3 - FIRE AND EXPLOSION HAZARD I	~~~	. CLAMMARILITY	LIMITS IN AIR % BY	VOLIME			
			N/A				
N/A N/A EXTINGUISHER MEDIA			LEL	į VEL			
FOAM - DRY CHEMICAL - CO2 - WATER SPR.	AY OR FOG						
SPECIAL FIRE FIGHTING PROCEDURES							
N/A							
UNUSUAL FIRE AND EXPLOSION HAZARDS							
N/A							

SECTION 4 - REAC	CTIVITY HAZARD	DATA		FL VERSABLOCK -	
STABILITY	CONDITIONS TO	AVOID			
STABLE		NONE KNOWN			
UNSTABLE					
INCOMPATABILITY (MA	TERIALS TO AVOID) NONE KNOWN-HOWEVER PRODUCT F	PROPERTIES MAY BE	ALTERED	
		BY MIXING WITH SOME MATERIALS.			
HAZARDOUS DECOMPO	OSITION PRODUCT	STHERMAL DECOMPOSITION IN THE PR	ESENCE OF AIR MA	Y YIELD CARBON	
		MONOXIDE AND/OR CARBON DIOXIDE	AND TRACES OF MO	ONOMER.	
HAZARDOUS POLYMER	RIZATION	CONDITIONS TO AVOID			
X WILL NOT OCCUR					
SECTION 5 - HEAL	TH HAZARD DA	TA			
PRIMARY ROUTES OF	ENTRY	CARCINOGEN LISTED IN			
INHALATION	☐ INGESTION	NTP	OSHA		
SKIN ABSORTION	NOT HAZARDOUS	☐ IARG MONOGRAPH	NOT LISTED		
HEALTH HAZARDS	ACUTE			у	
	CHRONIC				
SIGNS AND SYMPTOMS					
MEDICAL CONDITIONS GENE	RALLY AGGRAVATED B	Y EXPOSURE	,, ,		
EMERGENY FIRST AID	PROCEDURES -				
SEEK MEDICAL ASSIST	FANCE FOR FURHT	ER TREATMENT, OBSERVATION	AND SUPPORT	IS NECESSARY.	
EYE CONTACT -	DIRECT CONTACT W	ITH EMULSION MAY RESULT IN IRRITATI	ON. FLUSH EYES IN	MEDIATELY WITH	
i	FOR AT LEAST 15 MINU	TES AND CONSULT A PHYSICIAN. REMO	OVE CONTACTS PRO	OM VIÇTIM.	
SKIN CONTACT -		PEATED CONTACT WITH EMULSION MAY			
		R; IF DRENCHED REMOVE AND WASH O			
INHALATION -	N/A	IT, I DITENDITED REMOVE AND VINGITE	COTTING BEI OTIE I	1600L.	
i i w i ALM I OIV -	14// /				
INGESTION -	IF VIÇTIM IS CONSCIO	DUS, GIVE TWO GLASSES OF WATER TO	DRINK AND CALL A	PHYSICIAN.	
SECTION 6 - CONT	TROL AND PROT	ECTIVE MEASURES			
RESPIRATORY PROTECTION	(SPECIFY TYPE) -				
PROTECTIVE GLOVES -		EYE PROTECTION -		**************************************	
RUBBER GLOVES R	ECOMMENDED	CHEMICAL GOGGLES	WITH EVE GUARD		
VENTILATION TO BE USED -	LOCAL EXHAUSE -	MECHANICAL (GENE		SPECIAL -	
VENTION TO BE OSED				31 EVIAL	
OTHER PROTECTIVE OF OTHER	OTHER (SPECIFY) -			· · · · · · · · · · · · · · · · · · ·	
OTHER PROTECTIVE CLOTHI	· · · · · · · · · · · · · · · · · · ·	N/A			
HYGIENIC WORK PRACTICES					
SECTION 7 - PREC	AUTIONS FOR S	AFE HANDLING AND USE/L	EAK PRÔCEI	OURES	
STEPS TO BE TAKEN IS	······································		- LACT TOOLS		
İ			AINUNG ADEA OD CO	SNITAINIED DOEVENIY	
1		SPILLED MATERIAL INTO SUITABLE RET			
· · · · · · · · · · · · · · · · · · ·		TORM DRAINS, DRAINAGE SYSTEMS AN	IO NATURAL WATER	IVVAYO.	
WASTE DISPOSAL MET					
DISPOSE OF PRODUC	T IN AGGORDANCE WIT	'H APPLICABLE LOCAL, COUNTY, STATE	AND FEDERAL REG	ULATIONS.	
PRECAUTIONS TO BE T	AKEN IN HANDLING	AND STORAGE			
SHOULD BE STORED AT ROOM TEMPERATURE TO PROLONG SHELF LIFE.					
KEEP FROM PREEZING AND FROM EXCESSIVE HEAT.					
OTHER PRECAUTIONS AND/OR SPECIAL HAZARDS -					
N/A	THE PORT OF COINCI	n num ti tiirur			
HIMS BATING HEALTH	- FLAMM	ABILITY REACTIVITY	PERSO	NAL PROTECTION	