

A.W. Faber-Castell Ges.m.b.H



Safety Data Sheet

according to 29 CFR 1910.1200(g)

GoFa Sketch Marker all Colours

Revision date: 05/02/2023

Product code: 100-147-xxx

Page 1 of 9

1. Identification

Product identifier

GoFa Sketch Marker all Colours

Further trade names

All colors, except: helioblue reddish

Recommended use of the chemical and restrictions on use

Use of the substance/mixture

Ink in writing instrument

Details of the supplier of the safety data sheet

| Company name: | A.W. Faber-Castell Ges.m.b.H | |
|--|---|---------------------------------|
| Street: Place: | Austria Saag 7 A-4090 Engelhartszell | |
| Telephone: e-mail: | +43 (0)-7717-8053-0 werk-ezell@faber-castell.at | Telefax: +43 (0)-7717-8053-4344 |
| Contact person: e-mail: Internet: Responsible Department: | Dr. Gerhard Lugert Gerhard.Lugert@faber-castell.com www.faber-castell.de Faber-Castell AG Nürnberger Str. 2 D-90546 Stein Departement TEC | Telephone: +49 911 9965 5550 |
| | Dr. Gerhard Lugert, +49 911 9965 5 Theresa Gmelch, +49 911 9965 563 | · • |
| Emergency phone number: | +49 911 9965 5550 +49 911 616426 | |

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200

Flammable liquids: Flam. Liq. 3 Serious eye damage/eye irritation: Eye Irrit. 2A Specific target organ toxicity single exposure: STOT SE 3 (narcotic effects)

Label elements

29 CFR Part 1910.1200

Signal word: Pictograms: Warning



Hazard statements

Flammable liquid and vapor Causes serious eye irritation May cause drowsiness or dizziness

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed.

Ground/bond container and receiving equipment.



according to 29 CFR 1910.1200(g)

GoFa Sketch Marker all Colours

Revision date: 05/02/2023

Product code: 100-147-xxx

Page 2 of 9

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash Face, hands and all exposed skin thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Call a poison center/doctor if you feel unwell.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use Carbon dioxide (CO2).Water spray. to extinguish.

Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Hazards not otherwise classified

No information available.

3. Composition/information on ingredients

<u>Mixtures</u>

Chemical characterization

Alcolhol-based inks

Hazardous components

| CAS No | Components | Quantity |
|----------|---|----------|
| 64-17-5 | ethanol, ethyl alcohol | 68.42 % |
| 107-98-2 | 1-methoxy-2-propanol; monopropylene glycol methyl ether | 19.96 % |
| 78-93-3 | butanone; ethyl methyl ketone | 3.601 % |

4. First-aid measures

Description of first aid measures

After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink 1 glass of of water.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media



according to 29 CFR 1910.1200(g)

GoFa Sketch Marker all Colours

Revision date: 05/02/2023

Product code: 100-147-xxx

Page 3 of 9

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

Specific hazards arising from the chemical

Highly flammable. Vapors may form explosive mixtures with air.

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray/stream to protect personnel and to cool endangered containers. Supress gases/vapors/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

Methods and material for containment and cleaning up

For cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

Reference to other sections

Safe handling: see section 7 Personal protection equipment (PPE): see section 8 Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

8. Exposure controls/personal protection

Control parameters



according to 29 CFR 1910.1200(g)

GoFa Sketch Marker all Colours

Revision date: 05/02/2023

Product code: 100-147-xxx

Page 4 of 9

Exposure limits

| CAS No | Substance | ppm | mg/m³ | f/cc | Category | Origin |
|----------|-----------------------------------|------|-------|------|---------------|--------|
| 78-93-3 | 2-Butanone (Methyl ethyl ketone) | 200 | 590 | | TWA (8 h) | PEL |
| 78-93-3 | 2-Butanone | 200 | 590 | | TWA (8 h) | REL |
| | | 300 | 885 | | STEL (15 min) | REL |
| 64-17-5 | Ethyl alcohol (Ethanol) | 1000 | 1900 | | TWA (8 h) | PEL |
| 64-17-5 | Ethyl alcohol | 1000 | 1900 | | TWA (8 h) | REL |
| 107-98-2 | Propylene glycol monomethyl ether | 100 | 360 | | TWA (8 h) | REL |
| | | 150 | 540 | | STEL (15 min) | REL |

Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.


Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing .

9. Physical and chemical properties

Information on basic physical and chemical properties

| Physical state: Color: | liquid 60 several | |
|--|----------------------|----------------|
| Odor: | alcoholic | |
| Melting point/freezing point: | | < 0 °C |
| Boiling point or initial boiling point and | | 78 °C |
| boiling range: | | |
| Flammability: | | not determined |
| | | not applicable |
| Lower explosion limits: | | 1,8 vol. % |
| Upper explosion limits: | | 15 vol. % |
| Flash point: | | 24 °C |
| Auto-ignition temperature: | | 270 °C |
| Decomposition temperature: | | not determined |
| pH-Value: | | 7 |
| Water solubility: | | easily soluble |
| Solubility in other solvents | | |
| not determined | | |
| Partition coefficient n-octanol/water: | | not determined |
| Vapor pressure: | | 58 hPa |
| (at 20 °C) | | |
| Vapor pressure: | | 293 hPa |
| (at 50 °C) | | |





according to 29 CFR 1910.1200(g)

GoFa Sketch Marker all Colours

Revision date: 05/02/2023

Product code: 100-147-xxx

Page 6 of 9

Irritation and corrosivity

Causes serious eye irritation

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

May cause drowsiness or dizziness

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (IARC): Ethanol in alcoholic beverages (CAS 64-17-5) is listed in group 1.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on other hazards

Endocrine disrupting properties

No data available.

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

12. Ecological information

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

The product has not been tested.

Mobility in soil

The product has not been tested.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

14. Transport information

U.S. DOT 49 CFR 172.101



according to 29 CFR 1910.1200(g)

| Revision date: 05/02/2023 | GoFa Sketch Marker all Colours Product code: 100-147-xxx | Page 7 of 9 |
|---|--|-------------|
| <u>UN number or ID number:</u> Proper shipping name: Transport hazard class(es): Packing group: Hazard label: | UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. 4.1 II 4.1 | |
| Marine transport (IMDG) | | |
| UN number or ID number: UN proper shipping name: Transport hazard class(es): Packing group: Hazard label: Special Provisions: Limited quantity: Excepted quantity: | UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. 4.1 II 4.1 216 274 1 kg E2 | |
| EmS: | F-A, S-I | |
| Air transport (ICAO-TI/IATA-DGR) | | |
| UN number or ID number: | UN 3175 | |
| <u>UN proper shipping name:</u> Transport hazard class(es): | SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. 4.1 | |
| Packing group: | | |
| Hazard label: | 4.1 | |
| Special Provisions: Limited quantity Passenger: Passenger LQ: Excepted quantity: | A46 5 kg Y441 E2 | |
| IATA-packing instructions - Passenger: | 445 | |
| IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo: | 15 kg 448 50 kg | |
| Environmental hazards | | |
| ENVIRONMENTALLY HAZARDOUS: | No | |
| <u>Special precautions for user</u> Warning: Combustible liquid. <u>Transport in bulk according to Annex II of M</u> not applicable | IARPOL 73/78 and the IBC Code | |
| 15. Regulatory information | | |
| | | |
| U.S. Regulations National regulatory information SARA Section 304 CERCLA | | |

SARA Section 304 CERCLA: Methyl ethyl ketone (78-93-3): Reportable quantity = 5,000 (2270) lbs. (kg) SARA Section 311/312 Hazards: ethanol, ethyl alcohol (64-17-5): Fire hazard, Immediate (acute) health hazard 1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2): Fire hazard, Immediate (acute) health hazard Methyl ethyl ketone (78-93-3): Fire hazard, Immediate (acute) health hazard Clean Air Act Section 112(b): Methyl ethyl ketone (78-93-3)

State Regulations

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or



according to 29 CFR 1910.1200(g)

GoFa Sketch Marker all Colours

Revision date: 05/02/2023

Product code: 100-147-xxx

Page 8 of 9

other reproductive harm.

16. Other information

| Hazardous Materials Information Label (HMIS) | | |
|--|------------|--|
| Health: | 1 | |
| Flammability: | 1 | |
| Physical Hazard: | 1 | |
| NFPA Hazard Ratings | | |
| Health: | 1 | |
| Flammability: | 1 | |
| Reactivity: | | |
| Unique Hazard: | | |
| Revision date: | 05/02/2023 | |
| Revision No: | 1,02 | |

Abbreviations and acronyms

CLP: Classification, labelling and Packaging REACH: Registration. Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LC50: Lethal concentration, 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) IMDG: International Maritime Code for Dangerous Goods EmS: Emergency Schedules MFAG: Medical First Aid Guide IATA: International Air Transport Association ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).





according to 29 CFR 1910.1200(g)

GoFa Sketch Marker all Colours

Revision date: 05/02/2023

Product code: 100-147-xxx

Page 9 of 9

Other data

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)