$(T)650-369-4889 \cdot (F)650-369-7169$

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072



RCUD JUNE 2006

IDENTITY (As Used on Label and List)

All Wood Cased Pencil Products Art - Office - School - Craft - Charcoal -

Graphite Pastels - Colored

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

SECTION I

Manufacturer's Name

General Pencil Company, Inc.

Address

(Number, Street, City, State, and ZIP

Code)

(NJ) 67 Fleet St., Jersey City, NJ 07306

(CA) 3160 Bay Rd., Redwood City, CA 94063

Emergency Telephone Number

1-800-537-0734

Telephone Number for Information

(NJ) 1-201-653-5351 or (CA) 1-650-369-4889

Date Prepared Revised 4-15-95

Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information

Hazardous Components

OSHA

ACGIH

Other Limits

%

(Specific Chemical Identity; Common Name(s))

PEL

TLV

Recommended

(optional)

Pencil products bearing the PMA Certification Mark (Seal) of the Pencil Makers Assoc. Inc., are not within the scope of the OSHA Hazard Communication Standard. Pencils and graphite products are articles, not chemicals, 29 C.F.R. part 1910 1200 (B) (5)

Pencil products bearing the PMA Certification Mark (Seal) are Certified in a program of toxicologic evaluation by a medical expert subject to review by the programs Toxicological review board to contain no materials in sufficient quantities to offer an acute or chronic health hazard to humans.

No acute or chronic health labeling is required under, provision of federal law, the federal hazardous substance act, or under ASTM Standard D 4236.

Section III - Physical/	Chemica	II Characteristics	
Boiling Point	N/A	Specific Gravity (H ₂ O = 1)	N/A
Vapor Pressure (mm Hg)	N/A	Melting Point	N/A
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water	N/A		

Solid Stick Form - Cedar Fragrance, Dk. Grey - Black

Appearance and Odor

(T)650-369-4889 · (F)650-369-7169

Section IV - Fire and Explosion Hazard Data

Flash Point

Flammable

(Method Used)

Limits

LEL

UEL

365° F

N/A

N/A

N/A

Extinguishing Media

Foam, Carbon Dioxide, Dry Chemical

Special Fire Fighting Procedures

A self contained breathing device should be used when there is potential exposure to combustion products burning in bulk.

Unusual Fire and Explosion Hazards

Pencil products stored in bulk are subject to ignition by fire and may, in case of fire, release toxic and other irritating gasses.

Section V - Reactivity Data

Stability

Unstable

N/A

Conditions to Avoid

Stable

N/A

N/A

Incompatibility (Materials to Avoid)

N/A

Hazardous Decomposition or Byproducts

N/A

Hazardous Polymerization

May Occur

N/A

Conditions to Avoid

N/A

Will Not Occur

N/A N/A

Section VI - Health Hazard Data

Route(s) of Entry:

Inhalation?

Skin?

Ingestion?

N/A

N/A

N/A

N/A

Health Hazards (Acute and Chronic)

N/A

Carcinogenicity:

NTP?

IARC Monographs?

OSHA Regulated?

N/A

N/A

N/A

N/A

Signs and Symptoms of Exposure

N/A

Medical Conditions Generally Aggravated by Exposure

N/A

Emergency and First Aid Procedures

N/A

 $(T)650-369-4889 \cdot (F)650-369-7169$

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

N/A

Waste Disposal Method

N/A

Precautions to Be taken in Handling and Storing

N/A

Other Precautions

N/A

Section VIII - Control Measures

Respiratory Protection (Specify Type)

N/A

Ventilation:

Local Exhaust

N/A

Special

N/A

Mechanical (General) N/A

Other

N/A

Protective Gloves

Eye Protection

N/A

N/A

Other Protective Clothing or Equipment

N/A

Work/Hygienic Practices

N/A

Section IX - Other

PMA Certified

* U.S.G.P.O.: 1986 - 491 - 529/45775

^{**}This information sheet is for the consumer use of this product only.

^{***}The information herein is given in good faith, but no warranty, expressed or implied, is made.

 $(T)650-369-4889 \cdot (F)650-369-7169$

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072



IDENTITY (As Used on Label and List) **General Pencil Charcoal**

Charcoal

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

SECTION I

Manufacturer or Distributor's Name

General Pencil Company, Inc.

Address

(Number, Street, City, State, and ZIP Code)

(NJ) 67 Fleet St., Jersey City, NJ 07306

(CA) 3160 Bay Rd., Redwood City, CA 94063

Emergency Telephone Number

1-800-537-0734

Telephone Number for Information

(NJ) 1-201-653-5351 or (CA) 1-650-369-4889

Date Prepared 3/5/03

Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information

Hazardous Components

(Specific Chemical Identity; Common Name(s))

OSHA PEL

ACGIH TLV

Other Limits

Recommended (optional)

N/A

Section III - Physical/Chemical Characteristics

Boiling Point

N/A

Specific Gravity $(H_2O = 1)$

N/A

Vapor Pressure (mm Hg)

N/A

Melting Point

N/A

Vapor Density (AIR = 1)

N/A

Evaporation Rate (Butyl Acetate = 1) N/A

Solubility in Water

N/A

Reactivity in Water

Non-Reactive

Appearance and Odor

Wood cased pencil, no odor

Section IV - Fire and Explosion Hazard Data

Flash Point

Flammable

(Method Used)

LEL

UEL

N/A

N/A

Limits

N/A

N/A

Extinguishing Media

No special media required.

Special Fire Fighting Procedures

No special fire fighting procedures required.

Unusual Fire and Explosion Hazards

Not combustible.

 $(T)650-369-4889 \cdot (F)650-369-7169$

Section V - Reactivity Data

Stability Unstable

Conditions to Avoid

Stable

Χ

N/A

Incompatibility (Materials to Avoid)

N/A

Hazardous Decomposition or Byproducts

N/A

Hazardous Polymerization

May Occur

N/A

Conditions to Avoid

Will Not Occur

N/A N/A

Section VI - Health Hazard Data

Route(s) of Entry:

Inhalation?

Skin?

Х

Eyes?

Ingestion?

X

Health Hazards (Acute and Chronic)

None expected

Carcinogenicity:

NTP?

IARC Monographs?

OSHA Regulated?

Χ

No

Νo

No

Signs and Symptoms of Exposure

N/A

Medical Conditions Generally Aggravated by Exposure

N/A

Emergency and First Aid Procedures

None Required

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

None Required.

Waste Disposal Method

Dispose in accordance with Federal, State, and Local regulations

Precautions to Be taken in Handling and Storing

None required.

Other Precautions

None required.

 $(T)650-369-4889 \cdot (F)650-369-7169$

Section VIII - Control Measures

Respiratory Protection (Specify Type)

None required.

Ventilation: Local Exhaust Special N/A

Mechanical (General)

Other

N/A

Protective Gloves

Eye Protection

N/A

N/A

Other Protective Clothing or Equipment

N/A

Work/Hygienic Practices

Section IX - Color Information

This MSDS applies to the following colors which are associated with hazardous and/or non-

hazardous ingredients.

557-2B	570PC	957-6B
557-4B	967	960-2B
557-6B	957-2B	960-4B
557-HB	957-4B	960-6B

Section X - Other

PMA Certified

* U.S.G.P.O.: 1986 - 491 - 529/45775

^{**}This information sheet is for the consumer use of this product only.

^{***}The information herein is given in good faith, but no warranty, expressed or implied, is made.