GENERAL STORAGE CODE GREEN

SAFETY DATA SHEET

Section 1 Identification Page E1 of E2

INNOVATING SCIENCE® by Aldon Corporation 221 Rochester Street Avon, NY 14414-9409 (S59) 228-6179

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory and industrial use only. Not for drug, food or household use.

Product COLIFORM TEST BROTH BCP

Synonyms None

SDS No.: MM1044

Section 2 Hazards identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: Not classified Pictograms: Not classified Target organs: None known

GHS Classification: Not classified

GHS Label information:

Hazard statement: Not classified Precautionary statement: Not classified

Supplemental information:

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Combustible dust Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients								
Chemical Name	CAS#	%	EINECS					
Peptone	91079-38-8	35.7%	293-426-3					
Lactose, monohydrate	64044-51-5	35.7%	200-559-2 [Lactose, anhydrous CAS # 63-42-3]					
Sodium chloride	7647-14-5	17.8%	231-598-3					
Beef Extract	None	10.7%	None					
Bromocresol purple, sodium salt	62625-30-3	0.1%	263-655-3					

Section 4 First aid measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE TRANSIENT IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: Dust dispersed in air is capable of creating a dust explosion when exposed to an ignition source. Avoid dispersion of dust in air.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8	Exposure controls / personal protection						
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)			
Exposure Limits:	Peptone	Not established	Not established	Not established			

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9 Physical and chemical properties

Appearance: Solid tan powder Odor: Characteristic bland odor Odor threshold: Data not available

pH: Data not available Melting / Freezing point: Data not available.

Flash point: Data not available

Boiling point: Data not available.

Evaporation rate (= 1): Data not available Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available Vapor pressure (mm Hg): Data not available.

Vapor density (Air = 1): Data not available Relative density (Specific gravity): Data not available. Solubility(ies): Soluble in boiling water. Insoluble in cold water. Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available.

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

Section 10 Stability and reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition. Avoid practices which produce dust.

Incompatible materials: Strong oxidizers, alkalies. Hazardous decomposition products: Carbon oxides.

Section 11 **Toxicological information**

Acute toxicity: Oral-rat LD50: 1100 mg/kg [Agar CAS # 9002-18-0]

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation of high concentrations may cause unpleasant deposits in the nasal passages.

Ingestion: Ingestion may cause stomach irritation.

Skin: No specific hazard known.

Eyes: Contact with eyes may cause irritation.

Signs and symptoms of exposure: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is

not available. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: AW7950000 [Agar]

Section 12 **Ecological information**

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: Not applicable Shipping name: Not Regulated

Hazard class: Not applicable Packing group: Not applicable Reportable Quantity: No Marine pollutant: No

2020 ERG Guide # Not applicable **Exceptions:** Not applicable

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Agar	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain
Starch, soluble	Listed	Not listed	Not listed	Listed	Not listed	any chemicals known to the State
Beef Extract	Listed	Not listed	Not listed	Listed	Not listed	of California to cause cancer or
Casein Acid extract	Not listed	Not listed	Not listed	Not Listed	Not Listed	reproductive toxicity.

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook

Revision Date: June 21, 2022 Supercedes: June 21, 2022 Form 06/2015

INNOVATING SCIENCE by Aldon Corporation 221 Rochester Street Avon, NY 14414-9409 (S85) 228-6174

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory and industrial use only. Not for drug, food or household use.

Product STARCH, 1% INDICATOR SOLUTION

Synonyms Starch, Aqueous Solution

Section 2 Hazards identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: Not classified Pictograms: Not classified Target organs: None known

SDS No.: SS0982

GHS Classification: Not classified

GHS Label information:

Hazard statement(s): Not classified Precautionary statement(s): Not classified

Supplemental information:

Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients							
Chemical Name	CAS#	%	EINECS				
Water Starch, soluble Methylparaben	7732-18-5 9005-84-9 99-76-3	98.9% 1.0% 0.1%	231-791-2 232-686-4 202-785-7				

Section 4 First aid measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8	Exposure controls / personal protection						
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)			
Exposure Limits:	Starch (9005-25-8)	TWA: 10 mg/m ³ (A4)	TWA: 15 mg/m ³ (Total dust)	TWA: 10 mg/m ³ (Total dust)			

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

Appearance: Clear, colorless liquid.

Odor: No odor.

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: Approximately 0°C (32°F) (water)
Boiling point: Approximately 100°C (212°F) (water)

Flash point: Data not available

Evaporation rate (Water = 1): <1 Flammability (solid/gas): Data not available.

Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water)

Relative density (Specific gravity): Approximately 1.0 (water)

Solubility(ies): Complete in water.

Partition coefficient: Data not available
Auto-ignition temperature: Data not available
Decomposition temperature: Data not available.

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

Section 10 Stability and reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation.

Incompatible materials: No data available.

Hazardous decomposition products: None.

Section 11 Toxicological information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: None expected at this concentration. Ingestion: Ingestion may cause stomach irritation.

Skin: No hazard known.

Eyes: Contact with eyes may cause irritation.

Signs and symptoms of exposure: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is

not available. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: GM5090000 [Starch 9005-25-8]

Section 12 Ecological information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: Not applicable Shipping name: Not Regulated

Hazard class: Not applicable Packing group: Not applicable Reportable Quantity: No Marine pollutant: No

Exceptions: Not applicable 2020 ERG Guide # Not applicable

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Starch, soluble	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Form 06/2015 Revision Date: November 15, 2022 Supercedes: October 26, 2020

INNOVATING SCIENCE by Aldon Corporation 221 Rochester Street Avon, NY 14414-9409 (88) 228-617

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory and industrial use only. Not for drug, food or household use.

Product MANGANESE(II) CHLORIDE REAGENT

Synonyms Manganous Chloride 3M, Aqueous Solution

Section 2 Hazards identification

Signal word: WARNING

SDS No.: MM0189

Pictograms: GHS07 / GHS08 / GHS09

Target organs: Central nervous system, Lungs, Blood, Kidneys



GHS Classification:

Acute toxicity, oral (Category 4) Eye irritation (Category 2A) STOT-RE (Category 2) Aquatic toxicity, chronic (Category 2)

GHS Label information: Hazard statement:

H302: Harmful if swallowed.

H319: Causes serious eve irritation.

H373: May cause damage to organs through prolonged or repeated exposure.

H411: Toxic to aquatic life with long lasting effects.

Precautionary statement:

P260: Do not breathe mist/vapours/spray. P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

P330: Rinse mouth.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P314: Get medical attention if you feel unwell.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients							
Chemical Name		CAS#	%	EINECS			
Manganese chloride, tetra Water	ahydrate	13446-34-9 7732-18-5	60% 40%	231-869-6 231-791-2			

Section 4 First aid measures

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SERIOUS EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use extinguishing agent suitable for type of surrounding fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale mist/vapours/spray. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8	Exposure controls / personal protection						
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)			
Exposure Limits:	Manganese chloride	Not established	Not established	Not established			

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

Appearance: Liquid. Pale pink.

Odor: No odor.

Odor threshold: Data not available.

pH: Data not available

Melting / Freezing point: Approximately 0°C (32°F) (water)
Boiling point: Approximately 100°C (212°F) (water)

Flash point: Data not available

Evaporation rate (Water = 1): <1 Flammability (solid/gas): Data not available.

Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water)

Relative density (Specific gravity): Approximately 1.0 (water)

Solubility(ies): Complete in water.

Partition coefficient: Data not available
Auto-ignition temperature: Data not available
Decomposition temperature: Data not available.

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

Section 10 Stability and reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation.

Incompatible materials: Strong acids, reducing agents, hydrogen peroxide, sodium, potassium, and zinc. **Hazardous decomposition products:** Oxides of the contained metals and halogen, hydrogen chloride gas.

Section 11 Toxicological information

Acute toxicity: Oral-rat LD50: 1484 mg/kg [Manganese chloride]

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available **STOT-single exposure:** Data not available

STOT-repeated exposure: May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard: Data not available

Potential health effects:

Inhalation: May irritate the respiratory tract. May increase the incidence of upper respiratory infections (pneumonia).

Ingestion: May cause abdominal pain and nausea. Manganese salts may produce hypoglycemia and decreased calcium blood levels should absorption occur.

Skin: Contact may cause irritation, redness and/or pain. Eyes: Contact may cause irritation, redness and/or pain.

Signs and symptoms of exposure: Early symptoms include sluggishness, sleepiness and weakness in the legs. Advanced cases have shown fixed facial expressions, emotional disturbances, specific rait and falling. Illness closely recembles Parkinson's Disease. Exercise appropriate procedures to minimize potential bazards.

emotional disturbances, spastic gait and falling. Illness closely resembles Parkinson's Disease. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: OO9650000 [Manganese chloride]

Section 12 Ecological information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Exceptions: Not applicable

Persistence and degradability: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: Not applicable
Hazard class: Not applicable
Packing group: Not applicable

2020 ERG Guide # Not applicable

Reportable Quantity: No Marine pollutant: No

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Manganese chloride (as CAS # 7773-01-5)	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Form 06/2015 Revision Date: October 24, 2022 Supercedes: October 7, 2020

INNOVATING SCIENCE by Aldon Corporation 221 Rochester Street Avon, NY 14414-9409 (88) 228-617

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory and industrial use only. Not for drug, food or household use.

Product ALKALINE IODIDE REAGENT

Synonyms None

Section 2 Hazards identification

Signal word: DANGER Pictograms: GHS05

Target organs: Respiratory tract, gastrointestinal tract, eyes, skin.



GHS Classification:

Skin corrosion (Category 1A)

GHS Label information: Hazard statement:

H314: Causes severe skin burns and eye damage.

Precautionary statement:

P260: Do not breathe mist/vapours/spray. P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310: Immediately call a POISON CENTER or doctor/physician.

P363: Wash contaminated clothing before reuse.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients						
Chemical Name	CAS#	%	EINECS			
Water Sodium iodide Sodium hydroxide	7732-18-5 7681-82-5 1310-73-2	52.08% 31.25% 16.67%	231-791-2 231-679-3 215-185-5			

Section 4 First aid measures

INGESTION: MAY BE FATAL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE DAMAGE. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CAUSES SEVERE BURNS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Dry chemical, water spray, alcohol foam. Can react with carbon dioxide to form sodium carbonate.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume. Contact with metals can generate hydrogen gas.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Protect from light.

Section 8	Exposure controls / personal protection						
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)			
	Sodium hydroxide	STEL: C 2 mg/m ³	TWA: 2 mg/m ³	STEL: C 2 mg/m ³			

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9 Physical and chemical properties

Appearance: Clear, colorless liquid. Odor: No odor. Odor threshold: Not applicable.

pH: Data not available

Melting / Freezing point: ~ 0°C (~ 32°F) [water] Boiling point: ~ 100°C (212°F) [water]

Flash point: Not flammable.

Evaporation rate (Water = 1): < 1 Flammability (solid/gas): Not applicable. Explosion limits: Lower / Upper: Not applicable

Vapor pressure (mm Hg): 14 [water] Vapor density (Air = 1): 0.7 [water]

Relative density (Specific gravity): 1.0 [water]

Solubility(ies): Complete in water.

Partition coefficient: (n-octanol / water): Not applicable

Auto-ignition temperature: Not applicable Decomposition temperature: Data not available

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

Section 10 Stability and reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Can react with carbon dioxide to form sodium carbonate.

Incompatible materials: Metals, acids, organic compounds, organic nitro compounds. Strong oxidizers, metallic salts, chloral hydrate, perchloric acid, bromine trifluoride

Hazardous decomposition products: Sodium oxide. Reacts with metals to form flammable and explosive hydrogen gas. Iodine, sodium oxide. In presence of acids can

liberate hydrogen iodide. In presence of oxidizers can liberate iodine

Section 11 Toxicological information

Acute toxicity: Data not available

Skin corrosion/irritation: Skin - rabbit - Causes severe burns. - 24 h [Sodium hydroxide] Serious eye damage/irritation: Eyes - rabbit - Severe eye irritation - 24 h [Sodium hydroxide]

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.

Ingestion: May be harmful if swallowed.

Skin: May be harmful if absorbed through skin. Causes skin burns.

Eyes: Causes eye burns. Causes severe eye burns.

Signs and symptoms of exposure: Spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, cough, wheezing, laryngitis, shortness of breath, headache, nausea, vomiting. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Ingestion may cause effects on the thyroid. May cause systemic sensitization with symptoms that may include airway obstruction and various skin reactions or even anaphylactic shock. Additional information: RTECS#: WB4900000 [Sodium hydroxide] / WB6475000 [Sodium iodide]

Ecological information

Toxicity to fish: LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h [Sodium hydroxide]

Toxicity to daphnia and other aquatic invertebrates: Immobilization EC50 - Daphnia - 40.38 mg/l - 48 h [Sodium hydroxide]

Toxicity to algae: No data available

Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: UN1824 Shipping name: Sodium hydroxide solution

Reportable Quantity: 1,000 lbs (454 kg) Hazard class: 8 Packing group: || Marine pollutant: No

2020 ERG Guide # 154 **Exceptions:** Limited quantity equal to or less than 1 L

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Sodium hydroxide	Listed	1,000 lbs (454 kg)	D002	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.
Sodium iodide	Listed	Not listed	Not listed	Listed	Not listed	

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook

Revision Date: July 6, 2022 Supercedes: September 10, 2020 Form 06/2015

INNOVATING SCIENCE by Aldon Corporation 221 Rochester Street Avon, NY 14414-9409 (88) 228-617

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory and industrial use only. Not for drug, food or household use.

Product SULFURIC ACID, 9 MOLAR (18 NORMAL) SOLUTION

Synonyms Sulfuric Acid, Water Solution (9M/18N) / 50% Sulfuric Acid

Section 2 Hazards identification

Signal word: DANGER

Pictograms: GHS05 / GHS06 / GHS08

Target organs: Respiratory system, skin, eyes, teeth.







GHS Classification:

Corrosive to metals (Category 1) Skin corrosion (Category 1A) Eye damage (Category 1) Acute toxicity, inhalation (Category 2) Carcinogenicity (Category 1A)

GHS Label information: Hazard statement(s):

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

H330: Fatal if inhaled. H350: May cause cancer.

Precautionary statement(s):

P234: Keep only in original container.
P260: Do not breathe mist/vapours/spray.
P264: Wash hands thoroughly after handling.
P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P284: Wear respiratory protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P310: Immediately call a POISON CENTER or doctor.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P390: Absorb spillage to prevent material damage.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P406: Store in corrosive resistant container with a resistant inner liner.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / infor	Section 3 Composition / information on ingredients							
Chemical Name	CAS#	%	EINECS					
Water	7732-18-5	50%	231-791-2					
Sulfuric acid, concentrate	7664-93-9	50%	231-639-5					

Section 4 First aid measures

INGESTION: Harmful or fatal if swallowed. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Harmful or fatal if inhaled. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: Causes severe burns. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Causes severe burns. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Product is a water reactive material, DO NOT USE WATER! Use dry chemicals only for extinguishing.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water on combustibles burning in vicinity of acid but use care as water applied to the acid results in severe generation of heat and may cause boiling and splattering. Sulfuric acid will not burn, but is capable of igniting finely divided combustible materials on contact. May react violently with organic materials and water with the evolution of heat. Contact with reactive metals, e.g. aluminum, may result in the generation of flammable hydrogen gas.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Hygroscopic material. Never add water to this solution, always add acid, slowly and in small amounts to water to avoid splattering.

Section 8 Exposure controls / personal protection **Chemical Name** ACGIH (TLV) OSHA (PEL) NIOSH (REL) **Exposure Limits:** TWA: 0.2 mg/m³(A2) TWA: 1 mg/m³ Sulfuric acid TWA: 1 mg/m³

Engineering controls: Facilities storing or utilizing this material should be equipped with an evewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: Use a chemical fume hood and/or wear a NIOSH/MSHA-approved respirator.

Physical and chemical properties Section 9

Appearance: Clear to slightly cloudy liquid.

Odor: Slightly pungent odor.

Odor threshold: Data not available

pH: Data not available.

Melting / Freezing point: Approximately 0°C (32°F) (water) Boiling point: Approximately 100°C (212°F) (water)

Flash point: Data not available

Stability and reactivity

Evaporation rate (Water = 1): <1

Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water)

Relative density (Specific gravity): Approximately 1.0 (water)

Solubility(ies): Complete in water.

Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available.

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

Section 10 Chemical stability: Stable

Hazardous polymerization: Will not occur. Conditions to avoid: Avoid contact with water and heat. Avoid temperatures above 250°C (482°F). Incompatible materials: Alkalies, amines, anhydrides, combustibles, organics, oxidizers, powdered metals. Hazardous decomposition products: Sulfur trioxide and/or sulfur dioxide. Hydrogen gas by reaction with metals.

Section 11 Toxicological information

Acute toxicity: Oral-rat LD50: 2140 mg/kg; Inhalation-rat LC50: 510 mg/m3/2 hours (Sulfuric acid)

Skin corrosion/irritation: Skin-rabbit - causes burns (Sulfuric acid)
Serious eye damage/irritation: Eyes-rabbit - causes burns (Sulfuric acid)
Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available NTP: This product contains a chemical known to be a human carcinogen. (Sulfuric acid)

IARC classified: Group 1: Carcinogenic to humans. [Acid mists, strong inorganic]
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
CA Prop 65: A WARNING!: This product can expose you a chemical, Strong inorganic acid mists containing sulfuric acid, which is known to the State of California to cause cancer

Reproductive toxicity: Data not available STOT-single exposure: Data not available

STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation of this material is irritating and/or corrosive to the nose, throat and lungs. It may also cause burns to the respiratory tract with the production of lung edema which can result in shortness of breath, wheezing, choking, chest pain and impairment of lung function. Inhalation of high concentrations may result in permanent lung damage. Repeated inhalation may cause bronchitis, and also etching of dental enamel followed by the erosion of the enamel and dentine with loss of tooth substance. Ingestion: Ingestion may cause irritation and/or burns to the entire gastrointestinal tract, including the stomach and intestines, characterized by nausea, vomiting, diarrhea, abdominal pain, bleeding and/or tissue ulceration.

Skin: Skin contact can cause severe irritation and/or burns characterized by redness, swelling and scab formation.

Eyes: Severe irritation and/or burns can occur following eye exposure. Contact may cause impairment of vision and corneal damage

Signs and symptoms of exposure: Burning sensation, cough, wheezing, laryngitis, shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Additional information: RTECS #: WS5600000 (Sulfuric acid)

Ecological information

Toxicity to fish: LC50 - Gambusia affinis (Mosquito fish) - 42 mg/l - 96 h (Sulfuric acid)

Toxicity to daphnia and other aquatic invertebrates: Crangon crangon (crustacea) 70-80 mg/l/48 hours (Sulfuric acid)

Toxicity to algae: No data available

Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: UN2796 Shipping name: Sulfuric acid

Hazard class: 8 Packing group: || Reportable Quantity: 1,000 lbs (454 kg) Marine pollutant: No

Exceptions: Limited quantity equal to or less than 1 L 2020 ERG Guide # 157

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Sulfuric acid	Listed	1000 lbs (454 kg)	D002	Listed	Not listed	▲ WARNING -Cancer - www.P65Warnings.ca.gov.

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook

Revision Date: November 16, 2022 Supercedes: October 27, 2020 Form 06/2015

INNOVATING SCIENCE "Cutting edge science for the classroom" "Cutting edge science for the classroom" "Cutting edge science for the classroom"

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory and industrial use only. Not for drug, food or household use.

Product SODIUM THIOSULFATE TITRANT
Synonyms Sodium Thiosulfate, Aqueous Solution

Section 2 Hazards identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: Not classified Pictograms: Not classified Target organs: None known

GHS Classification: Not classified

GHS Label information: Hazard statement: Not classified

Precautionary statement: Not classified

Supplementary information:

Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients						
Chemical Name	CAS#	%	EINECS			
Water Sodium thiosulfate, anhydrous Sodium borate, decahydrate	7732-18-5 7772-98-7 1303-96-4	99.52% 0.45% 0.03%	231-791-2 231-867-5 215-540-4			

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8	ection 8 Exposure controls / personal protection						
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)			
Exposure Limits.	Sodium thiosulfate	Not established	Not established	Not established			

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

Appearance: Clear, colorless liquid.

Odor: No odor.

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: Approximately 0°C (32°F) (water)
Boiling point: Approximately 100°C (212°F) (water)

Flash point: Data not available

Stability and reactivity

Evaporation rate (Water = 1): <1

Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water)

Relative density (Specific gravity): Approximately 1.0 (water)

Solubility(ies): Complete in water.

Partition coefficient: Data not available
Auto-ignition temperature: Data not available
Decomposition temperature: Data not available.

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

Section 10 Stability and reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation.

Incompatible materials: Strong oxidizing agents, sodium nitrate, iodides, silver salts, mercury salts, lead.

Hazardous decomposition products: Sodium oxides, sulfur oxides.

Section 11 Toxicological information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inflammation and swelling of the larynx and bronchi, spasm, chemical pneumonitis and pulmonary edema, burning, coughing, wheezing, laryngitis, shortness of

breath, headache.

Ingestion: Nausea and vomiting. Skin: Irritation, itchiness, redness. Eyes: Irritation, redness, tearing.

Signs and symptoms of exposure: See Potential health effects above. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: XN6476000 (Sodium thiosulfate)

Section 12 Ecological information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: Not applicable Shipping name: Not Regulated Hazard class: Not applicable Packing group: Not applicable

Packing group: Not applicable Reportable Quantity: No Marine pollutant: No

Exceptions: Not applicable 2020 ERG Guide # Not applicable

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list

	,	,				
Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Sodium thiosulfate, anhydrous	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or
						reproductive toxicity

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Form 06/2015 Revision Date: November 14, 2022 Supercedes: October 23, 2020

INNOVATING SCIENCE® by Aldon Corporation 221 Rochester Street

"Cutting edge science for the classroom"

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory and industrial use only. Not for drug, food or household use.

GRIESS REAGENT Product None

Section 2 Hazards identification

Signal word: DANGER

Synonyms

Pictograms: GHS02 / GHS06 / GHS08

Target organs: Eyes, Central nervous system, Liver, Kidneys.



GHS Classification:

Flammable liquid (Category 3) Acute toxicity, oral (Category 3) Acute toxicity, dermal (Category 3) Acute toxicity, inhalation (Category 3) Eye irritation (Category 2B) STOT-SE (Category 2) STOT-SE (Category 3)

GHS Label information: Hazard statement:

H226: Flammable liquid and vapour.

H301: Toxic if swallowed

H311: Toxic in contact with skin.

H319: Causes serious eye irritation.

H331: Toxic if inhaled.

H336: May cause drowsiness or dizziness. H371: May cause damage to organs.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Precautionary statement:

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking

P233+P235: Keep container tightly closed. Keep cool. P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge

P260: Do not breathe mist/vapours/spray. P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P311: IF exposed or concerned: Call a POISON CENTER or doctor.

P312: Call a POISON CENTER or doctor if you feel unwell.

P337+P313: If eye irritation persists: Get medical attention.

P361+P364: Take off immediately all contaminated clothing and wash it before reuse. P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish.

P403+P405: Store in a well-ventilated place. Store locked up

P501: Dispose of contents/container to a licensed chemical disposal agency in

accordance with local/regional/national regulations.

Section 3 Composition / information on ingredients					
Chemical Name	CAS#	%	EINECS		
Water	7732-18-5	69.62%	231-791-2		
Ethyl alcohol	64-17-5	14.30%	200-578-6		
Phosphoric acid	7664-38-2	12.83%	231-633-2		
Sulfanilamide	63-74-1	1.00%	200-563-4		
Isopropyl alcohol	67-63-0	0.79%	200-661-7		
Methanol	67-56-1	0.71%	200-659-6		
2-Mercapto-5-benzimidazolesulfonic acid sodium salt dihydrate	207511-11-3	0.50%	258-862-0		
N-(1-Naphthyl)ethylenediamine dihydrochloride	1465-25-4	0.25%	215-981-2		

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8	Exposure controls / personal protection						
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)			
Exposure Limits.	Ethanol	STEL: 1000 ppm / 1880 mg/m ³ (A3)	TWA: 1000 ppm / 1900 mg/m ³	TWA: 1000 ppm / 1900 mg/m ³			

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

Appearance: Clear, colorless liquid. Odor: Mild characteristic odor. Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: Data not available

Boiling point: Data not available

Flash point: 42°C (108°F) estimated 14% ethanol

Evaporation rate (Water = 1): >1

Flammability (solid/gas): Data not available.
Explosion limits: Lower / Upper: Data not available
Vapor pressure (mm Hg): Data not available

Vapor density (Air = 1): Data not available
Relative density (Specific gravity): Data not available

Solubility(ies): Soluble in water.

Partition coefficient: Data not available

Auto-ignition temperature: Data not available

Decomposition temperature: Data not available.

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

Section 10 Stability and reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur. Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition.

Incompatible materials: Contact with acetyl chloride and a wide range of oxidizing agents may react violently. Vapors may form flammable mixtures with air. Strong oxidizers,

strong reducing agents, fluorine, bases, sulfur trioxide, phosphorus pentoxide, and finely divided metals

Hazardous decomposition products: Oxides of carbon, phosphorous oxides.

Section 11 Toxicological information

Acute toxicity: Ethanol: Oral-rat LD50: 7060 mg/kg, Phosphoric acid: Oral-rat LD50: 1,530 mg/kg; Dermal-rabbit LD50: 2,740 mg/kg; Inhalation-rabbit LC50: 1.689 mg/l/4 hours

Skin corrosion/irritation: Ethanol: Skin-rabbit - Slight irritant.

Serious eye damage/irritation: Ethanol: Eyes-rabbit - Severe irritant.

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 3: Not classifiable as to its carcinogenicity to humans. [Isopropanol]

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

CA Prop 65: A WARNING! : This product can expose you to Methanol, which is known to the State of California to cause birth defects or other reproductive harm.

Reproductive toxicity: Data not available

STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation may cause dizziness, drowsiness, nausea, vomiting, inability to concentrate and irritation of the throat.

Ingestion: Ingestion may cause dizziness, drowsiness, decreased reaction, euphoria, nausea, vomiting, staggering gait and coma.

Skin: Contact with skin causes irritation defatting on prolonged contact.

Eyes: Contact with eyes may cause severe irritation.

Signs and symptoms of exposure: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is

not available. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: Ethanol: KQ6300000 / Phosphoric acid: TB6300000

Section 12 Ecological information

Toxicity to fish: Oncorhynchus mykiss (fish, fresh water), LC50 = 11,200 mg/l/24 hours [Ethanol]

Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacia), EC50 = 10,800 mg/l/24 hours [Ethanol, 99.8% pure]

Toxicity to algae: Chlorella pyrenoidosa (Algae), EC50 = 9,310 mg/l/growth rate [Ethanol, absolute]

Persistence and degradability: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: UN2924 Shipping name: Flammable liquids, corrosive, n.o.s., (Ethanol, Phosphoric acid)

Hazard class: 3, (8) Packing group: III Reportable Quantity: 5,000 lbs (2270 kg) Marine pollutant: No

Exceptions: Limited quantity equal to or less than 5 L 2020 ERG Guide # 132

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Ethanol	Listed	Not listed	D001	Listed	Not listed	
Phosphoric acid	Listed	5000 lb (2270 kg)	Not listed	Listed	Not listed	- www.P65Warnings.ca.gov.
Methanol	Listed	5,000 lbs.	U154	Listed	Not listed	- www.r covvarrings.ca.gov.

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Form 06/2015 Revision Date: October 17, 2022 Supercedes: October 1, 2020

INNOVATING SCIENCE® by Aldon Corporation 221 Rochester Street

"Cutting edge science for the classroom"

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300

For laboratory and industrial use only. Not for drug, food or household use.

CADMIUM METAL Product

Section 2 Hazards identification

Signal word: DANGER

Synonyms

Pictograms: GHS02 / GHS06 / GHS08 / GHS09

Target organs: Liver, Kidneys, Lungs

Cadmium











Flammable solid (Category 2)

Acute toxicity, inhalation (Category 2)

Mutagenicity (Category 2) Carcinogenicity (Category 1B)

Reproductive toxicity (Category 2)

STOT-RE (Category 1)

Aquatic toxicity acute (Category 1)

Aquatic toxicity chronic (Category 1)

GHS Label information: Hazard statement:

H228: Flammable solid

H330: Fatal if inhaled.

H341: Suspected of causing genetic defects.

H350: May cause cancer.

H361fd: Suspected of damaging fertility. Suspected of damaging the unborn child.

H372: Causes damage to organs through prolonged or repeated exposure.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary statement:

P201: Obtain special instructions before use

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P240: Ground and bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P260: Do not breathe dust.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P284: Wear respiratory protection.

P391: Collect spillage.

P308+P313: IF exposed or concerned: Get medical attention.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for

P310: Immediately call a POISON CENTER or doctor.

P370+P378: In case of fire: Use dry chemical, soda ash, lime, or sand to extinguish.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3	Composition / information on	n on ingredients						
Chemical Name		CAS#	%	EINECS				
Cadmium		7440-43-9	>99.8%	231-152-8				

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: FATAL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use triclass, dry chemical fire extinguisher. Do NOT use water on fire where molten metal is present..

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Reacts violently with potassium.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways

Containment and Cleanup: Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts or fumes. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Avoid exposure to water and moisture.

Section 8	tion 8 Exposure controls / personal protection						
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)			
Exposure Limits.	Cadmium compounds, as Cd	TWA: 0.01 mg/m ³ (A2)	TWA: 0.005 mg/m ³	Not established			

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9 Physical and chemical properties

Appearance: Solid. Silvery tinged powder

Odor: No odor

Odor threshold: Data not available

pH: Data not available

Melting / Freezing point: 321°C (610°F)

Boiling point: 765°C (1409°F) Flash point: Data not available Evaporation rate (= 1): Data not available Flammability (solid/gas): Data not available Explosion limits: Lower / Upper: Data not available Vapor pressure (mm Hg): 0.00013 hPa @ 180°C (356°F)

Vapor density (Air = 1): Data not available Relative density (Specific gravity): 8.65 @ 25°C

Solubility(ies): Insoluble in water

Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available

Viscosity: Data not available Molecular formula: Cd Molecular weight: 112.40

Section 10 Stability and reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures and other sources of ignition. Avoid the generation of dust and exposure to air.

Incompatible materials: Air, acids, nitryl fluoride, ammonium nitrate, zinc, oxidizers, hydrogen azide, potassium, sulfur, selenium, tellurium, metals, carbonates, cyanides,

hydroxides, reducing agents.

Hazardous decomposition products: Cadmium oxides, nitrogen oxides.

Section 11 **Toxicological information**

Acute toxicity: Oral-rat LD50: 2330 mg/kg / Inhalation-rabbit LC50: 8 mg/L/4 hours

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: Known to be a human carcinogen. [Cadmium and compounds, as Cd]

IARC classified: Group 1: Carcinogenic to humans. [Cadmium and compounds, as Cd] OSHA: Carcinogen defined with no further categorization. [Cadmium and compounds, as Cd]

Ca Prop 65: 🛦 WARNING! This product can expose you to chemicals including Cadmium and cadmium compounds, which are known to the State of California to cause cancer

and reproductive harm.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: Fatal if inhaled. Inhalation may cause cough and labored breathing. Ingestion: Ingestion causes abdominal pain, headache, diarrhea, nausea, vomiting.

Skin: Contact with skin causes irritation with redness.

Eyes: Contact with eyes may cause irritation with redness and pain.

Signs and symptoms of exposure: Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: EU9800000

Section 12 **Ecological information**

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: UN3179 Shipping name: Flammable solid, toxic, inorganic, n.o.s., (Cadmium powder)

Hazard class: 4.1, (6.1) Packing group: || Reportable Quantity: 10 lbs (4.54 kg) Marine pollutant: Yes

2020 ERG Guide # 134 **Exceptions:** Limited quantity equal to or less than 1 Kg

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Cadmium	Listed	10 lbs (4.54 kg)	D006	Listed	Not listed	★ WARNING -Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook

Revision Date: August 16, 2022 Supercedes: February 17, 2021 Form 06/2015

INNOVATING SCIENCE® by Aldon Corporation 221 Rochester Street "Cutting edge science for the classroom" (585) 226-81779 (585) 226-81779

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory and industrial use only. Not for drug, food or household use.

SILVER NITRATE, 0.1 MOLAR (0.1 NORMAL) SOLUTION Product

Synonyms Silver(I) Nitrate, Water Solution / Silver Nitrate, 0.1M (0.1N) Solution

Section 2 Hazards identification

Signal word: WARNING Pictograms: GHS07 / GHS09 Target organs: Kidneys, Liver





GHS Classification:

Skin irritation (Category 2) Eye irritation (Category 2A) Aquatic Acute (Category 1)

GHS Label information: Hazard statement:

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H400: Very toxic to aquatic life.

Precautionary statement(s):

P264: Wash hands thoroughly after handling

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water and soap. P332+P313: If skin irritation occurs: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P391: Collect spillage.

P501: Dispose of contents/container to a licensed chemical disposal agency in

accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / in	formation on ingredients			
Chemical Name	CAS#	%	EINECS	
Water Silver nitrate	7732-18-5 7761-88-8	98.3% 1.7%	231-791-2 231-853-9	

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CONTACT CAUSES SEVERE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CONTACT CAUSES IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area.

Section 8	Exposure controls / personal protection						
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)			
	Silver, soluble compounds, as Ag	TWA: 0.01 mg/m ³	TWA: 0.01 mg/m ³	TWA: 0.01 mg/m ³			

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Physical and chemical properties Section 9

Appearance: Clear, colorless liquid. Odor: Mild characteristic odor. Odor threshold: Data not available

pH: Data not available. Melting / Freezing point: Approximately 0°C (32°F) (water) Boiling point: Approximately 100°C (212°F) (water)

Flash point: Data not available

Evaporation rate (Water = 1): <1 Flammability (solid/gas): Data not available.

Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water)

Relative density (Specific gravity): Approximately 1.0 (water)

Solubility(ies): Complete in water.

Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available.

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

Section 10 Stability and reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation.

Incompatible materials: Combustible materials, reducing agents, organic substances, strong basis and alkalis.

Hazardous decomposition products: Nitrogen oxides.

Section 11 **Toxicological information**

Acute toxicity: Oral-rat LD50: 1,173 mg/kg ; Dermal-guinea pig LD50: >216 mg/kg [Silver nitrate]

Skin corrosion/irritation: Human - Corrosive [Silver nitrate] Serious eye damage/irritation: Rabbit - Corrosive [Silver nitrate]

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: Repeated inhalation may produce varying degree of respiratory irritation or lung damage.

Ingestion: May be harmful by ingestion. Skin: Contact with skin can produce irritation

Eyes: Contact with eyes may cauxse severe irritaiton.

Signs and symptoms of exposure: See Potential health effects above. To the best of our knowledge the chemical, physical and toxicological properties have not been

thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: VW4725000 [Silver nitrate]

Section 12 **Ecological information**

Toxicity to fish: Oncorhynchus mykiss (fish, fresh water), LC50 = 0.0086 mg/l/96 hours [Silver nitrate]

Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacia), EC50 = 0.0006 mg/l/48 hours [Silver nitrate]

Toxicity to algae: Chlorella vulgaris (Algae), EC50 = Ca. 0.1 mg/l/14 day - growth rate [Silver nitrate] Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: Not applicable Shipping name: Not Regulated Hazard class: Not applicable Packing group: Not applicable Reportable Quantity: 1 lbs (0.454 kg) Marine pollutant: No **Exceptions:** Not applicable

2020 ERG Guide # Not applicable

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list

Transmissing contribution to be noticed if the critical for the difference of the inventory net.						
Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Silver nitrate	Listed	Listed	D001, D011	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or
						reproductive toxicity

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook

Revision Date: November 10, 2022 Supercedes: October 19, 2020 Form 06/2015

INNOVATING SCIENCE by Aldon Corporation 221 Rochester Street Avon, NY 14414-9409 (88) 228-617

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory and industrial use only. Not for drug, food or household use.

Product POTASSIUM CHROMATE, 1 MOLAR SOLUTION

Synonyms Potassium Chromate, Water Solution

Section 2 Hazards identification

Signal word: DANGER

Pictograms: GHS07 / GHS08 / GHS09

Target organs: Respiratory system, Liver, Kidneys, Blood



GHS Classification:

Skin irritation (Category 2)
Skin sensitization (Category 1)
Eye irritation (Category 2)
Mutagenicity (Category 1B)
Carcinogenicity (Category 1B)
Aquatic toxicity, acute (Category 1)
Aquatic toxicity, chronic (Category 1)

GHS Label information: Hazard statement:

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H340: May cause genetic defects.

H350: May cause cancer.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary statement:

P201: Obtain special instructions before use

P202: Do not handle until all safety precautions have been read and understood.

P261: Avoid breathing mist/vapours/spray. P264: Wash hands thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water and soap. P333+P313: If skin irritation or rash occurs: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P391: Collect spillage.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients						
Chemical Name	CAS#	%	EINECS			
Water Potassium chromate	7732-18-5 7789-00-6	80.6% 19.4%	231-791-2 232-140-5			

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SERIOUS EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CAUSES SKIN IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use extinguishing agent suitable for type of surrounding fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale mist/vapours/spray. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances

Section 8	Exposure controls / personal protection						
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)			
	Chromium(VI) inorganic compounds	TWA: 0.05 mg/m ³ (A1) as Cr	TWA: 0.005 mg/m ³ as Cr(VI)	TWA: 0.001 mg/m ³ as Cr			

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9 Physical and chemical properties

Appearance: Liquid. Clear yellow.

Odor: No odor.

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: Approximately 0°C (32°F) (water) Boiling point: Approximately 100°C (212°F) (water)

Flash point: Data not available

Evaporation rate (Water = 1): <1

Flammability (solid/gas): Data not available.

Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water)

Relative density (Specific gravity): Approximately 1.0 (water)

Solubility(ies): Complete in water.

Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available.

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

Section 10 Stability and reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation.

Incompatible materials: Reducing agents. Most organic substances, bromides, iodides, chlorides, hypophosphites, sulfites, sulfites. Combustible materials, oxidizable mate-

Hazardous decomposition products: Potassium oxides.

Section 11 **Toxicological information**

Acute toxicity: Oral-mouse LD50: 180 mg/kg [Potassium chromate]

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: Known to be a human carcinogen. [Potassium chromate]

IARC classified: Group 1: Carcinogenic to humans. [Potassium chromate]

OSHA: Data not available.
CA Prop 65: MARNING!: This product can expose you a chemical, Chromium [hexavalent compounds], which is known to the State of California to cause cancer and

reproductive harm.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation may cause burning sensation, sore throat, cough, wheezing, labored breathing.

Ingestion: Ingestion causes nausea, vomiting, abdominal pain, burning sensation, diarrhea, shock or collapse.

Skin: Causes skin irritation. May cause an allergic skin reaction.

Eyes: Contact with eyes may cause serious irritation.

Signs and symptoms of exposure: Risk of cancer depends on level and duration of exposure. Chromium compounds in the form of chromates and dichromates have been found to be mutagenic in bacterial and mammalian cells, including those of the Chinese hamster. Recent studies indicate a significant risk of lung cancer among long-term employees of the chromate producing industry. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: GB2940000 [Potassium chromate]

Section 12 **Ecological information**

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Exceptions: Not applicable

Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

2020 ERG Guide # Not applicable

Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: Not applicable Shipping name: Not Regulated Hazard class: Not applicable Packing group: Not applicable Reportable Quantity: Yes Marine pollutant: No

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list

A chemical to consider to be noted in the content and analysis of the inventory not.						
Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Potassium chromate	Listed	10 lbs (4.54 kg)	D001, D007	Listed	Not listed	MARNING -Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook

Supercedes: October 14, 2020 Form 06/2015 Revision Date: November 3, 2022