

1 Identification

- **Product identifier**
- **Trade name:** Butyl Stearate, Lab Grade
- **Article number:** 020-6040
- **CAS Number:**
123-95-5
- **EC number:**
204-666-5
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Aqua Solutions, Inc.
6913 Highway 225
DEER PARK, TX 77536
USA
800-256-2586
- **Information department:**
Product safety department
Technical Coordinator
Sherman Nelson sherman@aquasolutions.org
- **Emergency telephone number:**
Chemtrec: 800-424-9300
Canutec: 613-996-6666



2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS07

Skin Sens. 1B H317 May cause an allergic skin reaction.

Eye Irrit. 2B H320 Causes eye irritation.

- **Label elements**
- **GHS label elements**
The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard statements**
Causes eye irritation.
May cause an allergic skin reaction.
- **Precautionary statements**
Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Specific treatment (see on this label).
Wash contaminated clothing before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/19/2014

Reviewed on 07/11/2014

Trade name: *Butyl Stearate, Lab Grade*

(Contd. of page 1)

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 1
Fire = 1
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 2
Fire = 1
Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description**
123-95-5 Butyl Stearate
- **Identification number(s)**
- **EC number:** 204-666-5

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Dispose of the collected material according to regulations.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/19/2014

Reviewed on 07/11/2014

Trade name: *Butyl Stearate, Lab Grade*

(Contd. of page 2)

See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

123-95-5 Butyl Stearate

TLV Long-term value: 10 mg/m³

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.

- **Breathing equipment:** Not required.

- **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Not required.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Semi-solid

Color: Yellow

- **Odor:** Odorless

- **Odour threshold:** Not determined.

- **pH-value:** Not determined.

- **Change in condition**

Melting point/Melting range: Information not °C

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/19/2014

Reviewed on 07/11/2014

Trade name: *Butyl Stearate, Lab Grade*

(Contd. of page 3)

Boiling point/Boiling range:	Information not °C
· Flash point:	160 °C (320 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	350 °C (662 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Not determined.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density at 20 °C (68 °F):	0.86 g/cm ³ (7.177 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with Water at 25 °C (77 °F):	3 g/l
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

Oral	LD50	32000 mg/kg (rat)
------	------	-------------------

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)** Substance is not listed.
- **NTP (National Toxicology Program)** Substance is not listed.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/19/2014

Reviewed on 07/11/2014

Trade name: *Butyl Stearate, Lab Grade*

(Contd. of page 4)

· **OSHA-Ca (Occupational Safety & Health Administration)** Substance is not listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|--|-----------------|
| · UN-Number | |
| · DOT, ADN, IMDG, IATA | Not regulated |
| · UN proper shipping name | |
| · DOT, ADN, IMDG, IATA | Not regulated |
| · Transport hazard class(es) | |
| · DOT, ADN, IMDG, IATA | |
| · Class | Not regulated |
| · Packing group | |
| · DOT, IMDG, IATA | Not regulated |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · Transport/Additional information: | |
| · DOT | |
| · Remarks: | Not Regulated |
| · IMDG | |
| · Remarks: | Not Regulated |

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/19/2014

Reviewed on 07/11/2014

Trade name: *Butyl Stearate, Lab Grade*

(Contd. of page 5)

· IATA	
· Remarks:	<i>Not Regulated</i>
· UN "Model Regulation":	<i>Not regulated</i>

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**
- **Section 355 (extremely hazardous substances):** *Substance is not listed.*
- **Section 313 (Specific toxic chemical listings):** *Substance is not listed.*
- **TSCA (Toxic Substances Control Act):** *Substance is listed.*
- **Proposition 65**
- **Chemicals known to cause cancer:** *Substance is not listed.*
- **Chemicals known to cause reproductive toxicity for females:** *Substance is not listed.*
- **Chemicals known to cause reproductive toxicity for males:** *Substance is not listed.*
- **Chemicals known to cause developmental toxicity:** *Substance is not listed.*
- **Carcinogenic categories**
- **EPA (Environmental Protection Agency)** *Substance is not listed.*
- **TLV (Threshold Limit Value established by ACGIH)** *Substance is not listed.*
- **NIOSH-Ca (National Institute for Occupational Safety and Health)** *Substance is not listed.*
- **GHS label elements**
The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** *Warning*
- **Hazard statements**
Causes eye irritation.
May cause an allergic skin reaction.
- **Precautionary statements**
Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Specific treatment (see on this label).
Wash contaminated clothing before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** *Environment protection department.*
- **Contact:** *Mr. Nelson*
- **Date of preparation / last revision**
Creation date for SDS 09/09/2014 LS
11/19/2014 / -

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/19/2014

Reviewed on 07/11/2014

Trade name: Butyl Stearate, Lab Grade

(Contd. of page 6)

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B

Skin Sens. 1B: Sensitisation - Skin, Hazard Category 1B

USA

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 18.02.2013

Revision: 18.02.2013

1 Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Tealights, Votive Candles, Victory Candles, Taper Candles, Pillar Candles, D-Lites, Cartridge Candles
- **CAS Number:**
8002-74-2
- **EC number:**
232-315-6
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the preparation** Illuminating Product.
- **1.3 Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
SternoCandleLamp
1880 Compton Ave. 101
Corona, CA 92881
Phone: 951-682-9600
- **Further information obtainable from:** Product Safety Department
- **1.4 Emergency telephone number:**
ChemTel Inc.
(800)255-3924, +1 (813)248-0585



2 Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The substance is not classified according to the CLP regulation.
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
Not applicable.
N/A
- **Information concerning particular hazards for human and environment:** Not applicable.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** N/A
- **Hazard pictograms** N/A
- **Signal word** N/A
- **Hazard statements** N/A
- **Additional information:** N/A
- **Hazard description:**
- **WHMIS-symbols:** Not hazardous under WHMIS.
- **NFPA ratings (scale 0 - 4)**



(Contd. on page 2)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 18.02.2013

Revision: 18.02.2013

Trade name: Tealights, Votive Candles, Victory Candles, Taper Candles, Pillar Candles, D-Lites, Cartridge Candles

(Contd. of page 1)

· **HMIS-ratings (scale 0 - 4)**

HEALTH	1	Health = 1
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0

· **HMIS Long Term Health Hazard Substances**

Substance is not listed.

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **3.1 Substances**
- **CAS No. Description**
8002-74-2 Paraffin waxes and Hydrocarbon waxes
- **Identification number(s)**
- **EC number:** 232-315-6

4 First aid measures

- **4.1 Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
Generally the product does not irritate the skin.
- **After eye contact:**
Remove contact lenses if worn.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 18.02.2013

Revision: 18.02.2013

Trade name: Tealights, Votive Candles, Victory Candles, Taper Candles, Pillar Candles, D-Lites, Cartridge Candles

(Contd. of page 2)

- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information** Cool endangered receptacles with water spray.

6 Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** No special measures required.
- **6.3 Methods and material for containment and cleaning up:** Pick up mechanically.
- **6.4 Reference to other sections**
No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **7.1 Precautions for safe handling** No special measures required.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **7.3 Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

8002-74-2 Paraffin waxes and Hydrocarbon waxes

REL (USA)	2 mg/m ³
TLV (USA)	2 mg/m ³
EL (Canada)	2 mg/m ³
EV (Canada)	2 mg/m ³ fume

- **Additional information:** The lists valid during the making were used as basis.

(Contd. on page 4)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 18.02.2013

Revision: 18.02.2013

Trade name: Tealights, Votive Candles, Victory Candles, Taper Candles, Pillar Candles, D-Lites, Cartridge Candles

(Contd. of page 3)

- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
- **Respiratory protection:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Not required.

9 Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Solid
Colour:	Various colours
Odour:	Odourless
Odour threshold:	Not determined.
- **pH-value:** Not applicable.
- **Change in condition**

Melting point/Melting range:	52-71 °C
Boiling point/Boiling range:	Undetermined.
- **Flash point:** < 254 °C
- **Flammability (solid, gaseous):** Product is not flammable.
- **Ignition temperature:** >300 °C
- **Decomposition temperature:** Not determined.
- **Self-igniting:** Not determined.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**

Lower:	Not determined.
--------	-----------------

(Contd. on page 5)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 18.02.2013

Revision: 18.02.2013

Trade name: Tealights, Votive Candles, Victory Candles, Taper Candles, Pillar Candles, D-Lites, Cartridge Candles

(Contd. of page 4)

Upper:	Not determined.
· Vapour pressure:	Not applicable.
· Density at 20 °C:	0,90 g/cm ³ (approximatif)
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with water:	Insoluble.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Solids content:	100,0 %
· 9.2 Other information	No further relevant information available.

10 Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide

11 Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.
The substance is not subject to classification according to the latest version of the EU lists.

(Contd. on page 6)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 18.02.2013

Revision: 18.02.2013

Trade name: Tealights, Votive Candles, Victory Candles, Taper Candles, Pillar Candles, D-Lites, Cartridge Candles

(Contd. of page 5)

12 Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** Moderately /partly biodegradable
- **12.3 Bioaccumulative potential**
Due to the distribution coefficient n-octanol/water an accumulation in organisms is possible.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Generally not hazardous for water
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

13 Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Smaller quantities can be disposed of with household waste.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|---|-----------------|
| · 14.1 UN-Number | |
| · DOT, ADR, ADN, IMDG, IATA | N/A |
| · 14.2 UN proper shipping name | |
| · DOT, ADR, ADN, IMDG, IATA | N/A |
| · 14.3 Transport hazard class(es) | |
| · DOT, ADR, ADN, IMDG, IATA | |
| · Class | N/A |
| · 14.4 Packing group | |
| · DOT, ADR, IMDG, IATA | N/A |
| · 14.5 Environmental hazards: | |
| · Marine pollutant: | No |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |

(Contd. on page 7)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 18.02.2013

Revision: 18.02.2013

Trade name: Tealights, Votive Candles, Victory Candles, Taper Candles, Pillar Candles, D-Lites, Cartridge Candles

(Contd. of page 6)

· **UN "Model Regulation":** -

15 Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

- **Section 355 (extremely hazardous substances):**

Substance is not listed.

- **Section 313 (Specific toxic chemical listings):**

Substance is not listed.

- **TSCA (Toxic Substances Control Act):**

Substance is listed.

- **Proposition 65 (California):**

- **Chemicals known to cause cancer:**

Substance is not listed.

- **Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

- **Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

- **Chemicals known to cause developmental toxicity:**

Substance is not listed.

- **Carcinogenic Categories**

- **EPA (Environmental Protection Agency)**

Substance is not listed.

- **IARC (International Agency for Research on Cancer)**

Substance is not listed.

- **TLV (Threshold Limit Value established by ACGIH)**

Substance is not listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is not listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

- **Canada**

- **Canadian Domestic Substances List (DSL)**

Substance is listed.

(Contd. on page 8)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 18.02.2013

Revision: 18.02.2013

Trade name: Tealights, Votive Candles, Victory Candles, Taper Candles, Pillar Candles, D-Lites, Cartridge Candles

(Contd. of page 7)

· **Canadian Ingredient Disclosure list (limit 0.1%)**

Substance is not listed.

· **Canadian Ingredient Disclosure list (limit 1%)**

Substance is not listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

· **Sources**

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com



Safety Data Sheet

Prang Hygieia Chalk

A  COMPANY

1. PRODUCT AND COMPANY IDENTIFICATION

Company Identification: Dixon Ticonderoga Company
615 Crescent Executive Court ste.500
Lake Mary Fl, 2746
Telephone:(800) 824-9430

Date prepared: 5/7/2003
Last revised: 10/26/2015

Product Name: Prang Hygieia Chalk

Product Code(s):
31144, 3144, 61400

2. HAZARDS IDENTIFICATION

Emergency Overview Not an acute hazard- conforms to ASTM D-4236
CAUTION!
Packaging may be subject to ignition by fire and may release toxic or other irritating gases

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-#	%Weight
Products bearing the CL Certified Products or AP Approved Products seals of the Art and Creative Materials Institute's, Inc. are certified in a program of toxicological evaluation by a medical expert, subject to review by the Institute's Toxicological Advisory Board, to contain no materials in sufficient quantities to be toxic or injurious to humans or cause acute or chronic health problems.		

Conforms to ASTM D-4236

This product is not considered to be a hazardous substance as defined under OSHA's Hazard Communication Standard (29 CFR 1910.1200)

4. FIRST AID MEASURES

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for a least 15 minutes. Get medical attention immediately if irritation develops and persists.

Skin Contact Wash off immediately with soap and plenty of water. Use a mild soap if available. Rinse immediately with plenty of water for at least 15 minutes. Remove contaminated clothing. If irritation develops, get medical attention.

Inhalation If breathed in, move person into fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical attention immediately.

Ingestion If swallowed, DO NOT induce vomiting. Call a physician or Poison Control Center immediately, Never give anything by mouth to an unconscious person.

5. Fire Fighting Measures

Extinguishing Media: Carbon dioxide, dry chemical or foam recommended. Apply water to cool exposed closed containers

Special Fire Fighting Procedures: Self contained breathing apparatus (SCBA) and full protective equipment recommended

Unusual Fire and Explosion Hazards: Packaging may be subject to ignition by fire and may release toxic gases

Flammability Data: No data

Flash Point: No data

Flammability limits: No data

Auto-ignition temperature: No data

Dust cloud ignition temperature: No data

Dust layer ignition temperature: No data

HMIS Ratings	
Health	1
Flammability	0
Reactivity	0
Protective Equi	A

6. Accidental Release Measures

Small Spill: Sweep or wipe up material. Place spilled material into appropriate waste containers for disposal

Large Spill: Sweep or wipe up material. Place spilled material into appropriate waste containers for disposal

7. Handling and Storage

Handling: Contents will stain. The use of smocks and gloves to protect personal clothing is suggested. Wash hands and surface after use.

Storing: Do not store near heat or open flame

Continued on next page

8. Exposure Controls/Personal Protection

Engineering Controls: The use of local ventilation is recommended

Personal protection: No special skin protection required. Wash skin if irritation is experienced. Eye protection is recommended

9. Physical and Chemical Properties

Physical State: Solid
Appearance: Chalk Stick
Color: Various Colors
Odor: No Odor
pH: No Data
Specific gravity: No Data
Boiling point: No Data
Freezing/melting point: No Data
Evaporation rate: No Data
Solubility: No Data
Volatility: No Data

10. Stability and Reactivity

General: This product is stable and hazardous polymerization will not occur

Incompatibility: None known

Hazardous decomposition: As with all burning organic matter, carbon monoxide and other toxic fumes may be released

11. Toxicological Information

Acute/Chronic Toxicity, Carcinogenicity, Mutagenicity Products bearing the CP Certified Products or AP Approved products seals of the Art and Creative Material's Institute are certified in a program of toxicological evaluation by a medical expert, subject to review by the Institute's Toxicological Advisory Board to contain no materials in sufficient quantities to be toxic or injurious to humans or cause acute or chronic health problems. Conforms to ASTM D-4236

12. Ecological Information

This product has not been evaluated for overall environmental effects

13. Disposal Considerations

Contain and place in approved container. Dispose of per Local, State, and Federal regulations

14. Transportation Information

DOT Classification: Not Regulated (US)

UN/NA Number: Not Regulated

TDG Classification: Not Regulated (Canada)

IMO/IMDG Classification: Not Regulated

ADR/RID Classification: Not Regulated (Europe)

ICAO/IATA Classification: Not Regulated

15. Regulatory Information

OSHA Hazard Communication Status This product is not considered to be a hazardous substance under OSHA's Federal Hazard Communication Standard 29 CFR 1910.1200

Toxic Substances Control Act (TSCA) Status All ingredients of this material has been reported to the US EPA and are included in the TSCA inventory

16. Other Information

For further product safety information call: 800-824-9430

**Validated and Verified by Dixon Ticonderoga Co.
October 26,2015**

This information contained herein is based on data considered accurate. However no warranty is expressed or implied regarding the accuracy of these data or results obtained from the use thereof. Dixon Ticonderoga company assumes no responsibility for personal damage caused by the product. Users assume all risks associated with use.





SAFETY DATA SHEET

NON-HARDENING MODELING CLAY
Issue date: 11/14/2012

SDS ID: 00141112
Revision Date: ---

*** Section 1 – PRODUCT AND COMPANY IDENTIFICATION ***

Product Name: NON-HARDENING MODELING CLAY

SARGENT ART, INC

Phone: 1-800-424-3596

100 East Diamond Ave.
Hazleton, PA 18201
www.sargentart.com

Health Emergency – Call local Poison Control Center

Synonyms: Primary Assorted Modeling Clay; Pastel Assorted Modeling Clay;
Natural Assorted Modeling Clay; Earth Tone Assorted Modeling Clay;
Color of My Friends Assorted Modeling Clay; Primary Colors Modeling Clay;
Art-Time Assorted Modeling Clay.

Product Codes: 22-4400, 22-4005; 22-4007; 22-4009; 22-4044; 22-4000; 22-4002; 22-4014;
22-4020; 22-4029; 22-4030; 22-4042; 22-4050; 22-4066; 22-4084; 22-4085;
22-4088; 22-4096; 22-7600; 22-7630; 22-7666; 22-7684; 22-7688; 22-7696;
22-7700; 22-7730; 22-7766; 22-7784; 22-7788; 22-7796; 22-1100; 55-3300.

Product Use: Arts and Crafts

*** Section 2 – HAZARD(S) IDENTIFICATION ***

EMERGENCY OVERVIEW

Color: various colors
Physical Form: solid
Odor: odorless

POTENTIAL HEALTH EFFECTS

Inhalation: none
Skin Contact: none
Eye Contact: none
Ingestion: none

*** Section 3 – COMPOSITION / INFORMATION ON INGREDIENTS ***

CAS	Component	Percent	Symbol	Risk Phrase(s)
Not Available	Product has been certified as non-toxic by the US Board Certifies Toxicologist and Conforms to ASTM D-4236 standard practice for Labeling Art Materials for acute and chronic adverse health hazards.	100	---	---

*** Section 4 – FIRST AID MEASURES ***

Inhalation



SAFETY DATA SHEET

NON-HARDENING MODELING CLAY
Issue date: 11/14/2012

SDS ID: 00141112
Revision Date: ---

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

Skin

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

Eyes

It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

Ingestion

Contact local poison control center or physician immediately.

*** Section 5 – FIRE FIGHTING MEASURES ***

See Section 9 for Flammability Properties

NFPA Ratings: Health: 1 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Flammable Properties

Slight fire hazard.

Extinguishing Media

Regular dry chemical, carbon dioxide, water, regular foam

Fire Fighting Measures

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products.

*** Section 6 – ACCIDENTAL RELEASE MEASURES ***

Occupational spill/release

Collect spilled material in appropriate container for disposal.

*** Section 7 – HANDLING AND STORAGE ***

Handling Procedures

Use methods to minimize dust.

Storage Procedures

Store and handle in accordance with all current regulations and standards. See original containers for storage recommendations. Keep separated from incompatible substances.

*** Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION ***

Component Exposure Limits

ACGIH and EU have not developed exposure limits for any of this product's components.

Ventilation

Based on available information, additional ventilation is not required.

PERSONAL PROTECTIVE EQUIPMENT

Eyes/Face

Eye protection not required under normal conditions.

Protective Clothing



SAFETY DATA SHEET

NON-HARDENING MODELING CLAY
Issue date: 11/14/2012

SDS ID: 00141112
Revision Date: ---

Protective clothing is not required under normal conditions.

Glove Recommendations

Protective gloves are not required under normal conditions.

Respiratory Protection

No respirator is required under normal conditions of use.

Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

*** Section 9 – PHYSICAL AND CHEMICAL PROPERTIES ***

Appearance:	Solid	Flash Point:	Not available
Physical State:	Solid	Flammability:	Not available
Physical Form:	Solid	Vapor Pressure:	Not available
Color:	Assorted colors	Vapor Density (air=1):	Not available
Odor:	Odorless	Evaporation Rate:	Not available
Odor Threshold:	Not available	Specific Gravity:	Not available
pH:	Not available	Density:	Not available
Melting Point:	Not available	Water Solubility:	Not available
Freezing Point:	Not available	Coeff. Water/Oil Dist:	Not available
Boiling Point:	Not available	Volatility:	Not available
Viscosity:	Not available		

*** Section 10 – STABILITY AND REACTIVITY ***

Chemical Stability

Stable at normal temperatures and pressure.

Conditions to Avoid

None reported.

Materials to Avoid

Oxidizing materials.

Decomposition Products

Oxides of carbon.

Possibility of Hazardous Reactions

Will not polymerize.

*** Section 11 – TOXICOLOGICAL INFORMATION ***

Component Analysis – LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

RTECS Acute Toxicity (selected)

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, or DFG.

RTECS Irritation

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.



SAFETY DATA SHEET

NON-HARDENING MODELING CLAY
Issue date: 11/14/2012

SDS ID: 00141112
Revision Date: ---

*** Section 12 – ECOLOGICAL INFORMATION ***

Component Analysis – Aquatic Toxicity

No LOLI ecotoxicity data is available for this product's components.

*** Section 13 – DISPOSAL CONSIDERATION ***

Disposal Methods

Dispose in accordance with all applicable regulations.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

*** Section 14 – TRANSPORT INFORMATION ***

US DOT Information:	Not Regulated.
TDG Information:	Not Regulated.
ADR Information:	Not Regulated.
RID Information:	Not Regulated.
IATA Information:	Not Regulated.
ICAO Information:	Not Regulated.
IMDG Information:	Not Regulated.

*** Section 15 – REGULATORY INFORMATION ***

U.S. Federal Regulations

None of this products components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 311/312 (40 CFR 370.21), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C)

Acute Health: No Chronic Health: No Fire: No Pressure: No Reactive: No

U.S. State Regulations

None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA.

Not regulated under California Proposition 65

Canada

This product has been classified in accordance with the criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

WHMIS CLASSIFICATION: Not a Controlled Product under Canada's Workplace Hazardous Material Information System.

Component Analysis – Inventory

No information is available.

*** Section 16 – OTHER INFORMATION ***



SAFETY DATA SHEET

NON-HARDENING MODELING CLAY
Issue date: 11/14/2012

SDS ID: 00141112
Revision Date: ---

Allergens:

This product do not contain common allergens such as latex, eggs, milk, wheat, gluten, soy, sunflower or other seeds, tree nuts, and peanuts.

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR – European Road Transport; AU – Australia; BOD – Biochemical Oxygen Demand; C – Celsius; CA – Canada; CAS – Chemical Abstracts Service; CERCLA – Comprehensive Environmental Response, Compensation, and Liability Act; CN – China; CPR – Controlled Products Regulations; DFG – Deutsche Forschungsgemeinschaft; DOT – Department of Transportation; DSL – Domestic Substances List; EEC – European Economic Community; EINECS – European Inventory of Existing Commercial Chemical Substances; EPA – Environmental Protection Agency; EU – European Union; F – Fahrenheit; IARC – International Agency for Research on Cancer; IATA – International Air Transport Association; ICAO – International Civil Agency Organization; IDL – Ingredient Disclosure List; IDLH – Immediately Dangerous to Life and Health; IMDG – International Maritime Dangerous Goods; JP – Japan; Kow – Octanol/water partition coefficient; KR – Korea; LEL – Lower Explosive Limit; LOLI – List Of Lists – ChemADVIUSOR’s Regulatory Database; MAK – Maximum Concentration Value in the Workplace; MEL – Maximum Exposure Limits; NFPA – National Fire Protection Agency; NIOSH – National Institute for Occupational Safety and Health; NJTSR – New Jersey Trade Secret Registry; NTP – National Toxicology Program; NZ – New Zealand; OSHA – Occupational Safety and Health Administration; PH – Philippines; RCRA – Resource Conservation and Recovery Act; RID – European Rail Transport; RTECS – Registry of Toxic Effects of Chemical Substances; SARA – Superfund Amendments and Reauthorization Act; STEL – Short-term Exposure Limit; TDG – Transportation of Dangerous Goods; TSCA – Toxic Substances Control Act; TWA – Time Weighted Average; UEL – Upper Explosive Limit; US – United States.

Disclaimer

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 08/12/2014

1 Identification

- **Product identifier**
- **Trade name:** Blue Coloring
- **Article number:** 030-5777
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Aqua Solutions, Inc.
6913 Highway 225
DEER PARK, TX 77536
USA
800-256-2586
- **Information department:**
Technical Coordinator
Sherman Nelson sherman@aquasolutions.org
Product safety department
- **Emergency telephone number:**
Chemtrec: 800-424-9300
Canutec: 613-996-6666



2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2B H320 Causes eye irritation.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labeling:**
1,2-Propanediol (Propylene Glycol)
- **Hazard statements**
Harmful if swallowed.
Causes skin and eye irritation.
- **Precautionary statements**
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Wear protective gloves/protective clothing/eye protection/face protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Specific treatment (see on this label).

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 08/12/2014

Trade name: **Blue Coloring**

(Contd. of page 1)

Take off contaminated clothing and wash before reuse.
 If skin irritation occurs: Get medical advice/attention.
 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**

HEALTH	1	Health = 1
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

57-55-6	1,2-Propanediol (Propylene Glycol)	14.922%
3844-45-9	Erioglaucine	2.984%

· **Table of Nonhazardous Ingredients**

94-13-3	propyl 4-hydroxybenzoate	0.1%
7732-18-5	Water, Deionized, ASTM Type II	81.994%

4 First-aid measures

· **Description of first aid measures**

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:** Generally the product does not irritate the skin.

· **After eye contact:** Rinse opened eye for several minutes under running water.

· **After swallowing:** If symptoms persist consult doctor.

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

· **Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 08/12/2014

Trade name: Blue Coloring

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

57-55-6 1,2-Propanediol (Propylene Glycol)

TWA	Short-term value: 10 mg/m ³ weel
-----	--

WEEL	Long-term value: 10 mg/m ³
------	---------------------------------------

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 08/12/2014

Trade name: Blue Coloring

(Contd. of page 3)

- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Liquid
Color:	Dark blue
Odor:	Mild
Odour threshold:	Not determined.

· **pH-value:** Not determined.

· Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.

· **Flash point:** 210 °C (410 °F)

· **Flammability (solid, gaseous):** Not applicable.

· Ignition temperature:

Decomposition temperature: Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17 mm Hg)

· **Density at 20 °C (68 °F):** 1 g/cm³ (8.345 lbs/gal)

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

· Solubility in / Miscibility with

Water: Fully miscible.

· **Partition coefficient (n-octanol/water):** Not determined.

· Viscosity:

Dynamic:	Not determined.
Kinematic:	Not determined.

· Solvent content:

Organic solvents:	0.0 %
Water:	82.0 %

· **Other information** No further relevant information available.

USA

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 08/12/2014

Trade name: Blue Coloring

(Contd. of page 4)

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

57-55-6 1,2-Propanediol (Propylene Glycol)

Oral	LD50	20.000 mg/kg (rat)
Dermal	LD50	20.800 mg/kg (rabbit)
Irritation of skin	Skin Corrosion/Irritation	(Human)
Irritation of eyes	Eye damage/eye irritation	(rabbit)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

3844-45-9	Erioglauicine	3
-----------	---------------	---

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Not known to be hazardous to water.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 08/12/2014

Trade name: Blue Coloring

(Contd. of page 5)

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|--|-----------------|
| · UN-Number | |
| · DOT, ADN, IMDG, IATA | Not Applicable |
| · UN proper shipping name | |
| · DOT, ADN, IMDG, IATA | Not Applicable |
| · Transport hazard class(es) | |
| · DOT, ADN, IMDG, IATA | |
| · Class | Not Applicable |
| · Packing group | |
| · DOT, IMDG, IATA | Not Applicable |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | - |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

3844-45-9 Erioglaucline

94-13-3 propyl 4-hydroxybenzoate

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 08/12/2014

Trade name: Blue Coloring

(Contd. of page 6)

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard-determining components of labeling:**

1,2-Propanediol (Propylene Glycol)

· **Hazard statements**

Harmful if swallowed.

Causes skin and eye irritation.

· **Precautionary statements**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Specific treatment (see on this label).

Take off contaminated clothing and wash before reuse.

If skin irritation occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing MSDS:** Environment protection department.

· **Contact:** Mr. Nelson

· **Date of preparation / last revision**

Creation date for SDS 08/12/2014 LS

08/12/2014 / -

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 08/12/2014

Trade name: Blue Coloring

(Contd. of page 7)

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 07/29/2014

1 Identification

- **Product identifier**
- **Trade name:** Red Coloring
- **Article number:** 030-5788
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Aqua Solutions, Inc.
6913 Highway 225
DEER PARK, TX 77536
USA
800-256-2586
- **Information department:**
Technical Coordinator
Sherman Nelson sherman@aquasolutions.org
Product safety department
- **Emergency telephone number:**
Chemtrec: 800-424-9300
Canutec: 613-996-6666



2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2B H320 Causes eye irritation.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labeling:**
1,2-Propanediol (Propylene Glycol)
- **Hazard statements**
Harmful if swallowed.
Causes skin and eye irritation.
- **Precautionary statements**
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Wear protective gloves/protective clothing/eye protection/face protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Specific treatment (see on this label).

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 07/29/2014

Trade name: Red Coloring

(Contd. of page 1)

Take off contaminated clothing and wash before reuse.
 If skin irritation occurs: Get medical advice/attention.
 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**

HEALTH	1	Health = 1
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

57-55-6	1,2-Propanediol (Propylene Glycol)	14.922%
---------	------------------------------------	---------

· **Table of Nonhazardous Ingredients**

915-67-3	Amaranth Indicator (Acid Red 27), (Red #2)	2.984%
94-13-3	propyl 4-hydroxybenzoate	0.1%
7732-18-5	Water, Deionized, ASTM Type II	81.994%

4 First-aid measures

· **Description of first aid measures**

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:** Generally the product does not irritate the skin.

· **After eye contact:** Rinse opened eye for several minutes under running water.

· **After swallowing:** If symptoms persist consult doctor.

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

· **Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 07/29/2014

Trade name: Red Coloring

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

57-55-6 1,2-Propanediol (Propylene Glycol)

TWA	Short-term value: 10 mg/m ³ weel
-----	--

WEEL	Long-term value: 10 mg/m ³
------	---------------------------------------

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 07/29/2014

Trade name: Red Coloring

(Contd. of page 3)

- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Liquid
Color:	Dark red
Odor:	Mild
Odour threshold:	Not determined.

· **pH-value:** Not determined.

· Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)

· **Flash point:** 210 °C (410 °F)

· **Flammability (solid, gaseous):** Not applicable.

· Ignition temperature:

Decomposition temperature: Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17 mm Hg)

· **Density at 20 °C (68 °F):** 1 g/cm³ (8.345 lbs/gal)

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· Viscosity:

Dynamic:	Not determined.
Kinematic:	Not determined.

· Solvent content:

Organic solvents:	0.0 %
Water:	82.0 %

· **Other information** No further relevant information available.

USA

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 07/29/2014

Trade name: Red Coloring

(Contd. of page 4)

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

57-55-6 1,2-Propanediol (Propylene Glycol)

Oral	LD50	20.000 mg/kg (rat)
Dermal	LD50	20.800 mg/kg (rabbit)
Irritation of skin	Skin Corrosion/Irritation	(Human)
Irritation of eyes	Eye damage/eye irritation	(rabbit)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

915-67-3 Amaranth Indicator (Acid Red 27), (Red #2)

3

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
- **Water hazard class 1 (Self-assessment):** slightly hazardous for water
- **Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 6)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 07/29/2014

Trade name: Red Coloring

(Contd. of page 5)

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|--|-----------------|
| · UN-Number | |
| · DOT, ADN, IMDG, IATA | Not Applicable |
| · UN proper shipping name | |
| · DOT, ADN, IMDG, IATA | Not Applicable |
| · Transport hazard class(es) | |
| · DOT, ADN, IMDG, IATA | |
| · Class | Not Applicable |
| · Packing group | |
| · DOT, IMDG, IATA | Not Applicable |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | - |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

915-67-3 Amaranth Indicator (Acid Red 27), (Red #2)

94-13-3 propyl 4-hydroxybenzoate

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 07/29/2014

Trade name: Red Coloring

(Contd. of page 6)

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard-determining components of labeling:**

1,2-Propanediol (Propylene Glycol)

· **Hazard statements**

Harmful if swallowed.

Causes skin and eye irritation.

· **Precautionary statements**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Specific treatment (see on this label).

Take off contaminated clothing and wash before reuse.

If skin irritation occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing MSDS:** Environment protection department.

· **Contact:** Mr. Nelson

· **Date of preparation / last revision**

Creation date for SDS 08/12/2014 LS

08/12/2014 / -

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/12/2014

Reviewed on 07/29/2014

Trade name: Red Coloring

(Contd. of page 7)

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B

USA



SAFETY DATA SHEET

CRAYONS
Issue date: 10/29/2012

SDS ID: 00291012
Revision Date: 11/10/2017

*** Section 1 – PRODUCT AND COMPANY IDENTIFICATION ***

Product Name: SARGENT ART CRAYONS, WASHABLE CRAYONS, FLUORESCENT CRAYONS, FLATSIDER/NON-ROLL CRAYONS, ECONOMY BEST-BUY CRAYONS, CONSTRUCTION PAPER CRAYONS, TWIST-UP CRAYONS, WIPE-OFF WHITE BOARD CRAYONS.

SARGENT ART, INC

Phone: 1-800-424-3596

100 East Diamond Ave.
Hazleton, PA 18201
www.sargentart.com

Health Emergency – Call local Poison Control Center

Synonyms: Sargent Art 4ct. Tuck Box Crayons; Sargent Art 8ct. Tuck Box Crayons; Sargent Art 12ct. Tuck Box Crayons; Sargent Art 16ct. Tuck Box Crayons; Sargent Art 24ct. Tuck Box Crayons; Sargent Art 8ct. Peggable Box Large Washable Crayons; Sargent Art 8ct. Peggable Box Large Crayons; Sargent Art 8ct. Peggable Box Large Multicultural Crayons; Sargent Art 8ct. Tuck Box Large Crayons; Sargent Art 8ct. Tuck Box Large Fluorescent Crayons; Sargent Art 8ct. Peggable Box Fluorescent Crayons; Sargent Art 8ct. Peggable Box Crayons; Sargent Art 16ct. Peggable Box Crayons; Sargent Art 24ct. Peggable Box Crayons; Sargent Art 8ct. Peggable Box Washable Big Ones Crayons; Sargent Art 8ct. Peggable Box Big Ones Crayons; Sargent Art 8ct. Peggable Box Flatsider/Non-Roll Crayons; Sargent Art 400ct. Standard Size Crayons Best-Buy Asst.; Sargent Art 400ct. Construction Paper Standard Size Crayons Best-Buy Asst.; Sargent Art 400ct. Large Size Crayons Best-Buy Asst.; Sargent Art 200ct. Large Size Crayons Best-Buy Asst.; Sargent Art 400ct. Large Size Multicultural Crayons Best-Buy Asst.; Sargent Art 200ct. Big Ones Size Crayons Best-Buy Asst.; Sargent Art 800ct. Standard Size Crayons Best-Buy Asst.; Sargent Art 400ct. Big Ones Size Crayons Best-Buy Asst.; Sargent Art 8ct. Peggable Box Construction Paper Crayons; Sargent Art 16ct. Peggable Box Construction Paper Crayons; Sargent Art 8ct. Twist-Up Crayons; Sargent Art 16ct. Twist-Up Crayons; Sargent Art 8ct. Peggable Box Large Crayons; Sargent Art 12ct. Peggable Box Large Crayons; Sargent Art 8ct. Watercolor Crayons; Sargent Art 12ct. Watercolor Crayons; Sargent Art 12ct. Tuck Box Large Refill Crayons; Sargent Art 12ct. Tuck Box Standard Refill Crayons; Sargent Art 12ct. Tuck Box Flatsider/Non-Roll Refill Crayons; Sargent Art Standard Size Economy Crayons; Sargent Art 8ct. Large Whipe-Off White Board Crayons; Sargent Art 4ct. Standard Size Whipe-Off White Board Crayons; Sargent Art 8ct. Standard Size Whipe-Off White Board Crayons;

Product Codes: 22-0529; 22-0531; 22-0532; 22-0533; 22-0534; 35-0541; 35-0561; 35-0581; 22-0561; 22-0551; 35-0535; 35-0531; 35-0533; 35-0534; 35-0535; 35-0542; 22-0589; 55-0961; 55-0912; 35-0591; 22-3220; 22-3221; 22-3222; 22-3250; 22-3225; 13-0981; 22-01xx



SAFETY DATA SHEET

CRAYONS
Issue date: 10/29/2012

SDS ID: 00291012
Revision Date: 11/10/2017

22-3270; 22-3245; 22-3280; 22-3290; 35-0536; 35-0537; 55-0980; 55-0981;
22-1108; 22-1112; 22-07xx; 22-08xx; 22-02xx; 55-3220; 55-3280; 55-3250;
55-3225; 55-3245; 55-0604; 55-0908; 55-0964; 55-0916; 55-0924; 55-0990; 35-
0522; 35-0523; 35-0521. 22-05xx

Product Use: Arts and Crafts

*** Section 2 – HAZARD(S) IDENTIFICATION ***

EMERGENCY OVERVIEW

Color: various colors
Physical Form: solid
Odor: odorless

POTENTIAL HEALTH EFFECTS

Inhalation: none
Skin Contact: none
Eye Contact: none
Ingestion: none

*** Section 3 – COMPOSITION / INFORMATION ON INGREDIENTS ***

CAS	Component	Percent	Symbol	Risk Phrase(s)
Not Available	Product has been evaluated by a US Board-Certified Toxicologist for acute and chronic health hazards, and conforms to ASTM D-4236 standard practice for Labeling Art Materials	100	---	---

*** Section 4 – FIRST AID MEASURES ***

Inhalation

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

Skin

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

Eyes

It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

Ingestion

Contact local poison control center or physician immediately.

*** Section 5 – FIRE FIGHTING MEASURES ***

See Section 9 for Flammability Properties

NFPA Ratings: Health: 1 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe



SAFETY DATA SHEET

CRAYONS
Issue date: 10/29/2012

SDS ID: 00291012
Revision Date: 11/10/2017

Flammable Properties

Slight fire hazard.

Extinguishing Media

Regular dry chemical, carbon dioxide, water, regular foam

Fire Fighting Measures

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products.

*** Section 6 – ACCIDENTAL RELEASE MEASURES ***

Occupational spill/release

Collect spilled material in appropriate container for disposal.

*** Section 7 – HANDLING AND STORAGE ***

Handling Procedures

Use methods to minimize dust.

Storage Procedures

Store and handle in accordance with all current regulations and standards. See original containers for storage recommendations. Keep separated from incompatible substances.

*** Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION ***

Component Exposure Limits

ACGIH and EU have not developed exposure limits for any of this product's components.

Ventilation

Based on available information, additional ventilation is not required.

PERSONAL PROTECTIVE EQUIPMENT

Eyes/Face

Eye protection not required under normal conditions.

Protective Clothing

Protective clothing is not required under normal conditions.

Glove Recommendations

Protective gloves are not required under normal conditions.

Respiratory Protection

No respirator is required under normal conditions of use.

Under conditions of frequent use or heavy exposure, respiratory protection may be needed.



SAFETY DATA SHEET

CRAYONS
Issue date: 10/29/2012

SDS ID: 00291012
Revision Date: 11/10/2017

*** Section 9 – PHYSICAL AND CHEMICAL PROPERTIES ***

Appearance:	Solid	Flash Point:	Not applicable
Physical State:	Solid	Flammability:	Not applicable
Physical Form:	Solid	Vapor Pressure:	Not available
Color:	Assorted colors	Vapor Density (air=1):	Not available
Odor:	Odorless	Evaporation Rate:	Not available
Odor Threshold:	Not available	Specific Gravity:	Not available
pH:	Not applicable	Density:	Not available
Melting Point:	Not available	Water Solubility:	Not available
Freezing Point:	Not applicable	Coeff. Water/Oil Dist:	Not available
Boiling Point:	Not applicable	Volatility:	Not available
Viscosity:	Not available		

*** Section 10 – STABILITY AND REACTIVITY ***

Chemical Stability

Stable at normal temperatures and pressure.

Conditions to Avoid

None reported.

Materials to Avoid

Oxidizing materials.

Decomposition Products

Oxides of carbon.

Possibility of Hazardous Reactions

Will not polymerize.

*** Section 11 – TOXICOLOGICAL INFORMATION ***

Component Analysis – LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

RTECS Acute Toxicity (selected)

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, or DFG.

RTECS Irritation

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.

*** Section 12 – ECOLOGICAL INFORMATION ***

Component Analysis – Aquatic Toxicity

No LOLI ecotoxicity data is available for this product's components.



SAFETY DATA SHEET

CRAYONS
Issue date: 10/29/2012

SDS ID: 00291012
Revision Date: 11/10/2017

*** Section 13 – DISPOSAL CONSIDERATION ***

Disposal Methods

Dispose in accordance with all applicable regulations.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

*** Section 14 – TRANSPORT INFORMATION ***

US DOT Information:	Not Regulated.
TDG Information:	Not Regulated.
ADR Information:	Not Regulated.
RID Information:	Not Regulated.
IATA Information:	Not Regulated.
ICAO Information:	Not Regulated.
IMDG Information:	Not Regulated.

*** Section 15 – REGULATORY INFORMATION ***

U.S. Federal Regulations

None of this products components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 311/312 (40 CFR 370.21), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C)

Acute Health: No Chronic Health: No Fire: No Pressure: No Reactive: No

U.S. State Regulations

None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA.

Not regulated under California Proposition 65

Canada

This product has been classified in accordance with the criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

WHMIS CLASSIFICATION: Not a Controlled Product under Canada's Workplace Hazardous Material Information System.

Component Analysis – Inventory

No information is available



SAFETY DATA SHEET

CRAYONS
Issue date: 10/29/2012

SDS ID: 00291012
Revision Date: 11/10/2017

***** Section 16 – OTHER INFORMATION *****

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR – European Road Transport; AU – Australia; BOD – Biochemical Oxygen Demand; C – Celsius; CA – Canada; CAS – Chemical Abstracts Service; CERCLA – Comprehensive Environmental Response, Compensation, and Liability Act; CN – China; CPR – Controlled Products Regulations; DFG – Deutsche Forschungsgemeinschaft; DOT – Department of Transportation; DSL – Domestic Substances List; EEC – European Economic Community; EINECS – European Inventory of Existing Commercial Chemical Substances; EPA – Environmental Protection Agency; EU – European Union; F – Fahrenheit; IARC – International Agency for Research on Cancer; IATA – International Air Transport Association; ICAO – International Civil Agency Organization; IDL – Ingredient Disclosure List; IDLH – Immediately Dangerous to Life and Health; IMDG – International Maritime Dangerous Goods; JP – Japan; Kow – Octanol/water partition coefficient; KR – Korea; LEL – Lower Explosive Limit; LOLI – List Of Lists – ChemADVIUSOR’s Regulatory Database; MAK – Maximum Concentration Value in the Workplace; MEL – Maximum Exposure Limits; NFPA – National Fire Protection Agency; NIOSH – National Institute for Occupational Safety and Health; NJTSR – New Jersey Trade Secret Registry; NTP – National Toxicology Program; NZ – New Zealand; OSHA – Occupational Safety and Health Administration; PH – Philippines; RCRA – Resource Conservation and Recovery Act; RID – European Rail Transport; RTECS – Registry of Toxic Effects of Chemical Substances; SARA – Superfund Amendments and Reauthorization Act; STEL – Short-term Exposure Limit; TDG – Transportation of Dangerous Goods; TSCA – Toxic Substances Control Act; TWA – Time Weighted Average; UEL – Upper Explosive Limit; US – United States.

Disclaimer

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.



SAFETY DATA SHEET

1. Identification

Product identifier	Sodium Chloride Food-Industrial (YPS Treated)
Other means of identification	
SDS number	S3
Synonyms	Diamond Crystal® Granulated Salt. * Flo-Ever® Granulated Salt - CMF®. * Gulf Shore Boat & Boil® Salt. * Flo-Ever® Fine Granulated Salt - CMF®. * Top-Flo® Plus Granulated Salt. * Top-Flo® Granulated Salt. * Hi-Tex® Granulated Salt. * Fine Blending Granulated Salt - YPS Treated. * Premier™ Extra Coarse Flake Salt. * Sodium Chloride (Salt). * Premier™ Select Coarse Flake Salt. * Premier™ Topping Flake Salt. * Premier™ Fine Flake Salt. * Purified Sea Salt with YPS. * Private Label Granulated Salt. * Sodium Chloride (Salt) - Treated with Yellow Prussiate of Soda (YPS). * Seafarer's® Fine Salt.
Recommended use	Salt may be intended for food or animal feed (agricultural) as well as several industrial applications including deicing and water conditioning.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/Distributor information	
Manufacturer	
Company name	Cargill Incorporated
Address	Minneapolis, MN 55440
Telephone	1-888-385-7258
Website	www.cargillsalt.com
Emergency telephone number	CHEMTREC (800) 424-9300

2. Hazard(s) identification

Physical hazards	Not classified.
Health Hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Sodium Chloride	7647-14-5	99.9987-99.9995
Sodium Ferrocyanide Decahydrate	13601-19-9	0.0005-0.0013

GRAS Substance (Generally Recognized As Safe).

4. First-aid measures

Inhalation	If dust from the material is inhaled, remove the affected person immediately to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Give one or two glasses of water if patient is alert and able to swallow. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	This product is not flammable or combustible.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Avoid inhalation of dust from the spilled material. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Collect dust using a vacuum cleaner equipped with HEPA filter. Minimize dust generation and accumulation. Avoid release to the environment. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Provide appropriate exhaust ventilation at places where dust is formed. Minimize dust generation and accumulation. Avoid breathing dust. Avoid contact with eyes. Avoid contact with water and moisture. Keep away from strong acids. Practice good housekeeping.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Becomes hygroscopic at 70-75% relative humidity. Avoid humid or wet conditions as product will cake and become hard.

8. Exposure controls/personal protection

Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Unvented, tight fitting goggles should be worn in dusty areas.
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear suitable protective clothing.

Respiratory protection	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	White crystalline solid
Physical state	Solid.
Form	Crystalline solid.
Color	White.
Odor	Halogen odor
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	1473.8 °F (801 °C)
Initial boiling point and boiling range	2669 °F (1465 °C) (760 mmHg)
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	2.4 mm Hg (1376.6 °F (747 °C))
Vapor density	Not available.
Relative density	2.16 (H ₂ O = 1)
Solubility(ies)	
Solubility (water)	26.4 %
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Bulk density	53 - 83 lb/ft ³
Molecular formula	NaCl
Molecular weight	58.44
pH in aqueous solution	4 - 9

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Incompatible materials	Avoid contact with strong acids. Becomes corrosive to metals when wet.

Hazardous decomposition products May evolve chlorine gas when in contact with strong acids.

11. Toxicological information

Information on likely routes of exposure

Inhalation Inhalation of dusts may cause respiratory irritation.
Skin contact Prolonged or repeated skin contact may cause irritation.
Eye contact Dust in the eyes will cause irritation.
Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Eye and skin contact: Exposure may cause temporary irritation, redness, or discomfort. For ingestion, consuming less than a few grams would not be harmful. The following effects were observed after ingesting an excessive quantity: nausea and vomiting, diarrhea, cramps, restlessness, irritability, dehydration, water retention, nose bleed, gastrointestinal tract damage, fever, sweating, sunken eyes, high blood pressure, muscle weakness, dry mouth and nose, shock, cerebral edema (fluid on brain), pulmonary edema (fluid in lungs), blood cell shrinkage, and brain damage (due to dehydration of brain cells). Death is generally due to cardiovascular collapse or CNS damage.

Information on toxicological effects

Acute toxicity In some cases of confirmed hypertension, ingestion may result in elevated blood pressure.

Components	Species	Test Results
Sodium Chloride (CAS 7647-14-5)		
Acute		
<i>Oral</i>		
LD50	Mouse	4000 mg/kg
	Rat	3000 mg/kg
<i>Other</i>		
LD50	Mouse	2602 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation Dust in the eyes will cause irritation.

Respiratory or skin sensitization

Respiratory sensitization Not available.
Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Due to the physical form of the product it is not an aspiration hazard.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test Results	
Sodium Chloride (CAS 7647-14-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	340.7 - 469.2 mg/l, 48 hours
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss)	4747 - 7824 mg/l, 96 hours

Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	None known.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

US federal regulations All components are on the U.S. EPA TSCA Inventory List. This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 21-August-2014

Revision date -

Version # 01

HMIS® ratings
Health: 1
Flammability: 0
Physical hazard: 0
Personal protection: A

Disclaimer All statements, technical information and recommendations contained herein are, the best of our knowledge, reliable and accurate; however no warranty, either expressed or implied is made with respect thereto, nor will any liability be assumed for damages resultant from the use of the material described.

It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations. It is also the responsibility of the user to maintain a safe workplace. The user should consider the health hazards and safety information provided herein as a guide and should take the necessary steps to instruct employees and to develop work practice procedures to ensure a safe work environment.

This information is not intended as a license to operate under, or a recommendation to practice or infringe upon any patent of this Company or others covering any process, composition of matter or use.



SAFETY DATA SHEET

Alka-Seltzer® Original

Version 1.0

Version Date 12/17/2013

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**Product information****Product Name:** Alka-Seltzer® Original**Use :** Antacid, Medicinal preparation**Company**BAYER HEALTHCARE LLC
Consumer Care
100 Bayer Boulevard
Whippany, NJ 07981
UNITED STATES
(800) 743-5423**In case of emergency:** (800) 986-0369
Chemtrec: (800) 424-9300**BAYER INFORMATION PHONE:** (800) 986-0369 OR (800) 743-5423**2. HAZARDS IDENTIFICATION****Emergency Overview****Color:** White**Form:** Solid, Effervescent Tablet**Odor:** Characteristic**Hazard Communication (29CFR 1910.1200)****Medical Conditions Aggravated by Exposure:**

Do not use if you are allergic to aspirin or any other pain reliever/fever reducer or if you have ever had an allergic reaction to this product or any of its ingredients. **Ask a doctor before use** if the stomach bleeding warning applies to you, you have a history of stomach problems, such as heartburn, you have high blood pressure, heart disease, liver cirrhosis, or kidney disease, you are taking a diuretic, you have asthma, or you have a sodium-restricted diet. **Ask a doctor or pharmacist before use if you are** presently taking a prescription drug. Antacids may interact with certain prescription drugs. If you are taking a prescription drug for diabetes, gout, or arthritis.

Human Health Effects Postnote:

This is a pharmaceutical material available without a prescription. Use only as directed. See carton for full directions and warnings. For additional product information, contact Bayer at 1-800-986-0369. When using this product do not exceed recommended dosage. **If pregnant or breast feeding**, ask a health professional before use. **It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.**

Allergy Alert: Aspirin may cause a severe allergic reaction which may include: hives, facial swelling, asthma (wheezing), shock.

SAFETY DATA SHEET

Alka-Seltzer® Original

Version 1.0

Version Date 12/17/2013

Warnings:

Reye's Syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Stomach Bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you are age 60 or older, have had stomach ulcers or bleeding problems, take blood thinning (anticoagulant) or steroid drug, take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others), have 3 or more alcoholic drinks every day while using this product, or take for a longer time than directed.

No Carcinogenic substances as defined by IARC, NTP and/or OSHA

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients

<u>Weight percent</u>	<u>Components</u>	<u>CAS-No.</u>
Label Ingredients:	Anhydrous Citric Acid, Aspirin, Sodium Bicarbonate.	

4. FIRST AID MEASURES

General advice: Take off all contaminated clothing immediately.

If inhaled: Remove to fresh air. If symptoms persist, call a physician.

In case of skin contact: After contact with skin, wash immediately with plenty of soap and water. If skin reactions occur, contact a physician.

In case of eye contact: In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed: When using this product: do not exceed recommended dosage **Keep out of reach of children.** In case of overdose, get medical help or contact a poison control center right away.

Contact U.S. Poison Control Center at 1-800-222-1222.

SAFETY DATA SHEET

Alka-Seltzer® Original

Version 1.0

Version Date 12/17/2013

Contact Number: Use the Bayer Emergency Number in Section 1

First Aid Other: Stop use and ask a doctor if an allergic reaction occurs. Seek medical help right away, or if you experience any of the following signs of stomach bleeding: feel faint, vomit blood, have bloody or black stools, have stomach pain that does not get better. Also stop use and ask a doctor if symptoms get worse or last for more than 10 days, redness or swelling is present, ringing in the ears or loss of hearing occurs, new symptoms occur.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Any

Specific hazards during fire fighting: Fire may cause evolution of: Carbon monoxide Carbon dioxide (CO₂)

Special protective equipment for fire-fighters: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Further information: Prevent fire extinguishing water from contaminating surface water or the ground water system.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment.

Methods for cleaning up: Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

Additional advice: Avoid dust formation.

Further Accidental

Release Notes: Avoid dust formation.

7. HANDLING AND STORAGE

Handling:

Avoid dust formation. Only handle product with local exhaust ventilation. Avoid contact with skin, eyes and clothing. Keep this and all drugs out of the reach of children. Take measures to prevent the build up of electrostatic charge. Keep away from open flames, hot surfaces and sources of ignition.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection:

Recommended Filter type: HEPA

SAFETY DATA SHEET

Alka-Seltzer® Original

Version 1.0

Version Date 12/17/2013

Hand protection:

Chemically resistant gloves.

Eye protection:

Safety glasses

Other protective measures:

Wear suitable protective equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: Solid, Effervescent Tablet

Color: White

Odor: Characteristic

Melting point: no data available

Density: no data available

Bulk density: no data available

Vapor pressure: not applicable

Water solubility: Product is highly soluble.

pH: no data available

Partition coefficient

(n-octanol/water): no data available

Solubility in organic solvents: no data available

Ignition temperature: no data available

10. STABILITY AND REACTIVITY

Conditions to avoid: no data available

Materials to avoid: Oxidizing agents

Hazardous reactions: None known.

Thermal decomposition: no data available

Hazardous decomposition products:

Carbon monoxide, Carbon dioxide (CO₂)

SAFETY DATA SHEET

Alka-Seltzer® Original

Version 1.0

Version Date 12/17/2013

11. TOXICOLOGICAL INFORMATION

Other information on toxicity: No data available for this product

Pharmaceutic effects: Medicinal preparation

12. ECOLOGICAL INFORMATION

General advice: Do not allow to enter surface waters or groundwater.

Biodegradability:

The methods for determining biodegradability are not applicable to inorganic substances.

13. DISPOSAL CONSIDERATIONS

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

14. TRANSPORT INFORMATION

Land transport (DOT)

Non-Regulated

Inland waterway transport

Non-Regulated

Railway transport

Non-Regulated

Sea transport (IMDG)

Non-Regulated

Air transport (ICAO / IATA cargo aircraft only)

Non-Regulated

Air transport (ICAO / IATA passenger and cargo aircraft)

Non-Regulated

SAFETY DATA SHEET

Alka-Seltzer® Original

Version 1.0

Version Date 12/17/2013

15. REGULATORY INFORMATION

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)

Components

None

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required

Components

None

US. EPA CERCLA Hazardous Substances (40 CFR 302)Components

None

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the SDS may also be applicable for state requirements. For details on your regulatory requirements, you should contact the appropriate agency in your state.

<u>Weight percent</u>	<u>Components</u>	<u>CAS-No.</u>	<u>State Code</u>
-----------------------	-------------------	----------------	-------------------

California Prop. 65

To the best of our knowledge, this product does not contain any of the listed chemicals, which the state of California has found to cause cancer, birth defects or other reproductive harm.

OSHA Hazcom Standard Rating Not subject to OSHA

16. OTHER INFORMATION

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Date Prepared: 12/17/2013

Drug Fact Label Version: 010

Safety Data Sheet
Isoamyl Benzoate for Synthesis

SDS Revision Date:

12/09/2014



1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity	Isoamyl Benzoate for Synthesis
Alternate Names	Isoamyl Benzoate for Synthesis

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use	Chemical for synthesis
Application Method	See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name	Thermco Products, Inc. 10 Millpond Drive, Unit #10 Lafayette, NJ 07848
---------------------	---

Emergency

Customer Service: Thermco Products, Inc.	973.300.9100
---	--------------

2. Hazard identification of the product

2.1. Classification of the substance or mixture

Combustible Liquid;H227 Combustible Liquid.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.
H227 Combustible liquid.

[Prevention]:

P210 Keep away from heat / sparks / open flames / hot surfaces - No smoking.
P280 Wear protective gloves / eye protection / face protection.

[Response]:

No GHS response statements

[Storage]:

P403+235 Store in a well ventilated place. Keep cool.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

Safety Data Sheet

Isoamyl Benzoate for Synthesis

SDS Revision Date:

12/09/2014



3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
ISOPENTYL BENZOATE CAS Number: 0000094-46-2	100	Not classified	[1]

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eyes	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
Ingestion	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview	No specific symptom data available. See section 2 for further details.
-----------------	---

5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray.
Do not use; water jet.

5.2. Special hazards arising from the substance or mixture

Do not inhale vapors/aerosols. Ensure supply of fresh air in enclosed rooms.

Safety Data Sheet

Isoamyl Benzoate for Synthesis

SDS Revision Date:

12/09/2014



Hazardous decomposition: No hazardous decomposition data available.

Keep away from heat / sparks / open flames / hot surfaces - No smoking.

5.3. Advice for fire-fighters

Special risks:

Combustible. Vapors heavier than air.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapors possible in the event of fire.

Special protective equipment for fire fighting:

Do not stay in dangerous zone without self-contained breathing apparatus.

Do not allow run off water and contaminants from fire fighting to enter drains or water ways.

ERG Guide No. ----

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Do not inhale vapors/aerosols. Ensure supply of fresh air in enclosed rooms.

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Do not inhale vapors/aerosols. Ensure supply of fresh air in enclosed rooms.

Take up with liquid-absorbent material (e.g. Chemizorb). Forward for disposal. Clean up affected area.

7. Handling and storage

7.1. Precautions for safe handling

Store in accordance with the National Fire Protection Association's publication NFPA 30, Flammable and Combustible Liquids Code. 29 CFR 1910.106 applies to the handling, storage, and use of flammable and combustible liquids.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Store in a cool dry area, away from heat, sparks and open flame. Keep containers sealed when not in use. Store out of direct sunlight.

Incompatible materials: Strong oxidizing agents

Tightly closed. At +15C to +25C.

Safety Data Sheet

Isoamyl Benzoate for Synthesis

SDS Revision Date:

12/09/2014



See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0000094-46-2	ISOPENTYL BENZOATE	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

Carcinogen Data

CAS No.	Ingredient	Source	Value
0000094-46-2	ISOPENTYL BENZOATE	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls

Respiratory

If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.

Eyes

Protective safety glasses required

Skin

Butyl rubber gloves
 Layer thickness: 0.7 mm
 Breakthrough time: >240 min

Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

Safety Data Sheet

Isoamyl Benzoate for Synthesis

SDS Revision Date:

12/09/2014



9. Physical and chemical properties

Appearance	Colorless Liquid
Odor	Almost Odorless
Odor threshold	Not Measured
pH	NA
Melting point / freezing point	NA
Initial boiling point and boiling range	260 C
Flash Point	89 C
Evaporation rate (Ether = 1)	NA
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: NA Upper Explosive Limit: NA
Vapor pressure (Pa)	NA
Vapor Density	NA
Density	0.99 g/cm ³ (@20C)
Solubility in Water	Insoluble
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	NA
Decomposition temperature	NA
Viscosity (cSt)	NA
VOC %	NA
Log Pow	4.15 (experimental) (Lit.)

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Forms explosive mixtures with air on intense heating.

Safety Data Sheet

Isoamyl Benzoate for Synthesis

SDS Revision Date:

12/09/2014



10.5. Incompatible materials

Strong Oxidizing agents.

10.6. Hazardous decomposition products

No hazardous decomposition data available.

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
ISOPENTYL BENZOATE - (94-46-2)	6330.00, Rat - Category: NA	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	---	Not Applicable
Serious eye damage/irritation	---	Not Applicable
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

Safety Data Sheet

Isoamyl Benzoate for Synthesis

SDS Revision Date:

12/09/2014



12. Ecological information

12.1. Toxicity

Do not allow product to enter water, wastewater or soil! See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
ISOPENTYL BENZOATE - (94-46-2)	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

An appreciable bioaccumulation potential is to be expected ($\log P_{o/w} > 3$)

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Applicable	Not Regulated	Not Regulated
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable DOT Label: ---	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable

Safety Data Sheet

Isoamyl Benzoate for Synthesis

SDS Revision Date:

12/09/2014



14.5. Environmental hazards

IMDG Marine Pollutant: No

14.6. Special precautions for user

No further information

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA Inventory.

WHMIS Classification B3

US EPA Tier II Hazards

Fire: Yes

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): No

Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:
(No Product Ingredients Listed)

EPCRA 302 Extremely Hazardous :
(No Product Ingredients Listed)

EPCRA 313 Toxic Chemicals:
(No Product Ingredients Listed)

Proposition 65 - Carcinogens (>0.0%):
(No Product Ingredients Listed)

Proposition 65 - Developmental Toxins (>0.0%):
(No Product Ingredients Listed)

Proposition 65 - Female Repro Toxins (>0.0%):
(No Product Ingredients Listed)

Proposition 65 - Male Repro Toxins (>0.0%):
(No Product Ingredients Listed)

N.J. RTK Substances (>1%) :
(No Product Ingredients Listed)

Penn RTK Substances (>1%) :
(No Product Ingredients Listed)

Safety Data Sheet
Isoamyl Benzoate for Synthesis

SDS Revision Date:

12/09/2014



16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is: not applicable

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

Disclaimer: This information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Document

Safety Data Sheet

Material Name: SILLY PUTTY

SDS ID: CRAY-025

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

SILLY PUTTY

Synonyms

CRAYOLA SILLY PUTTY; HOLIDAY; HALLOWEEN; GLOW-IN-THE-DARK; EGG-CENTRIC; GLITTER SILLY PUTTY; SILLY PUTTY SPRING SPARKLE PACK; CHANGEABLE SILLY PUTTY; COLOR CHANGE SILLY PUTTY; SPARKLE PUTTY; GALACTIC; SPACE SLUDGE; METALLIC; ART TUB; PUTTY BUDDIES; AROMA PUTTY; SCENTED SILLY PUTTY; PRODUCT CODE(S): 04-0260; 04-0538; 04-0540; 04-1900; 04-1901; 04-2540; 04-2529; 04-2544; 04-5357; 08-0010; 08-0011; 08-0012; 08-0013; 08-0014; 08-0015; 08-0016; 08-0020; 08-0021; 08-0022; 08-0023; 08-0024; 08-0025; 08-0026; 08-0027; 08-0028; 08-0029; 08-0030; 08-0031; 08-0032; 08-0033; 08-0034; 08-0035; 08-0036; 08-0037; 08-0038; 08-0039; 08-0045; 08-0046; 08-0001; 08-0102; 08-0110; 08-0115; 08-0116; 08-0017; 08-0018; 08-0119; 08-0120; 08-0121; 08-0122; 08-0123; 08-0124; 08-0125; 08-0126; 08-0127; 08-0128; 08-0129; 08-0160; 08-0180; 08-0181; 08-0182; 08-0183; 08-0184; 08-0185; 08-0186; 08-0187; 08-0188; 08-0189; 08-0190; 08-0191; 08-0192; 08-0193; 08-0194; 08-0195; 08-0196; 08-0197; 08-08-0199; 08-0200; 08-0201; 08-0202; 08-0203; 08-0205; 08-0206; 08-0207; 08-0210; 08-0211; 08-0212; 08-0213; 08-0214; 08-0215; 08-0217; 08-0218; 08-0219; 08-0302; 08-0303; 08-0304; 08-0305; 08-0306; 08-0307; 08-0308; 08-0309; 08-0310; 08-0311; 08-0312; 08-0313; 08-0314; 08-0315; 08-0316; 08-0317; 08-0318; 08-0319; 08-0320; 08-0321; 08-0322; 08-0323; 08-0324; 08-0325; 08-0326; 08-0328; 08-0420; 08-0421; 08-0422; 08-0522; 08-0523; 08-0705; 08-0809; 08-0810; 08-0538; 08-0905; 08-0913; 08-0932; 08-0934; 08-0937; 08-0949; 08-0960; 08-0961; 08-0962; 08-0963; 08-0967; 08-0971; 08-0972; 08-0973; 08-0976; 08-0977; 08-0978; 08-0979; 08-0980; 08-2102 ; 08-3234; 08-4023; 82-0562;

Product Description

Finished product.

Product Use

Arts and Crafts

Restrictions on Use

None known.

Details of the supplier of the safety data sheet

CRAYOLA LLC

1100 Church Lane

Easton, PA 18044

Phone: 1-800-272-9652

Emergency Phone #: Health Emergency - Call local POISON CONTROL

E-mail: support@crayola.com

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

None needed according to classification criteria.

GHS Label Elements

Symbol(s)

None needed according to classification criteria.

Signal Word

None needed according to classification criteria

Hazard Statement(s)

None needed according to classification criteria.

Precautionary Statement(s)

Prevention

None needed according to classification criteria.

Safety Data Sheet

Material Name: SILLY PUTTY

SDS ID: CRAY-025

Response

None needed according to classification criteria.

Storage

None needed according to classification criteria.

Disposal

Dispose in accordance with all applicable federal, state/regional and local laws and regulations.

Other Hazards

None known.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
Not available	Product has been certified as nontoxic by the Art & Creative Materials Institute, Inc. and conforms to ASTM D 4236 standard practice for labeling art materials for acute and chronic adverse health hazards.	100

Component Related Regulatory Information

The chemical identity and/or percentage of composition is being withheld as a trade secret.

Section 4 - FIRST AID MEASURES

Inhalation

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

Skin

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

Eyes

It is unlikely that emergency treatment will be required. Flush eyes with plenty of water for at least 15 minutes. If eye irritation persists: Get medical advice/attention.

Ingestion

Call a poison control center or doctor immediately for treatment advice.

Most Important Symptoms/Effects

Acute

No information on significant adverse effects.

Delayed

No information on significant adverse effects.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Water carbon dioxide, regular dry chemical, regular foam,

Unsuitable Extinguishing Media

None known.

Hazardous Combustion Products

Safety Data Sheet

Material Name: SILLY PUTTY

SDS ID: CRAY-025

Oxides of carbon, various organic fragments, oxides of metals, oxides of silicon

Advice for firefighters

Slight fire hazard.

Fire Fighting Measures

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

Special Protective Equipment and Precautions for Firefighters

Wear protective clothing and equipment suitable for the surrounding fire.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up

Stop leak if possible without personal risk. Collect spilled material in appropriate container for disposal.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Wash thoroughly after handling. Use methods to minimize dust.

Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria.

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

Incompatible Materials

oxidizing materials

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Based on available information, additional ventilation is not required.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Eye protection not required under normal conditions.

Skin Protection

Protective clothing is not required under normal conditions.

Respiratory Protection

No respirator is required under normal conditions of use. Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

Glove Recommendations

Protective gloves are not required under normal conditions.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	colored flowable solid	Physical State	solid
-------------------	---------------------------	-----------------------	-------

Safety Data Sheet

Material Name: SILLY PUTTY

SDS ID: CRAY-025

Odor	odorless	Color	various colors
Odor Threshold	Not available	pH	Not available
Melting Point	Not available	Boiling Point	Not available
Boiling Point Range	Not available	Freezing point	Not available
Evaporation Rate	Not available	Flammability (solid, gas)	Not available
Autoignition Temperature	Not available	Flash Point	Not available
Lower Explosive Limit	Not available	Decomposition temperature	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	Not available
Water Solubility	(Not soluble)	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Kinematic viscosity	Not available
Solubility (Other)	Not available	Density	Not available
Physical Form	flowable , solid	Volatility	(Not volatile)
Molecular Weight	Not available		

Section 10 - STABILITY AND REACTIVITY

Reactivity

No hazard expected.

Chemical Stability

Stable at normal temperatures and pressure.

Possibility of Hazardous Reactions

Will not polymerize.

Conditions to Avoid

None reported.

Incompatible Materials

oxidizing materials

Hazardous decomposition products

Oxides of carbon, various organic fragments, oxides of metals, oxides of silicon.

Thermal decomposition products

Safety Data Sheet

Material Name: SILLY PUTTY

SDS ID: CRAY-025

Oxides of carbon, various organic fragments, oxides of metals, oxides of silicon.

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation

No information on significant adverse effects.

Skin Contact

Not intended for use as ear plugs. Direct contact may cause product to stick to hair, including eyebrows, eyelashes, etc.

Eye Contact

No information on significant adverse effects.

Ingestion

No information on significant adverse effects.

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

Product Toxicity Data

Acute Toxicity Estimate

No data available.

Immediate Effects

None.

Delayed Effects

None.

Irritation/Corrosivity Data

None

Respiratory Sensitization

No information available for the product.

Dermal Sensitization

No information available for the product.

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA.

Germ Cell Mutagenicity

No information available for the product.

Tumorigenic Data

No data available

Reproductive Toxicity

No information available for the product.

Specific Target Organ Toxicity - Single Exposure

No target organs identified.

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration hazard

no data available.

Safety Data Sheet

Material Name: SILLY PUTTY

SDS ID: CRAY-025

Medical Conditions Aggravated by Exposure

No data available.

Section 12 - ECOLOGICAL INFORMATION

Ecotoxicity

No information available for the product.

Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components.

Persistence and Degradability

No information available for the product.

Bioaccumulative Potential

No information available for the product.

Mobility

No information available for the product.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of contents/container in accordance with local/regional/national/international regulations. Recycle if possible.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

Section 14 - TRANSPORT INFORMATION

US DOT Information:

UN/NA #: Not regulated

IATA Information:

UN#: Not regulated

ICAO Information:

UN#: Not regulated

IMDG Information:

UN#: Not regulated

International Bulk Chemical Code

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

No hazard categories applicable.

U.S. State Regulations

None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA.

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)

Not listed under California Proposition 65.

Safety Data Sheet

Material Name: SILLY PUTTY

SDS ID: CRAY-025

Component Analysis - Inventory

U.S. Inventory (TSCA)

All of the components of this product are listed on the TSCA Inventory. All components of this product are listed on the DSL.

Section 16 - OTHER INFORMATION

NFPA Ratings

Health: 1 Fire: 1 Instability: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes

12/12/2019 - Update to Section(s) 1.

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; KR REACH CCA - Korea Registration and Evaluation of Chemical Substances Chemical Control Act; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; N - Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL - Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH - Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc - Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TH-TECI - Thailand - FDA Existing Chemicals Inventory (TECI); TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

Other Information

Disclaimer:

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.

Safety Data Sheet

Material Name: SILLY PUTTY

SDS ID: CRAY-025

SAFETY DATA SHEET – JANUARY 3, 2018



Section 1 – Identification

Product Identifier:	Silica Sand
Trade Names:	Holliston Sand Products, Slater Farms Products
Product Uses:	Filtration Media, Foundry Sand, Industrial Fillers, Bio-retention and Agricultural Sand, Sports Turf, Recreational Products, Commercial Products, Traction Sand Not recommended for sand-blasting.
Manufacturer's Name:	Holliston Sand Company, Inc.
Manufacturer's Address	PO Box 1168, Slatersville, RI 02876
Manufacturer's Telephone	401.766.5010, Monday – Friday, 7:00am to 5:00pm
Manufacturer's Facsimile:	401.762.4976
Emergency Telephone	401.766.5010, Monday – Friday, 7:00am to 5:00pm

Section 2 – Hazards Identification

GHS – US Classification and Label Elements:

Health:

Category 1A – Carcinogen		
Category 1 - Specific Target Organ Toxicity (STOT) following repeated exposures		
Category 2B - Eye Irritation		
Signal Word (GHS-US) - DANGER		
GHS-US Labeling / Hazard Pictograms	 GHS08	 GHS07

Hazard Statements (GHS-US)

H335	May cause eye and respiratory irritation
H350	May cause cancer by inhalation
H372	Causes damage to organs through prolonged or repeated exposure by inhalation.

Precautionary Statements (GHS-US)

P202 – SDS - Read all safety precautions prior to handling.	P264 – Wash thoroughly after handling.
P308 / P313/P314/P304 – Call for medical attention if not well or uncomfortable. If inhaled, provide fresh air.	
P260 / P280 – Never breathe dust. Wear PPE prior to use.	P271 – Use in a well ventilated area.
P403 – Store properly. Closed container.	P501 – Dispose of according to local / regional regulations.

Section 3 – Composition

Name	Product Identifier	Percentage (%)	GHS-US Classification
Quartz	CAS #: 14808-60-7	85 – 99.9	Carc. 1A, H350, STOT SE 3, H335, STOT RE 1, H372

Section 4 – First Aid Measures

ANY SERIOUS INJURY OR UNCONSCIOUSNESS OBSERVATION SHOULD BE AN AUTOMATIC EMERGENCY CALL TO 911.

Inhalation – Move person to a clear area, provide fresh air. Provide medical or emergency attention.

Eye – Flush eye / eyes with water as needed. Provide medical attention as necessary.

Skin – Simple abrasions should be cleansed with mild soap and water. Provide medical attention as necessary.

Ingestion – Discomfort should be followed up with medical attention.

Signs and Symptoms of Exposure - Symptoms of silicosis may first appear 15 to 20 years after someone's exposure to crystalline silica. As the disease progresses, symptoms may include:

<i>Shortness of breath</i>	<i>Severe Cough</i>	<i>Weakness</i>
----------------------------	---------------------	-----------------

If you have silica in your lungs, your body may not be able to fight infections well. This can lead to other illnesses that can cause.

<i>Chest Pains</i>	<i>Weight Loss</i>	<i>Night Sweats</i>
<i>Respiratory Failure</i>	<i>Fever</i>	

As the disease progresses over time, these symptoms can become worse. The symptoms of acute silicosis which can occur with exposures to very high concentrations of respirable crystalline silica over a very short time period, sometimes as short as six months, are the same as those associated with chronic silicosis. The symptoms of scleroderma, an autoimmune disease, include thickening and stiffness of the skin, particularly in the fingers, shortness of breath, difficulty swallowing and joint problems.

Section 5 – Fire Fighting Measures

Extinguishing Media:	Compatible with all media. Use appropriate media for surrounding fire.
Unusual Fire and Explosion Habits:	None known.
Special Fire Fighting Procedure:	None known. Not flammable. Use normal fire fighting equipment.
Hazardous Combustion Products:	None known.



Section 6 – Accidental Release Measures

- Personal precautions, protective equipment and emergency procedures
 - General measures.
 - Do not breathe dust. Avoid generation of dust during clean-up of spills. Recover the product by vacuuming, shoveling or sweeping. Vacuum must be fitted with HEPA filter to prevent release of particulates during clean-up. Use water to wet down clean up area to minimize particulate.
 - For non-emergency / emergency personnel.
 - Wear suitable protective clothing, gloves, eye and face protection. Use recommended respiratory protection. Collect as any solid.
- Environmental Precautions – no additional information available
- Methods and Material for Containment and Clean-up
 - Avoid generation of dust during clean-up of spills. Recover the product by vacuuming, shoveling or sweeping. Vacuum must be fitted with HEPA filter to prevent release of particulates during clean-up. Use water to wet down clean up area to minimize particulate.

Section 7 – Handling and Storage

- This product is not to be used for abrasive blasting without proper equipment and training. Do not breathe dust, which may be created during handling of this product.
- Engineering measures and good housekeeping are essential to preventing accumulation of silica dust in the workplace. Use adequate ventilation and dust collection systems.
- Testing can ensure engineering measures are sufficient. PPE is a solution until verification is established. Refer to Section 8 – Exposure Controls / Personal Protection for further information.
- Silica dust is not always visible in a form of a cloud. Use PPE.
- In accordance with OSHA's Hazard Communication Standard (29CFR 1910.12, 1915.99, 1917.28, 1918.90, 1926.59, 1928.21), state, and / or local right to know laws and regulations, familiarize your employees with this SDS and the information contained herein.
- Warn your employees, your customers and other third parties (in case of resale or distribution to others) of the potential health risks associated with the use of this product and train them in the appropriate use of PPE and engineering controls, which will reduce their risks of exposure.
- See ASTM International standard practice E1132-06, "Standard Practice for Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica."
- Store in a dry, cool place. Keep container tightly closed.

Section 8: Exposure Controls / Personal Protection

Control Parameters

Quartz (14808-60-7) – Occupational exposure limits (respirable fraction) in air for dust containing crystalline silica.		
USA ACGIH	ACGIH TWA (mg/m ³) {8 hour weighted average}	0.025 mg/m ³
USA IDLH	US IDLH (mg/m ³)	50 mg/m ³
USA NIOSH	NIOSH REL (TWA) (mg/m ³) {10 hour weighted average}	0.05 mg/m ³
USA MSHA/OSHA	MSHA/OSHA PEL (TWA) (mg/m ³) {8 hour weighted average} (Mineral Dust)	{30}/(%SiO ₂ +2) mg/m ³ – total dust {10}/(% SiO ₂ +2) mg/m ³ – respirable fraction

Occupational exposure limits in air for inert / nuisance dust.			
USA ACGIH	ACGIH TLV	3 mg/m ³	10mg/m ³
USA MSHA/OSHA	MSHA/OSHA PEL (As Inert or Nuisance Dust)	5 mg/m ³	15 mg/m ³

Exposure Controls

Engineering controls	Ensure adequate ventilation, especially in confined areas. Avoid dust production.
Personal protection equipment (PPE)	Use dust suits, protective goggles and respiratory protection in dusty areas. Self contained breathing apparatus is also a good option during dust production. Get training on the use of all PPE equipment. Respirator fit testing is mandatory. Contact NIOSH at 800.35.NIOSH, WWW.CDC.GOV/NIOSH
	Use impermeable gloves for hand protection.
	Use protective goggles for eye protection
	Use NIOSH approved respirators in areas containing airborne dust.
Hygiene	Always wash your hands after handling
Do not breathe dust. Use PPE. Research and engineer a solution for each application.	

California Inhalation Reference Exposure Limit (REL) as of 12/08: Crystalline silica (quartz, cristobalite, tridymite) is 3 ug/m ³ .
Canadian OEL:
<ul style="list-style-type: none"> • Canada Labour Code: 0.025 mg/m³ (respirable) • Alberta, British Columbia: 0.025 mg/m³ (respirable quartz and cristobalite) • Saskatchewan: 2 mg/m³ (respirable, amorphous: silica fume); 0.1 mg/m³ (respirable, amorphous: silica fused); 0.05 mg/m³ (respirable, cristobalite); 0.05 mg/m³ (respirable tridymite); 0.1 mg/m³ (respirable, quartz); 0.1 mg/m³ (respirable, tripoli) • Manitoba, Newfoundland, Prince Edward Island: 0.025 mg/m³ (respirable) • Ontario: 0.05 mg/m³ (respirable cristobalite, tridymite); 0.1 mg/m³ (quartz, tripoli); 0.1 mg/m³ (silica fused); 2 mg/m³ (silica fume) • Quebec: 0.05 mg/m³ (respirable, cristobalite, tridymite); 0.1 mg/m³ (quartz, tripoli) • New Brunswick: 0.1 mg/m³ (quartz); 0.05 mg/m³ (cristobalite) • Nova Scotia: 0.025 mg/m³ (quartz, cristobalite) • Yukon: 2 mg/m³ (respirable, amorphous); 300 particles/ml measured with a konimeter (quartz, and tripoli); 150 particles/ml measured with a konimeter (cristobalite and tridymite) • Northwest Territories, Nunavut: 2 mg/m³ (respirable, amorphous); 0.05 mg/m³ (respirable, cristobalite, tridymite, silica flour); 0.1 mg/m³ (respirable, fused silica, quartz, tripoli)
Austria OEL - Maximum concentration 0.15 mg/m ³
Japan OEL - Japan Society of Occupational Health Respirable crystalline silica 0.03 mg/m ³
Poland OEL TWA - 2 mg/m ³ (total inhalable dust, containing >50% free crystalline silica);
<ul style="list-style-type: none"> • 0.3 mg/m³ (respirable dust, containing >50% free crystalline silica); • 4.0 mg/m³ (total inhalable dust, containing 2% to 50% free crystalline silica); • 1.0 mg/m³ (respirable dust, containing 2% to 50% free crystalline silica)
United Kingdom OEL - 0.1 mg/m ³
Mexico - 0.1 mg/m ³ (quartz, inhalable)
<ul style="list-style-type: none"> • 0.05 mg/m³ (cristobalite, inhalable) • 0.05 mg/m³ (tridymite, inhalable) • 0.1 mg/m³ (tripoli containing respirable quartz powder, inhalable) • (Also refer to ACGIH)
Argentina - 0.05 mg/m ³ (quartz, respirable)
<ul style="list-style-type: none"> • 0.05 mg/m³ (cristobalite, respirable) • 0.05 mg/m³ (tridymite, respirable) • 0.1 mg/m³ (tripoli, respirable)

Section 9: Physical and chemical properties

Physical State / Appearance	Solid / Crystalline
Odor	None
Odor Threshold	No data available
Color	Natural
pH	No data available
Evaporation rate	No data available
Melting point	1710°C (3110°F)
Freezing point	No data available
Boiling point	2230°C (4046°F)
Flash point	No data available
Self ignition temperature	No data available



Decomposition temperature	No data available
Flammability (solid, gas)	Non-combustible solid
Vapour pressure	No data available
Relative vapour density at 20 °C	No data available
Relative density	No data available
Density	2.65 (approx.)
Solubility	Practically insoluble.
Log Pow	No data available
Log Kow	No data available
Viscosity	No data available
Explosive Limits	None known.
Oxidizing properties	None known.
Explosive limits	No data available

Section 10: Stability and Reactivity

Reactivity	None under normal conditions. Reactive with strong oxidizing agents.
Chemical / Thermal Stability	Chemically stable under normal temperature and pressure. Thermal instability occurs under high temperatures above 870°C (1598°F). It can change to crystalline silica such as tridymite and cristobalite.
Incompatible Materials	Avoid strong oxidizers such as fluorine, chlorine tri-fluoride, hydrogen fluoride, oxygen di-fluoride, hydrogen peroxide, acetylene, ammonia.
Hazardous Decomposition	Quartz (silica) will dissolve in hydrofluoric acid producing a corrosive gas, silicon tetra-fluoride.
Hazardous Polymerization	Not known to polymerize.

Section 11: Toxicological Information

Acute toxicity	Not classified	
Aspiration hazard	Not classified	
Skin Irritation	Not classified	
Eye Irritation	Not classified	
Respiratory or skin sensitization	Not classified	
Reproductive toxicity	Not classified	
Specific target organ toxicity (single exposure)	Not classified	
Specific target organ toxicity (repeated exposure)	Causes damage to organs (lung/respiratory system) through prolonged or repeated exposure (inhalation)	
Germ cell mutagenicity	Not classified	
Carcinogenicity	May cause cancer - inhalation	
Quartz (14808-60-7)	IARC Group – Group 1	National Toxicity Program (NTP) Status: Known Human Carcinogen
Silica – All grades (14808-60-7)	Repeated or prolonged exposure to respirable crystalline silica dust will cause lung damage in the form of silicosis. Symptoms will include progressively more difficult breathing, cough, fever, and weight loss. Acute silicosis can be fatal.	



Section 12: Ecological Information

Crystalline silica is not known to be eco-toxic, not readily biodegradable and not expected to bio-accumulate.

Section 13: Disposal Considerations

AS SOLD, our crystalline silica (quartz) products are not considered hazardous waste under the Resource Conservation and Recovery Act, or its regulations, 40 CFR 261 et seq. Dispose according to applicable local, state and federal regulations.

Section 14: Transport Information

Crystalline silica (quartz) is not a hazardous material for purposes of transportation under the U. S. Department of Transportation Table of Hazardous Materials, 49 CFR §172.101, and Transportation of Dangerous Goods Regulations in the European Union, Canada, Argentina, Republic of Uzbekistan and Japan. Consult applicable international, national, state, provincial or local laws. In accordance with DOT / TDG / ADR / RID / ADNR / IMDG / ACO / IATA, crystalline silica is not a dangerous product in the sense of transport regulations.

Section 15: Regulatory Information

US Federal Regulations	Silica / Quartz 14808-60-7	Immediate health hazard - acute Delayed health hazard – chronic.	On US TSCA (Toxic Substances Control Act) inventory listing.
Canada Regulations		WHMIS Classification. Class D Division 2 Subdivision A – Very toxic material causing other toxic effects.	
International Info		IARC (International Agency for Research on Cancer) listing.	NTP (National Toxicology Program) specifies as a carcinogen.
U State Regulations		See below.	
U.S. - California - Proposition 65 - Carcinogens List . This product contains Quartz, a substance known to the state of California to cause cancer. U.S. - Hawaii - Occupational Exposure Limits - TWAs U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs) U.S. - Idaho - Occupational Exposure Limits - Mineral Dusts U.S. - Illinois - Toxic Air Contaminant Carcinogens U.S. - Maine - Chemicals of High Concern U.S. - Massachusetts - Right To Know List U.S. - Michigan - Occupational Exposure Limits - TWAs U.S. - Minnesota - Chemicals of High Concern U.S. - Minnesota - Hazardous Substance List U.S. - Minnesota - Permissible Exposure Limits - TWAs U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - New Jersey - Special Health Hazards Substances List U.S. - Oregon - Permissible Exposure Limits - Mineral Dusts U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Tennessee - Occupational Exposure Limits - TWAs U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term U.S. - Vermont - Permissible Exposure Limits - TWAs U.S. - Washington - Permissible Exposure Limits - STELs U.S. - Washington - Permissible Exposure Limits - TWAs			



Section 16 – Other Information

NFPA

Health Hazard	2 – intense or continued exposure could cause temporary or incapacitation or possible residual injury unless prompt medical attention is given	
Fire Hazard	0 – materials that will not burn	
Reactivity	0 – normally stable, even under fire exposure conditions, are not reactive with water	

HMIS III Rating

Health	2 - moderate hazard, temporary injury may occur
Flammability	0 – minimal hazard
Physical	0 – minimal hazard
Personal Protection	All equipment required plus engineering measures.

Definitions

Carc. 1A	Carcinogenicity Category 1A
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3

User's Responsibility: The OSHA Hazard Communication Standard 29 CFR 1910.1200 requires that this SDS be made available to your employees who handle or may be exposed to this product. Educate and train your employees regarding applicable precautions. Instruct your employees to handle this product properly.

Disclaimer: The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for one's own particular use. Since the actual use of the product described herein is beyond our control, Holliston Sand company, Inc., assumes no liability arising out of the use of the product by others. Appropriate warnings and safe handling procedures should be provided to handlers and users.

More information on the effects of crystalline silica exposure may be obtained from OSHA website: <http://www.osha.gov> or from NIOSH website: <http://www.cdc.gov/niosh>.

