

Material Safety Data Sheets are required for the following components used in:

60002 (2000) Office First Aid Kit

805856 Alcohol Pads

805878 Cold Packs

805517 Antiseptic Towelettes

904A Gloves

805115 Triple Antibiotic Ointment

I T E M 1 4 5 1 9 8 3

805856

TRIAD DISPOSABLES
600 Perkins Drive
Mukwonago, Wisconsin 53149
Phone: 262-363-6900
Fax: 262-363-6932
Emergency: 262-363-6900

ISSUE DATE: 1 November 1999
PRODUCT: Alcohol Pads, Swabs and Swabsticks

SECTION II – HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other	%(optional)
Isopropanol	400ppm	400ppm	TWA (980mg/m ³)	70%
NFPA	Health = 0	Flammability = 3	Reactivity = 0	

SECTION III – PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point: >180° F
Vapor Pressure (mm Hg.): 733
Vapor Density (AIR = 1): >2.0
Specific Gravity (H2O = 1): 0.878
Melting Point: NA
Evaporation Rate (Butyl Acetate = 1): >7.0
Solubility in Water: Azeotrope
Appearance and Odor: Clear, colorless with characteristic of IPA

SECTION IV – FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): 70° F
Flammable Limits: NA
LEL: 2
UEL: 12.0

Extinguishing Media: CO₂, dry chemical, water spray, water fog, alcohol type foam.

Special Fire Fighting Procedures: Wear proper protection, fight fire from safe distance.

Unusual Fire and Explosion Hazards: Releases vapor below ambient temperatures. Vapors may travel long distances before igniting and flashing to vapor source.

SECTION V – REACTIVITY DATA

Stability

Unstable: No
Stable: Yes
Conditions to Avoid: NA

Incompatibility (Materials to Avoid): Anhydride, Isocyanate and Organometallic contamination

Hazardous Decomposition or Byproducts: Thermal decomposition or burning may produce carbon monoxide and/or carbon dioxide.

Hazardous Polymerization

May Occur: No
Will Not Occur: Yes
Conditions to Avoid: NA

SECTION VI – HEALTH HAZARD DATA

Route(s) of Entry

Inhalation? Yes
Skin? Yes
Ingestion? Yes

Health Hazards (Acute and Chronic): Prolonged breathing of vapors may cause coughing, shortness of breath, intoxication. Eye contact may cause moderate irritation. Material can affect mucous tissue and/or aggravate mucous membrane dysfunction. Ingestion may cause gastric distress. Excessive ingestion may lead to coma or death.

Carcinogenicity

NTP? NA
IARC Monographs? NA
OSHA Regulated? NA

Signs and Symptoms of Exposure: Coughing, dizziness and watery eyes

Medical Conditions Generally Aggravated by Exposure: Sensitive or inflamed skin may become irritated.

Emergency and First Aid Procedures: If large quantities are ingested, administer warm water and contact physician. With eye contact, flush with water. If irritation persists, contact physician.

SECTION VII – PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released or Spilled: Eliminate all sources of ignition and flush with large quantities of water spray.

Waste Disposal Method: Atomize into an incinerator where appropriate federal, state and local regulations allow.

Precautions to Be Taken in Handling and Storing: Flammable. Keep away from sparks, flames or high temperatures.

Other Precautions: Keep out of reach of children.

SECTION VIII – CONTROL MEASURES

Respiratory Protection (Specify Type): NA

Ventilation

Local Exhaust: Yes
Mechanical (General): Yes
Special: NA
Other: NA

Protective Gloves: NA

Eye Protection: Goggles: Use eye bath if eye contact occurs.

Other Protective Clothing or Equipment: NA

Work / Hygienic Practices: Good hygienic practice.

INTERNATIONAL TRANSPORT INFORMATION

Product Class: Class 4.1 with EXEMPTION A-46

UN Number: UN 3175 Solids containing flammable liquid, n.o.s. – with EXEMPTION A-46

Package Information: PGII

A-46 Mixtures of solids which are not subject to these Regulations and Flammable liquids may be transported under this entry without first applying the classification criteria of Division 4.1, provided there is no free liquid visible at the time the substance is packaged and the packaging is leak proof. Small inner packings consisting of sealed packets containing less than 10 ml of a Packing Group II or II flammable liquid absorbed into a solid material are not subject to these Regulations providing there is no free liquid in the packet.

805878

Date prepared: January 1998

Date revised: 10/22/99

KWIK KOLD REGULAR/OTHER COLD PRODUCTS

Material Safety Data Sheet

Manufacturer:

Allegiance Healthcare
1500 Waukegan Road
McGaw Park, IL 60085 USA

Telephone: 1-800-964-5227 (Customer Service 8 am-4:30 pm; CST M-F)

For emergency
information
contact:
3E Company
1-800-451-8346

2. Composition/Information on Ingredients

Component (synonym)	CAS No.	Percentage (%, w/v)	Exposure Limit*
Water	7732-18-5	60	None
Ammonium nitrate	6484-52-2	40	None

*Limit established by ACGIH or OSHA.

3. Hazards Identification

Emergency Overview:

Nonvolatile, nonflammable mixture packaged in a waterproof container.

Instant cold upon mixing of components/ingredients.

If packaging is broken, direct contact with solution may be slightly irritating to the skin, eyes, throat, and mucous membranes.

Potential Health Effects:

Eye contact:	Unlikely under normal conditions of handling or usage. Direct contact with solution may be slightly irritating to the skin.
Ingestion:	Unlikely under normal conditions of handling or usage. Ingestion in large quantities may cause nausea, vomiting and abdominal pain.
Inhalation:	Unlikely under normal conditions of handling or usage. Inhalation of solution may be irritating to mucus membranes.
Skin contact:	Unlikely under normal conditions of handling or usage. Direct contact with solution may be slightly irritating to the skin.
Carcinogen status:	OSHA: Not listed. NTP: Not listed. IARC: Not listed.
Medical conditions aggravated by exposure:	Not applicable from occupational exposure.

Date prepared: January 1998
Date revised: 10/22/99

KWIK KOLD REGULAR/OTHER COLD PRODUCTS

Material Safety Data Sheet

4. First Aid Measures

- Eye contact: Flush with large amount of water for at least 15 minutes. If redness or irritation occurs, seek medical attention.
- Ingestion: Call a physician or poison control center for most current information. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.
- Inhalation: Nonvolatile liquid. Remove person to fresh air. If breathing is difficult, give oxygen and get medical attention. If person is not breathing, administer artificial respiration or CPR and get medical attention.
- Skin contact: Remove contaminated clothing, wash the effected area with mild detergent and water. Flush area with water for at least 15 minutes. If redness or irritation occurs, seek medical attention.

5. Fire Fighting Measures

Nonflammable solution.

6. Accidental Release Measures

Small spills can be taken up with an absorbent and placed in clean dry containers for later disposal.

This product is a non-hazardous waste when spilled or disposed of, as defined in Resource Conservation Recovery Act (RCRA) regulations (40 CFR 261).

7. Handling and Storage

Store under the following conditions:

Store at room temperature (not to exceed 104°F/40°C). Protect from freezing.

8. Exposure Controls/Personal Protection

- Eye protection: If waterproof packaging is broken, wear safety glasses.
- Gloves: If waterproof packaging is broken, use Latex or other impervious gloves.
- Respiratory Protection: No respiratory protection needed under normal conditions of handling and use.
- Skin Protection: No skin protection needed under normal conditions of handling and use.
- Ventilation: No ventilation should be required under normal conditions of handling and use.
- Exposure guidelines or limits: No occupational exposure limits established by ACGIH or OSHA.

Date prepared: January 1998

Date revised: 10/22/99

KWIK KOLD REGULAR/OTHER COLD PRODUCTS

Material Safety Data Sheet

9. Physical and Chemical Properties

Appearance:	Clear to off white liquid packaged in a waterproof container.
Boiling point:	Not established.
Freezing point:	Not established.
Vapor pressure:	Not established.
Specific gravity:	Not established.
Solubility in water:	Soluble.
pH:	Not established.

10. Stability and Reactivity

Hazardous polymerization:	Not reported to occur under normal temperatures and pressures.
Reactivity:	Yes, Instant cold upon mixing of ingredients.
Incompatibilities (specific materials to avoid):	Acids, nitrate salts, oxidizing agents, chlorine.
Decomposition products:	Thermal decomposition may release toxic and/or hazardous gases.

11. Toxicological Information

Acute Toxicity	The following toxicology information is for pure Ammonium nitrate
	LD ₅₀ Oral, Rat: 4500 mg/kg
	LD ₅₀ Dermal, Rabbit: 3000 mg/kg
	Inhalation, Human: Irritating to mucus membranes
	Oral, Livestock: 400 mg/L toxic limit
	Irritating to eyes, nose, and throat, and mucous membranes (HSDB)

Acute Effects

Inhalation	Unlikely under normal conditions of handling or usage. Inhalation of solution aerosol may be irritating to mucus membranes
Ingestion	Unlikely under normal conditions of handling or usage. Ingestion in large quantities may cause nausea, vomiting and abdominal pain.
Skin	Unlikely under normal conditions of handling or usage. Direct contact with solution may be slightly irritating to the skin.
Eyes	Unlikely under normal conditions of handling or usage. Direct contact with solution may be slightly irritating to the eyes.

Chronic Effects

Carcinogenic Effects	OSHA: Not listed. NTP: Not listed. IARC: Not listed.
----------------------	--

12. Ecological Information

Environmental impact rating (0-4):	No data
Acute aquatic toxicity:	No data for chemical mixture
Degradability:	Yes
Log bioconcentrations factor:	Data not available
Log octanol/water partition coefficient:	No data

Date prepared: January 1998
 Date revised: 10/22/99

KWIK KOLD REGULAR/OTHER COLD PRODUCTS

Material Safety Data Sheet

13. Disposal Considerations

Reprocess or burn in an approved incinerator

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Please be advised, however, that state and local requirements for waste disposal may be more restrictive or otherwise different from federal regulations.

14. Transport Information

DOT Hazardous Material regulations (both ground and air transportation) do apply to this product.

Transportation and Hazardous Materials Description:

DOT shipping name:	Consumer Commodity*
DOT Hazard Class:	ORM-D*
UN/NA Number:	Not applicable
Product RQ (lbs):	Not applicable
DOT Label:	Not applicable
DOT Placard:	Not applicable
Product label:	Not applicable

*Not an acceptable classification when using IATA Dangerous Goods regulations.

15. Regulatory Information

Federal Regulatory Information:

CERCLA Section 103 (40 CFR 302.4), reportable quantity	Non-applicable
CERCLA/Superfund (40 CFR 117.302)	Non-applicable
OSHA Process Safety (29 CFR 1910.119)	Non-applicable

RCRA Status: If discarded in its used form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material contained in the product or derived from the product should be classified as a hazardous waste. If discarded in its purchased form, this product would be a hazardous waste by characteristic. (40 CFR 261.20-24)

SARA Section 302 (40 CFR 355.30), extremely hazardous substances	Non-applicable
SARA Section 304 (40 CFR 355.40)	Non-applicable

SARA Hazard categories, Title III sections 311 and 312 (40 CFR 370.21)	
Acute hazard	No
Chronic hazard	No
Fire hazard	No
Reactivity hazard	No
Sudden release hazard	No

SARA Section 313 (40 CFR 372.65), toxic chemicals	Ammonium Nitrate (solution)
	Listed

TSCA status

State Regulatory Information:

California Proposition 65	Not on list
---------------------------	-------------

Other states: May be more restrictive or otherwise different.

Date prepared: January 1998
Date revised: 10/22/99

KWIK KOLD REGULAR/OTHER COLD PRODUCTS

Material Safety Data Sheet

16. Other Information

Abbreviations:

CERCLA:	Comprehensive Environmental Response, Compensation and Liability Act. Administered by EPA.
HISDB:	Hazardous Substance Data Bank.
NTP:	National Toxicology Program.
OSHA:	Occupational Safety and Health Administration, US Department of Labor which regulates workplace conditions.
RCRA:	Resource Conservation and Recovery Act. Administered by EPA.
SARA:	Superfund Amendments and Reauthorization Act of 1986. Title III is also known as the Emergency Planning and Community Right-to-Know Act. Administered by EPA.
TSCA:	Toxic Substances Control Act.

ALLEGIANCE HEALTHCARE CORPORATION DISCLAIMER

Neither Allegiance Healthcare Corporation nor any of its affiliates or subsidiaries assumes any legal responsibility for use or reliance upon this information. Final determination of suitability of any material for a particular use is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. It is the user's responsibility to determine the appropriate handling, disposal or open disposition for the material or emergency response actions in light of the condition of the material, applicable regulations and other circumstances.



MATERIAL SAFETY DATA SHEET

PDI - PROFESSIONAL DISPOSABLES, INC
THE HEALTHCARE DIVISION OF
NICE-PAK PRODUCTS, INC
2 NICE-PAK PARK
ORANGEBURG NY 10962-1376
914-365-1700
 DATE: 10/98

805517

I. PRODUCT IDENTIFICATION

PRODUCT/TRADE NAME: BZK ANTISEPTIC TOWELETTE D35100

HAZARD RATING (NFPA)

HEALTH: 0
 FLAMMABILITY: 0
 REACTIVITY: 0
 SPECIFIC: NONE

EMERGENCY OR INFORMATION TELEPHONE NO: 914-365-1700 (M-F DAYTIME) AT OTHER TIMES, CONTACT THE LOCAL POISON CONTROL CENTER

CHEMICAL NAME: MIXTURE

II HAZARDOUS INGREDIENTS

PER 29 CFR 1910.1200

<u>Hazardous Ingredients</u>	<u>%</u>	<u>ACGIH TLV</u>	<u>CAS NUMBER</u>
------------------------------	----------	------------------	-------------------

NONE. NO COMPONENTS OVER 1% OF FORMULATION

III PHYSICAL/CHEMICAL CHARACTERISTICS

COLOR/ODOR/APPEARANCE: APPLICATOR SATURATED WITH CLEAR LIQUID.

BOILING POINT: N/A

FLASH POINT: N/A

VAPOR DENSITY: N/A

EVAPORATION RATE: N/A

SOLUBILITY IN WATER: COMPLETE

SPECIFIC GRAVITY (H₂O = 1): 1.0

IV FIRE & EXPLOSION HAZARD DATA

FLASH POINT(Method Used): N/A : LEL: N/A

UEL: N/A

EXTINGUISHING MEDIA: ANY

SPECIAL FIRE FIGHTING PROCEDURES: NONE

UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE

V-REACTIVITY DATA

STABILITY: STABLE

CONDITIONS TO AVOID N/A

INCOMPATIBILITY: ANIONIC SURFACTANTS/SOAPS

HAZARDOUS DECOMPOSITION OF BYPRODUCT NONE

POLYMERIZATION: WILL NOT OCCUR

CONDITIONS TO AVOID: NONE

BZK TOWELETTE

VI-HEALTH HAZARD DATA

EFFECTS OF OVER EXPOSURE:

SKIN NONE

EYES : MAY CAUSE DISCOMFORT

INHALATION: NONE

INGESTION NONE

EMERGENCY AND FIRST AID PROCEDURES:

SKIN CONTACT: DISCONTINUE USE IF RASH OR IRRITATION OCCURS

EYE CONTACT: FLUSH WITH COLD WATER IF SPLASHED IN EYES

INHALATION: NONE

INGESTION: NONE

TARGET ORGANS; NONE

VII-SPILL AND DISPOSAL PROCEDURE

SPILL CONTROL: RINSE INTO SEWER SYSTEM

WASTE DISPOSAL METHOD: FOLLOW LOCAL STATE AND FEDERAL REGULATIONS.

HANDLING AND STORAGE: NONE

VIII-CONTROL MEASURES/PROTECTION

RESPIRATION: NONE.

VENTILATION: NONE.

PROTECTIVE GLOVES: NONE

EYE PROTECTION: IF SPLASH POTENTIAL EXISTS

HYGIENIC PRACTICES: GOOD HOUSEKEEPING PRACTICES SHOULD BE FOLLOWED.

OTHER:NONE

IX TRANSPORT/SHIPPING

DOT SHIPPING NAME:

TECHNICAL SHIPPING NAME:

DOT SHIPPING CLASSIFICATION: DOT Not Regulated

DOT ID NO.:

DOT LABEL; REQUIREMENTS:

UN/NA NUMBER REGULATIONS:

REPORTABLE QUANTITY:

X DISCLAIMER

THE INFORMATION FURNISHED HEREIN IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST DATA CURRENTLY AVAILABLE TO US. NO WARRANTY, EXPRESSED OR IMPLIED IS MADE AND NICE-PAK PRODUCTS, INC. ASSUMES NO LEGAL RESPONSIBILITY OR LIABILITY RESULTING FROM ITS USE.



Basic Medical Industries Inc.

12190 East End Ave.
Chino, CA 91710

Tel: 909-548-4828
Fax: 909-548-4808
www.basicmedical.com

The **BASIC** Solution to Latex Allergies

904A
36412
805704

Material Safety Data Sheet

Product Name: Basic Latex Examination Gloves, Powdered

CAS#: Not Established

IAT/IACO Hazard Rating: Not Restricted

D.O.T. Rating: Not Restricted

Physical Data

Natural Solid Rubber	95.8%
Sulfur	1.0 %
Zinc Accelerators	1.2 %
Others	2.0 %
Donning Powder	Absorbo HP Brand- USP Absorbable Dusting Powder: Modified Corn Starch

Normal Precautions

Ventilation	Not necessary under normal conditions
Equipment	Not necessary
Spills/Clean Up	Not necessary
Eyes:	Not necessary
Storage:	No special precautions necessary Store at room temperature

Fire and Explosion

Stability	Stable
Flash Point	N/A
Extinguishing Media	Foam, Carbon Dioxide, Water



Basic Medical Industries Inc.

12390 East End Ave.
Chino, CA 91710

Tel: 909-548-4828
Fax: 909-548-4808
www.basicmedical.com

The **Basic** Solution to Latex Allergies



GLOVE SPECIFICATIONS

<u>Item #</u>	<u>Size</u>	<u>Length</u>	<u>Inches</u>	<u>Palm Width</u>
LGC1001	S	240 mm	9	80 +/- 10 mm
LGC1002	M	240 mm	9	95 +/- 10 mm
LGC1003	L	240 mm	9	111 +/- 10 mm
LGC1004	XL	240 mm	9	114 +/- 10 mm

MIL THICKNESS:

<u>Finger</u>	<u>Palm</u>	<u>Cuff</u>
6.0 mil	5.0 mil	4.0 mil

TENSILE PROPERTIES:

	<u>Before Aging</u>	<u>After Aging</u>
Tensile Strength Mpa (Minimum)	20	17
Ultimate Elongation % (Minimum)	800	600
AQL: Holes 1.5 Inspection Level S-4		

SPECIFICATIONS

Sterility: Non-Sterile
 Intended Use: Medical Use
 Basic Material: Natural Rubber Latex
 FDA Status: Class 1, Medical Device with 510K

805115

MATERIAL SAFETY DATA SHEET

May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.

SAFETEC OF AMERICA

HMIS HAZARD RATING			
HEALTH	1	0 = INSIGNIFICANT	3 = HIGH
FLAMMABILITY	1	1 = SLIGHT	4 = EXTREME
REACTIVITY	0	2 = MODERATE	

TRANSPORTATION INFORMATION			
PROPER SHIPPING NAME	Safetec Triple Antibiotic Ointment		
HAZARD CLASS / PKG. GRP.	Not applicable	REF.	Not applicable
IDENTIFICATION NUMBER	Not applicable	LABEL	None Required Ground

SECTION 1 - PRODUCT / COMPANY IDENTIFICATION

IDENTITY (AS USED ON LABEL AND LIST)		Page 1 of 2	
Safetec Triple Antibiotic Ointment			
MANUFACTURER'S NAME	EMERGENCY TELEPHONE NUMBER (24 Hours)		
Safetec of America, Inc.	(800) 255-3924		
ADDRESS (NUMBER, STREET, P.O. BOX)	TELEPHONE NUMBER FOR INFORMATION		
55 East Delavan Avenue	(716) 895-1822		
(CITY, STATE AND ZIP CODE)	DATE PREPARED	August 14, 2002	
Safalo, NY 14215	SUPERSEDES	NA	

SECTION 2 - HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

HAZARDOUS COMPONENTS (SPECIFIC CHEMICAL IDENTITY; COMMON NAME(S))	CAS #	% (wt.) (OPTIONAL)	ACGIH TLV/TWA/STEL	
			PPM	MG/M ³

This product is not known to contain a substance subject to Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR 372 at or above minimal amounts.

SECTION 3 - HEALTH HAZARD DATA

ROUTES OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSURE	EMERGENCY AND FIRST AID PROCEDURES
<p>IRITATION: Not likely due to the physical state of the product.</p>	Remove to fresh air. Give artificial respiration if necessary.
<p>INFORMATION: Use only specified ophthalmic ointment in eyes. Topical application will cause eye irritation.</p>	Flush eyes with copious amounts of water for at least 15 minutes.
<p>INFORMATION: May cause kidney, liver, and gastro-intestinal irritation; may induce dizziness, incoordination, sensory loss and deafness.</p>	Induce vomiting. Do not give anything to an unconscious person.
<p>Non-toxic under standard application.</p>	Wash with soap and water.

HEALTH HAZARDS (ACUTE AND CHRONIC): Acute: Allergy, kidney and liver impairment, dizziness, incoordination, sensory loss, deafness, nausea, vomiting and diarrhea.
 Chronic: Repeated or prolonged exposure may cause allergic reactions in susceptible individuals.

GENOTOXICITY	NTP?	No	IARC MONOGRAPHS?	No	OSHA REGULATED?	No
--------------	------	----	------------------	----	-----------------	----

ADDITIONAL INFORMATION:
 SPECIAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Susceptible individuals may have an allergic reaction.

MATERIAL SAFETY DATA SHEET

IDENTITY (AS USED ON LABEL AND LIST)

Safetec Triple Antibiotic Ointment

Page 2 of 2

Date: August 14, 2002

SECTION 4 - FIRE FIGHTING MEASURES

FLASH POINT (METHOD USED)

Not available

FLAMMABLE LIMITS (% Volume in Air for Lowest Flashing Component)

LEL: Not available

UEL: Not available

EXTINGUISHING MEDIA

Use extinguishing media appropriate for the surrounding fire. Use alcohol foam, dry chemical or CO₂.

SPECIAL FIRE FIGHTING PROCEDURES

Wear full protective clothing.

UNUSUAL FIRE AND EXPLOSIVE HAZARDS

May emit toxic fumes.

SECTION 5 - PRECAUTIONS FOR SAFE HANDLING AND USE / LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED

Assure slippery conditions are nullified. Add sand or dirt. Scoop up and remove. Wash area with soap and water. Dispose in accordance with federal, state, and local regulations.

WASTE DISPOSAL METHODS

Dispose of in accordance with Local, State, and Federal regulations. Products classified as non-hazardous may become hazardous waste upon contact with other products. Refer to "40 CFR Protection of Environment Parts 260-299" for complete waste disposal regulations. Consult your Local, State, or Federal Environmental Protection Agency before disposing of any chemicals.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE

Keep containers closed when not in use. Do not handle or store near heat, flames or oxidizers.

SECTION 6 - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION

Not required

VENTILATION

LOCAL EXHAUST: Recommended

MECHANICAL (GENERAL): Not required

PROTECTIVE GLOVES

Not required for normal use

EYE PROTECTION

Not required for normal use

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

Eye wash stations should be nearby and ready for use.

WORK / HYGIENIC PRACTICES

Practice safe work habits. Use according to label instructions.

SECTION 7 - PHYSICAL / CHEMICAL PROPERTIES

MELTING POINT

343°C (650 °F)

SPECIFIC GRAVITY (WATER = 1)

VAPOR PRESSURE (mm Hg)

No data

MELTING POINT

54°C (130 °F)

RELATIVE DENSITY (AIR = 1)

No data

PH (1% solution in water)

No data

SOLUBILITY IN WATER

Insoluble

EVAPORATION RATE (IPA = 1)

No data

COLOR AND ODOR

White to off-white ointment

% VOLATILES (BY VOLUME)

No data

SECTION 8 - STABILITY AND REACTIVITY

STABILITY

UNSTABLE:

STABLE: XXX

CONDITIONS TO AVOID

Heat and oxidizing

INCOMPATIBILITIES (MATERIALS TO AVOID)

Extreme heat, sparks, open flame, oxidizers, strong acids and alkalis.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS

May give off fumes of carbon monoxide and carbon dioxide.

HAZARDOUS POLYMERIZATION

MAY OCCUR:

WILL NOT OCCUR: XXX

CONDITIONS TO AVOID

Temperatures above 300°C,

Information contained herein is believed to be accurate but is not warranted to be so. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons solely caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.